


Ansell



CORRECTIONS CANADA

Hazards & Solutions

[ansell.com](https://www.ansell.com)

CONTENTS

Click to
VIEW PRODUCTS



| | |
|---|----|
| ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL / OCCUPATIONAL HEALTH | 3 |
| ENGINEERING / MAINTENANCE / GROUNDS / UTILITY | 7 |
| ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL | 10 |
| KITCHEN / LAUNDRY | 12 |
| KITCHEN (Dishwashing / Food Preparation / Cleaning)..... | 15 |
| LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH (Fleet Maintenance)..... | 18 |
| FLEET MAINTENANCE HVAC..... | 22 |
| LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL (Response & Search Teams – Drug / Body Fluid Protection / Cell Search)..... | 27 |
| LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL | 30 |
| TACTICAL (Response & Search Teams)..... | 32 |
| LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES AND OCCUPATIONAL HEALTH FIRE / HAZMAT / EMERGENCY PREPAREDNESS..... | 35 |
| BODY SEARCH, BODY EXAMINATION, MAIL ROOM | 37 |
| INFECTION PREVENTION (Chemicals / Disinfectants / Sanitizers) | 39 |
| SPECIALTY..... | 41 |

**ENGINEERING / MAINTENANCE / UTILITY
/ MACHINERY / GROUNDS / CUSTODIAL /
OCCUPATIONAL HEALTH**



ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL / OCCUPATIONAL HEALTH

SPLASH & DRUG PROTECTION

MICROFLEX® MidKnight™ MK-296 [More Info](#)

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



CHEMICAL PROTECTION

AlphaTec® 58-435 [More Info](#)

The dexterity of a heavy duty unlined style wet/oily grip performance of ANSELL GRIP™ Technology



- ANSELL GRIP™ Technology ensures optimal control and confidence when handling oily or wet objects and requires less force to control slippery objects, reducing hand and arm fatigue
- Creates safe and secure glove contact with tools or part surfaces by wicking liquids into glove coating micro-channels
- 16-mil shell effective against hydrocarbon derivatives, alcohol bases, many solvents and esters
- The nitrile coating offers superior snag, puncture and abrasion protection for long-term wear. A foldable gutter cuff helps prevent dripping onto the forearm, while an extra-long cuff extends protection to the upper forearm



AlphaTec® 58-735 [More Info](#)

Cut-protective chemical-resistant gloves with high-visibility liner, for advanced protection

- INTERCEPT™ Cut Resistant Technology provides protection against lacerations
- Optimised fit that integrates the cut liner into nitrile shell for better dexterity & tactility versus double gloving
- Excellent dry & wet grip enhance dexterity and reduce hand fatigue
- Yellow high-visibility cut liner acts as an indicator for when glove is cut, highlighting when chemical protection is compromised
- Cuff can be folded to act as a gutter to prevent chemicals running down the arm
- Oeko-Tex® Standard 100 Approved
- Compliant with FDA food handling requirements



| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | | Size Click for more |
|------------------------------|--------------------|------------------|--------------|--------------------------------|------------|-------------------------|----------------|-------------------|-------------------|--|
| MICROFLEX® MidKnight™ MK-296 | Black | Nitrile | 9.6" | Palm: 4.7mil Finger: 5.9mil | 1.5 | Yes | Yes | Yes | | XS - 2XL  |
| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
| AlphaTec® 58-435 | Grey | Nitrile | 15" | Unsupported | Gauntlet | ANSELL GRIP™ Technology | Yes EN1149 | Yes | Yes | 7 - 11  |
| AlphaTec® 58-735 | Medium glass green | Nitrile | 14" | Supported | Gauntlet | ANSELL GRIP™ Technology | Yes EN1149 | Yes | Yes | 6 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL / OCCUPATIONAL HEALTH

GENERAL PURPOSE & CUT PROTECTION

HyFlex® 11-840 [More Info](#)

Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- **Improved abrasion protection:** provides 20% more abrasion for longer lasting handling in abrasive conditions
- **Enhanced grip:** up to 2 times more grip in dry environments for secure handling and a safer day at work
- **Thin FORTIX™ nitrile foam coating:** the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- **Ergonomic fit:** Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- **Silicone-free:** no transfer of silicone contaminants to metal parts prior to painting
- **Clean and Skin Friendly:** benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free



HyFlex® 11-542 [More Info](#)

Versatile cut-resistant gloves for truly demanding applications

- **INTERCEPT™ Cut Resistance:** ISO F/ANSI A7 hand protection
- **EN407 level 1 heat resistance:** Protects up to 100°C (212°F)
- **ZONZ™ Comfort Fit:** Tailored fit for dexterous comfort






HyFlex® 11-210 [More Info](#)

Sleeve for all-day comfort and optimal cut protection

- Made with INTERCEPT™ Technology cut resistant yarn for optimal protection, fit and comfort
- Available in wide and narrow sizes for optimal fit and comfort. Color coding for easy sorting after laundry
- The specially knitted bicep and wrist cuffs offer an extremely good performance



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|----------------|---------------|-----------------------|--------------|--------------|------------|-------------------------|-------------|----------------|-------------------|--|
| HyFlex® 11-840 | Black | Foam nitrile | 8" - 11" | Knitted | Knitwrist | ANSELL GRIP™ Technology | No | Yes | Yes | 6 - 11  |
| HyFlex® 11-542 | Black | Nitrile | 8.4" - 10.5" | Knitted | Knitwrist | ANSELL GRIP™ Technology | - | Yes | Yes | 6 - 11  |
| Glove Style | Liner Color | Liner Material | | Construction | Cuff Style | GAUGE | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
| HyFlex® 11-210 | Grey | INTERCEPT™ Technology | | Knitted | Knitwrist | 13 | No | - | No | 18"  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL / OCCUPATIONAL HEALTH

GENERAL PURPOSE & CUT PROTECTION

ActivArm[®] 97-003 [More Info](#)

Superior cut protection and advanced grip in wet and oily environment

- Delivers 6 times more cut protection than leather gloves*
- Stainless steel and Kevlar[®] fibers provide superior cut protection
- Gel padding reduces vibrations and impacts
- Foam nitrile for advanced grip in wet or dry conditions
- Offers enhanced fit & feel with ZONZ[™] Comfort Fit Technology



EN 388



4X31D



ABR



CUT

*Based on Ansell's internal cut resistant study vs. standard leather gloves

SPECIALTY

ActivArm[®] 43-217 [More Info](#)

Our best welding glove provides users with high tactility and dexterity while keeping their hands protected and safe

- TIG welding glove that provides EN12477 Type-B protection for precise welding and thermal tasks
- Suitable for TIG welding, as well as grinding, brazing, metal fabrication and maintenance
- Provides protection from heat, flames, sparks and weld spatter
- 3-dimensional thumb design greatly increases fine dexterity for precise welding control
- Premium full grain goatskin and welted seams with para-aramid thread ensure durability in use
- Long split cowhide cuff extends protection to the forearms



EN 388



2121A



ABR





CUT

EN 407



41XX4X

| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|------------------------------|---------------|------------------|---------------|--------------|---------------------|-------------|-------------|----------------|-------------------|--|
| ActivArm [®] 97-003 | Blue & black | Foam nitrile | 10.5" - 10.9" | Knitted | Velcro [®] | - | No | - | No | 9 - 11  |
| ActivArm [®] 43-217 | White | Goatskin | 13.3" - 14" | - | Gauntlet | - | - | - | - | 9 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

ENGINEERING / MAINTENANCE / GROUNDS / UTILITY



ENGINEERING / MAINTENANCE / GROUNDS / UTILITY

GENERAL PURPOSE & CUT PROTECTION

HyFlex® 11-840 [More Info](#)

Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- **Improved abrasion protection:** provides 20% more abrasion for longer lasting handling in abrasive conditions
- **Enhanced grip:** up to 2 times more grip in dry environments for secure handling and a safer day at work
- **Thin FORTIX™ nitrile foam coating:** the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- **Ergonomic fit:** Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- **Silicone-free:** no transfer of silicone contaminants to metal parts prior to painting
- **Clean and Skin Friendly:** benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free





EDGE® 48-711 [More Info](#)

Cost effective solution for medium weight applications requiring cut and abrasion resistance in dry environment

- Made of a seamless liner, palm dipped into PU coating
- Seamless liner and knitted wrist offer close fit in cut-resistant applications
- Palm PU coating provides protection in slightly oily environments
- Cost-effective alternative compared to medium weight leather, thick cotton or aramid gloves



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|----------------|---------------|------------------|--------------|--------------|------------|-------------------------|-------------|----------------|-------------------|--|
| HyFlex® 11-840 | Black | Foam nitrile | 8" - 11" | Knitted | Knitwrist | ANSELL GRIP™ Technology | No | Yes | Yes | 6 - 11  |
| EDGE® 48-711 | White | Goatskin | 13" - 14" | Knitted | Knitwrist | - | - | - | - | 9 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.


ENGINEERING / MAINTENANCE / GROUNDS / UTILITY

CHEMICAL PROTECTION

AlphaTec® 58-530B [More Info](#)

Durable chemical-resistant gloves with heightened grip, ideal for outdoor application


- ANSELL GRIP™ technology enables users to handle wet or oily objects using less force to grip, providing more control
- Unique combination of liquid proof chemical resistance and grip, together with flexibility and dexterity
- Reliable chemical protection for added user safety. The bonded construction ensures that the coating polymer does not penetrate the liner during manufacture
- Black acrylic liner suitable for outdoor applications



AlphaTec® 2000 STANDARD Bound - Model 111 [More Info](#)

Superior breathable microporous laminate technology, Type 5/6 protection

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone-free, critical in spray painting applications



AlphaTec® 56-210 [More Info](#)

Economical protections for light-to-medium duty applications

- Offers flexible comfort and protection against chemicals, fats, oils and grease
- Integral material ties provide convenience and an adjustable fit
- Inexpensive enough to be discarded but strong enough to be reused if needed



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|---|---------------|-------------------|--------------|--------------|---|-------------------------|-------------|----------------|-------------------|--|
| AlphaTec® 58-530B | Grey | Nitrile | 11" - 12" | Supported | Gauntlet | ANSELL GRIP™ Technology | Yes EN1149 | Yes | Yes | 7 - 11 i |
| Bodysuit Style | Color | Garment | Fabric | Seam | Design Features by Model Configuration | | | | | Size Click for more |
| AlphaTec® 2000 STANDARD Bound - Model 111 | White | Coverall | MPL | Bound | Fully elasticated, finger loops, two-way zip, zip flap, respirator fit hood | | | | | S - 5XL i |
| Bodysuit Style | Color | Product Material | | Thickness | Silicone-free Y/N | | | | | Size Click for more |
| AlphaTec® 56-210 | White | Polyethylene (Pe) | | 1.25 mil | Not tested | | | | | 27" X 46" i 27" X 55" i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



**ENGINEERING / MAINTENANCE / UTILITY /
MACHINERY / GROUNDS / CUSTODIAL**

ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL

COLD AND HEAT PROTECTION

ActivArm® 97-681 [More Info](#)

Cold and liquid protection with dexterity and comfort

- PVC coating provides grip and flexibility, even in the coldest temperatures
- RIPEL™ Technology keeps liquids out helping your hands stay dry and warm longer
- Two-layer design gives the user:
 - PVC coated flexible nylon exterior to protect against liquid and mechanical risks, including cut
 - Soft and insulative acrylic interior provides comfort and warmth
- Industry leading combination of warmth and dexterity in a liquidproof glove
- Thin enough to handle small objects but protective enough for harsh environments, ActivArm® 97-681 helps you outsmart the elements



ActivArm® 43-113 [More Info](#)

Superior heat and flame resistance glove with complete protection for hand and wrist

- Designed for intermittent handling of dry hot objects up to 350°C / 660°F
- Flame resistant - Self extinguishes when exposed to flame
- Outstanding resistance to cuts
- Comfortable and absorbent inner cotton liner



| Glove Style | Coating / Liner Color | Coating / Liner Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|------------------|-----------------------|--|----------------|--------------|------------|-------------|-------------|----------------|-------------------|--|
| ActivArm® 97-681 | Blue | PVC | 9.84" - 11.22" | Knitted | Gauntlet | - | Yes | - | No | 8 - 11 i |
| ActivArm® 43-113 | Yellow | Kevlar® para aramid with silica fiber core | 12.99" - 15" | Knitted | Knitwrist | - | No | - | Yes | 9-10 i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

KITCHEN / LAUNDRY



KITCHEN / LAUNDRY

CONTAMINATION PREVENTION

DURA-TOUCH® 34-725 [More Info](#)

High quality protection for food service jobs

- Made from premium quality PVC
- Compliant with food handling requirements



MICROFLEX® Ultraform™ UF-524 [More Info](#)

Comfortable, thin nitrile gloves that offer affordable protection with an ergonomic design

- Designed with ERGOFORM™ Ergonomic Design Technology to support musculoskeletal health
- Thin design for superior tactile sensitivity
- Soft nitrile formulation forms to hands for comfort during extended wear
- Available in half sizes for a unique, tailored fit



COLD AND HEAT PROTECTION

ActivArm® 97-631 [More Info](#)

Cold resistant glove

- PVC coating provides excellent grip and flexibility, even in the coldest temperatures
- Two-layer design gives the user:
 - Flexible nylon exterior protects against mechanical risks, including cut, and contours to the hand permitting maximum dexterity
 - Soft and insulative acrylic interior provides comfort and warmth
- Giving the wearer a unique combination of warmth, dexterity, and flexibility that lets you feel everything but the cold
- Cold resistant glove that lets you tackle everything from food processing to outdoor construction



ActivArm® 42-474 [More Info](#)

Superior heat resistance with complete protection for hand and wrist

- Non-woven felt insulation and a full-length heat barrier designed for intermittent handling of dry objects up to 250°C / 480°F
- Two-piece construction eliminates outseams for better finger comfort, dexterity and flexibility
- Bonded nitrile coating protects against snags, punctures, abrasions and cuts
- Provides excellent grip when handling dry or oily surfaces
- Comfortable & flexible: sweat absorbent non-woven felt inner
- Contains no asbestos
- Compliant to FDA food handling requirements



| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | | Size Click for more |
|------------------------------|-----------------------|---------------------------------|----------------|--------------------------------|------------|-----------------|----------------|-------------------|-------------------|---|
| DURA-TOUCH® 34-725 | Clear | Vinyl (Polyvinyl Chloride) | 9.1" | Palm: 2.8mil Finger: 2.8mil | 6.5 | Yes | Yes | No | | S - XL  |
| MICROFLEX® Ultraform™ UF-524 | Cobalt | Nitrile | 9.1" | Palm: 2.4mil Finger: 3.9mil | 1.5 | Yes | Yes | No | | XS - XL  |
| Glove Style | Coating / Liner Color | Coating / Liner Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
| ActivArm® 97-631 | Black | PVC | 9.84" - 11.22" | Knitted | Knitwrist | - | No | - | No | 7 - 11  |
| ActivArm® 42-474 | Grey | Non-woven polyester, polycotton | 13.5" - 14" | Knitted | Gauntlet | - | No | - | Yes | 9, 10  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.


KITCHEN / LAUNDRY

CUT PROTECTION

HyFlex® 74-048 [More Info](#)

A close, comfortable fit with the protection of a heavyweight glove

- Excellent levels of cut protection ANSI Level 6
- Incorporates Tuff-Cuff™ anti-shrink cuff construction
- Excellent protection in food processing applications
- Good for most knife-hand and some offhand applications
- Available in white & grey



CHEMICAL PROTECTION

AlphaTec® 56-910 [More Info](#)

PVC Aprons

- Wherever oil, grease and chemicals are present, Ansell coat aprons help workers keep clean and protected
- These aprons come with no exposed elastic or metal parts to cause static or corrosion and offer excellent protection where splashes from acids and caustic bases are a concern
- The virgin vinyl construction contains no reprocessed materials and is flexible with excellent resistance to punctures, abrasion, chemicals, fats, oils and greases
- Sleeves come with elasticized cuffs for added protection
- PVC (vinyl) grommets are permanently sealed to the aprons for durability and allow for size adjustment without tear-out
- Apron contains no metal parts to cause static or corrosion
- Six sizes with adjustable ties ensure optimal fit for a wide range of users



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|------------------|---------------|------------------|--------------|--------------------|------------|---------------------|-------------|---|-------------------|--|
| HyFlex® 74-048 | Grey | Dyneema® | 9.25" - 12" | Knitted - Uncoated | Knitwrist | Extended Tuff-Cuff™ | No | Yes | Yes | 6 - 11  |
| Bodysuit Style | Color | Product Material | | | Thickness | Silicone-free Y/N | | Size Click for more | | |
| AlphaTec® 56-910 | Blue | Vinyl (PVC) | | | 8 mil | Not tested | | S - 3XL  | | |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

KITCHEN

(Dishwashing / Food Preparation / Cleaning)




KITCHEN (Dishwashing / Food Preparation / Cleaning)

CHEMICAL PROTECTION

AlphaTec® 19-026 [More Info](#)

Neoprene-dipped coating on a double insulating liner for improved resistance in hot conditions


- Neoprene glove with a double insulating liner for better resistance in hot and cold environment
- Designed to protect the users in applications where thermal and chemical risks are present
- Excellent mechanical and chemical properties. Unaffected by detergents and cleaning solutions. Excellent protection against greases and oils. Superior flexibility and grip
- Comfortable insulating double liner. Provides protection from intermittent contact with hot surfaces up to 180°C
- Longer version than the 19-024 for further protection



AlphaTec® Solvex® 37-145 [More Info](#)

Tactile, yet durable glove that provides a great comfort across a diverse range of applications


- No inner cotton flocking, reducing risk of lint contamination and making it ideal for production areas sensitive to the introduction of external impurities
- Sandpatch finish giving the glove a smooth surface that decreases indirect costs thanks to fewer rejects of fragile parts
- Fully reusable, with an unequalled abrasion resistance
- Provides superb comfort for the wearer
- Complies with FDA food handling requirements (21 CFR 177.2600)



AlphaTec® 58-435 [More Info](#)

The dexterity of a heavy duty unlined style wet/oily grip performance of ANSELL GRIP™ Technology

- ANSELL GRIP™ Technology ensures optimal control and confidence when handling oily or wet objects and requires less force to control slippery objects, reducing hand and arm fatigue
 - Creates safe and secure glove contact with tools or part surfaces by wicking liquids into glove coating micro-channels
 - 16-mil shell effective against hydrocarbon derivatives, alcohol bases, many solvents and esters
 - The nitrile coating offers superior snag, puncture and abrasion protection for long-term wear.
- A foldable gutter cuff helps prevent dripping onto the forearm, while an extra-long cuff extends protection to the upper forearm



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|--------------------------|---------------|------------------|--------------|--------------|------------|-------------------------|-------------|----------------|-------------------|--|
| AlphaTec® 19-026 | Black & grey | Neoprene | 26" | Supported | Gauntlet | Rough finish | Not tested | Yes | Yes | 8-10 i |
| AlphaTec® Solvex® 37-145 | Green | Nitrile | 13" | Unsupported | Gauntlet | Sandpatch | Not tested | Yes | Yes | 6-11 i |
| AlphaTec® 58-435 | Grey | Nitrile | 15" | Unsupported | Gauntlet | ANSELL GRIP™ Technology | Yes EN1149 | Yes | Yes | 7-11 i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

KITCHEN (Dishwashing / Food Preparation / Cleaning)

CHEMICAL PROTECTION

AlphaTec® 87-198

[More Info](#) 

The perfect combination of strength and sensitivity, with the advantage of special wax treatment

- Light duty glove
- 100% cotton flock lining
- Special treatment for water repelling
- Good dexterity and tactility
- FDA food compliance



AlphaTec® 54-290

[More Info](#) 

Polyethylene Apron

- High-quality virgin material combines flexibility and resistance to chemicals, fats and oils
- Easy to clean and conveniently packaged
- Component materials comply with FDA regulations for food contact








AlphaTec® 56-015

[More Info](#) 

PVC Aprons

- Offers excellent protection where splashes from acids and caustic bases are a concern
- The die cut PVC construction features superior flexibility yet offers excellent resistance to abrasion and puncture
- Integral ties provide an economical solution for adjustable fit
- Bib styles in four sizes with adjustable ties ensure optimal fit for a wide range of users



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|------------------|---------------|----------------------|--------------|--------------|------------|-------------|-------------|-------------------|-------------------|---|
| AlphaTec® 87-198 | Yellow | Natural latex rubber | 12" | Unsupported | Pinked | Fishscale | No | - | No | 7 - 10  |
| Bodysuit Style | Color | Product Material | | | | Thickness | | Silicone-free Y/N | | Size Click to order |
| AlphaTec® 54-290 | White | Polyethylene (Pe) | | | | 1.75 mil | | No | | 28" X 45"  |
| AlphaTec® 56-015 | Blue | Vinyl (PVC) | | | | 6 mil | | Not tested | | 33" X 39"  33" X 44"  33" X 47"  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH (Fleet Maintenance)



LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH (Fleet Maintenance)

GENERAL PURPOSE & CUT PROTECTION

HyFlex® 11-840 [More Info](#)

Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- **Improved abrasion protection:** provides 20% more abrasion for longer lasting handling in abrasive conditions
- **Enhanced grip:** up to 2 times more grip in dry environments for secure handling and a safer day at work
- **Thin FORTIX™ nitrile foam coating:** the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- **Ergonomic fit:** Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- **Silicone-free:** no transfer of silicone contaminants to metal parts prior to painting
- **Clean and Skin Friendly:** benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free



HyFlex® 11-542 [More Info](#)

Versatile cut-resistant gloves for truly demanding applications

- **INTERCEPT™ Cut Resistance:** ISO F/ANSI A7 hand protection
- **EN407 level 1 heat resistance:** Protects up to 100°C (212°F)
- **ZONZ™ Comfort Fit:** Tailored fit for dexterous comfort






HyFlex® 11-751 [More Info](#)

Resilient, cut-resistant polyurethane gloves, with dirt masking for long-lasting wear

- **Durable PU coating:** PPE gloves with ANSI level 6 abrasion defenses
- **INTERCEPT™ Cut Resistance:** Heightened protection from cuts
- **Dirt masking:** Stains and marks hidden in various applications



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|----------------|---------------|------------------|----------------|--------------|------------|-------------------------|-------------|----------------|-------------------|--|
| HyFlex® 11-840 | Black | Foam nitrile | 8" - 11" | Knitted | Knitwrist | ANSELL GRIP™ Technology | No | Yes | Yes | 6-11  |
| HyFlex® 11-542 | Black | Nitrile | 8.4" - 10.5" | Knitted | Knitwrist | ANSELL GRIP™ Technology | - | Yes | Yes | 6-11  |
| HyFlex® 11-751 | Black | Polyurethane | 8.81" - 10.59" | Knitted | Knitwrist | - | No | - | No | 6-11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH (Fleet Maintenance)

CUT PROTECTION

HyFlex® 11-250 [More Info](#)

Arm protection sleeves that combine cut protection with unrivaled comfort

- **INTERCEPT™ Cut Resistance:** ANSI A3 and EN ISO C cut protection
- **HPPE yarn:** Arm protection sleeves that ensure a cool, breathable feel
- **Silicone-free:** Avoiding contaminant transfer to metal prior to painting



HyFlex® 11-210 [More Info](#)

Durable, protective arm sleeves, offering high levels of comfort and some cut protection

- Made with INTERCEPT™ Technology cut resistant yarn for optimal protection, fit and comfort
- Available in wide and narrow sizes for optimal fit and comfort. Color coding for easy sorting after laundry
- The specially knitted bicep and wrist cuffs offer an extremely good performance



CHEMICAL PROTECTION

AlphaTec® 58-435 [More Info](#)

The dexterity of a heavy duty unlined style wet/oily grip performance of ANSELL GRIP™ Technology

- ANSELL GRIP™ Technology ensures optimal control and confidence when handling oily or wet objects and requires less force to control slippery objects, reducing hand and arm fatigue
- Creates safe and secure glove contact with tools or part surfaces by wicking liquids into glove coating micro-channels
- 16-mil shell effective against hydrocarbon derivatives, alcohol bases, many solvents and esters
- The nitrile coating offers superior snag, puncture and abrasion protection for long-term wear. A foldable gutter cuff helps prevent dripping onto the forearm, while an extra-long cuff extends protection to the upper forearm



| Glove Style | Liner Color | Liner Material | Construction | | Cuff Style | GAUGE | Washing Temperature | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|------------------|---------------|-----------------------|--------------|--------------|-----------------------------|-------------------------|---------------------|----------------|-------------------|---|
| HyFlex® 11-250 | Black | INTERCEPT™ Technology | Knitted | | Knitwrist without thumbslot | - | 40 °C (104 °F) | - | - | 12" i 16" i 18" i |
| HyFlex® 11-210 | Grey | INTERCEPT™ Technology | Knitted | | Knitwrist | 13 | No | - | No | 18" i |
| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
| AlphaTec® 58-435 | Grey | Nitrile | 15" | Unsupported | Gauntlet | ANSELL GRIP™ Technology | Yes EN1149 | Yes | Yes | 7-11 i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH (Fleet Maintenance)


CHEMICAL PROTECTION

AlphaTec® 1500 Stitched - Model 100

[More Info](#) 

Breathable, anti-static SMS material, Type 5/6 protection

- Proven protection, filters 100% of particles >3 microns*
- Air and water vapour permeable (breathable) fabric helps reduce the risk of heat stress
- Optimised body fit, improving wearer comfort and safety
- Silicone-free, critical in spray painting applications
- Anti-static, tested according to EN 1149-5 and AATCC 76



* KAKEN Particle penetration test






AlphaTec® 1800 STANDARD Bound - Model 111

[More Info](#) 

Lightweight, breathable microporous laminate technology, Type 5/6 protection

- Protects against low hazard liquid spray and fine particulates
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5 and AATCC 76
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone-free, critical in spray painting applications



| Bodysuit Style | Color | Garment | Fabric | Seam | Design Features by Model Configuration | Size Click for more |
|-------------------------------------|-------|----------|--------|------------------|---|---|
| AlphaTec® 1500 - Model 100 | White | Coverall | SMS | Stitched & taped | Elasticated cuffs, two-way zip, zip flap | S - 5XL  |
| AlphaTec® 1800 STANDARD - Model 111 | White | Coverall | MPL | Bound | Elasticated hood, wrists, waist and ankles, 2-way front zipper with resealable storm flap | S - 5XL  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



FLEET MAINTENANCE HVAC

FLEET MAINTENANCE HVAC

GENERAL PURPOSE & CUT PROTECTION

HyFlex® 11-840 [More Info](#)

Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- **Improved abrasion protection:** provides 20% more abrasion for longer lasting handling in abrasive conditions
- **Enhanced grip:** up to 2 times more grip in dry environments for secure handling and a safer day at work
- **Thin FORTIX™ nitrile foam coating:** the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- **Ergonomic fit:** Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- **Silicone-free:** no transfer of silicone contaminants to metal parts prior to painting
- **Clean and Skin Friendly:** benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free





EDGE® 48-929 [More Info](#)

Cost effective solution for medium weight applications requiring cut resistance, excellent grip and strong oil-repellence

- Good combination of cut resistance, grip & oil-repellence
- Excellent abrasion resistance
- Double layer nitrile coating keeps hands dry and comfortable when handling oily parts and tools
- In compliance with the standards EN 420 (General requirements) and EN 388 (Mechanical hazards)
- Elastic knitwrist ensures snug fit
- Applicable in oily environments



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|----------------|---------------|------------------|----------------|--------------|------------|-------------------------|-------------|----------------|-------------------|--|
| HyFlex® 11-840 | Black | Foam nitrile | 8" - 11" | Knitted | Knitwrist | ANSELL GRIP™ Technology | No | Yes | Yes | 6 - 11  |
| EDGE® 48-929 | Black | Nitrile | 8.89" - 11.22" | Knitted | Knitwrist | - | No | - | No | 6 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

FLEET MAINTENANCE HVAC

IMPACT PROTECTION

RINGERS® R074 [More Info](#)

Proprietary PVC coating for waterproof and chemical resistance with impact and cut protection

- TPR impact protection on top of hand and full length of fingers
- PVC coating for waterproof and chemical resistance
- Inside liner provides all-around 360 degree cut resistance
- Durable textured palm coating for enhanced grip
- CE rated for EN374-1:A (Methanol) J (n-Heptane) K (Sodium Hydroxide 40%) L (Sulfuric Acid 96%) M (Nitric Acid 65%) O (Ammonium Hydroxide 25%)
- Short gauntlet-style cuff to keep debris away from hands



RINGERS® R060 [More Info](#)

Innovative impact glove with knit shell and palm for excellent dexterity with added protection against abrasions and cuts


- Breathable knit shell offers cut resistance
- TPR impact protection on top of the hand and full length of fingers
- Durable thumb base reinforcement
- Non-coated palm
- High visibility colors on finger TPR for increased safety






RINGERS® R065 [More Info](#)

Innovative impact and cut protection combined with superior dexterity for ultimate comfort in a variety of end uses

- High visibility for increased safety
- Breathable knit shell offers cut resistance
- TPR impact protection on top of hand and full length of fingers
- Half-dipped nitrile coating on palm with sandy finish for enhanced grip
- Touchscreen compatible index, middle and thumb tips
- Superior grip on wet and dry surfaces



| Glove Style | Coating Color | Coating Material | Construction | Cuff Style | Grip Design | Washing Temperature | Gauge | Latex-free Y/N | Liner Material | Size Click for more |
|---------------|-------------------|------------------|--------------|----------------|---------------|---------------------|-------|----------------|----------------|---|
| RINGERS® R074 | Red Hi-vis Yellow | PVC | Lined | Short gauntlet | Sandy PVC | - | - | - | - | 8-10-12  |
| RINGERS® R060 | Hi-viz | - | Knitted | Knitwrist | - | 30 °C (86 °F) | 13 | Yes | HPPE | 8-13  |
| RINGERS® R065 | Hi-viz | Nitrile | Knitted | Knitwrist | Sandy nitrile | 30 °C (86 °F) | 13 | Yes | HPPE | 7-13  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

FLEET MAINTENANCE HVAC

IMPACT PROTECTION

RINGERS® R161 [More Info](#)

Impact protection with synthetic red leather padded palm and touchscreen compatibility for comfort and ease-of-use

- TPR impact protection on top of hand and fingers
- Flexible knuckle TPR design with two detached fingers
- Durable synthetic leather palm for enhanced grip
- Padded palm for comfort
- Secure cuff closure with hook and loop rubber pull tab
- Reinforced thumb, index, and middle finger tips
- Wrap around index finger protecting wear and tear zone
- Touchscreen compatible index, middle and thumb tips
- High visibility for increased safety



RINGERS® R313 [More Info](#)

Impact technology and rugged grip system specially designed for extrication in search and rescue

- TPR impact protection on top of hand and full length of fingers
- Durable grip system on palm and fingers enhances grip
- Extended cuff with gaiter closure to keep out debris
- Kevlar® stitched padded palm




RINGERS® R536 [More Info](#)

Hard knuckle Flame Resistant tactical glove with leather palm, PVC palm patch and touchscreen compatibility

- Premium goatskin leather palm for durability and contoured fit
- PVC knuckle protector laminated with Kevlar® blended fabric
- PVC palm patch with padding on palm heel for extra durability
- Custom designed index finger for enhanced trigger and tactile feel
- Touchscreen compatible middle fingertip
- Lightweight FR Nomex® materials protecting top of hand areas
- Leather reinforcement patches on fingertips for extra durability
- Cuff loop for attaching to hooks on vests, belts, and uniforms
- Secure cuff closure with hook and loop TPR pull tab closure
- Low profile FR TPR for maximum impact protection on fingers and thumb areas



| Glove Style | Coating Color | Coating Material | Construction | Cuff Style | Grip Design | Washing Temperature | Gauge | Latex-free Y/N | Liner Material | Size Click for more |
|---------------|---------------|------------------|--------------|-----------------------------------|-------------------|---------------------|-------|----------------|----------------|--|
| RINGERS® R161 | Hi-viz | - | Cut & sewn | Adjustable | Synthetic leather | 30 °C (86 °F) | - | Yes | - | 7 - 13  |
| RINGERS® R313 | Black | - | Cut & sewn | Extended cuff with gaiter closure | Durable blend | 30 °C (86 °F) | - | Yes | Polyester | 7 - 12  |
| RINGERS® R536 | Black | - | Cut & sewn | Velcro® | Goatskin leather | Handwash cold water | - | Yes | - | 8 - 12  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.


FLEET MAINTENANCE HVAC

CHEMICAL PROTECTION

AlphaTec® Solvex® 37-175 [More Info](#)

Versatile chemical protection of 15 mil, performing across a diverse range of applications


- Cotton flocking, reducing sweat for the wearer
- Sandpatch finish giving the glove a smooth surface
- Indirect costs, thanks to fewer rejects of fragile parts
- Fully reusable, with an unequaled abrasion resistance
- Provides superb comfort for the wearer





AlphaTec® 2000 STANDARD Bound - Model 111 [More Info](#)

Superior breathable microporous laminate technology, Type 5/6 protection

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone-free, critical in spray painting applications



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|---|---------------|------------------|--------------|--------------|---|-------------|-------------|----------------|-------------------|---|
| AlphaTec® Solvex® 37-175 | Green | Nitrile | 13" | Unsupported | Gauntlet | Sandpatch | Not Tested | Yes | Yes | 6 - 11  |
| Bodysuit Style | Color | Garment | Fabric | Seam | Design Features by Model Configuration | | | | | Size Click for more |
| AlphaTec® 2000 STANDARD Bound - Model 111 | White | Coverall | MPL | Bound | Fully elasticated, finger loops, two-way zip, zip flap, respirator fit hood | | | | | S - 5XL  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

**LABORATORIES, ENVIRONMENTAL SERVICES,
EMERGENCY SERVICES & OCCUPATIONAL
HEALTH TACTICAL (Response & Search Teams –
Drug / Body Fluid Protection / Cell Search)**



LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL (Response & Search Teams – Drug / Body Fluid Protection / Cell Search)

ROBUST

MICROFLEX® MidKnight™ MK-296 [More Info](#)

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



MICROFLEX® SUPRENO™ SE SU-690 [More Info](#)

Sturdy protection for demanding jobs

- Durable nitrile formulation for demanding jobs
- Sturdy design for longer wear times
- Exceptional barrier integrity with 0.65 AQL for allowable pinholes
- Textured fingertips provide secure grip



HIGH RISK

MICROFLEX® LIFESTAR EC™ LSE-104 [More Info](#)

Reliable barrier protection against opioids and hazardous substances

- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- Dual layer, dual color design for two layers of protection
- Advanced barrier protection (AQL 0.65)
- Non-stick and non-foaming properties for reduced interference when working



MICROFLEX® SUPRENO™ EC SEC-375 [More Info](#)

Durable nitrile gloves that offer extra durability to enhance safety

- Superior strength and durability for maximum protection against rips, snags or tears
- Low, 0.65 AQL for advanced barrier protection
- Tested for use with chemotherapy/cytotoxic drugs
- Certified to the emergency medical glove requirements of NFPA 1999
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situation
- Textured fingertips provide secure grip



| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|---------------------------------|-------------------------------|----------|--------------|--------------------------------|------|-----------------|----------------|-------------------|--|
| MICROFLEX® MidKnight™ MK-296 | Black | Nitrile | 9.6" | Palm: 4.7mil Finger: 5.9mil | 1.5 | Yes | Yes | Yes | XS - 2XL i |
| MICROFLEX® SUPRENO™ SE SU-690 | Violet blue | Nitrile | 9.6" | Palm: 4.3mil Finger: 7.1mil | 0.65 | Yes | Yes | No | XS - XL i |
| MICROFLEX® LIFESTAR EC™ LSE-104 | White exterior, blue interior | Nitrile | 11" | Palm: 5.5mil Finger: 8.3mil | 0.65 | Yes | Yes | Yes | S - 3XL i |
| MICROFLEX® SUPRENO™ EC SEC-375 | Violet blue | Nitrile | 11.6" | Palm: 5.5mil Finger: 8.7mil | 0.65 | Yes | Yes | No | XS - 3XL i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL (Response & Search Teams – Drug / Body Fluid Protection / Cell Search)

HIGH TOUCH

MICROFLEX® Ultraform™ UF-524 [More Info](#)

Comfortable, thin nitrile gloves that offer affordable protection with an ergonomic design

- Designed with ERGOFORM™ Ergonomic Design Technology to support musculoskeletal health
- Thin design for superior tactile sensitivity
- Soft nitrile formulation forms to hands for comfort during extended wear
- Available in half sizes for a unique, tailored fit



MULTI PURPOSE

MICROFLEX® XCEED® XC-310 [More Info](#)

Ergonomically designed to reduce hand fatigue

- Designed with ERGOFORM™ Technology to support musculoskeletal health and increase worker productivity
- Thin mil design for exceptional tactile sensitivity
- Strong formulation prevents against rips and tears
- Smartly packaged 250 gloves per box with easy, single glove dispensing to reduce waste
- Low 0.65 AQL for allowable pinholes means exceptional barrier integrity



CUT PROTECTION

HyFlex® 11-542 [More Info](#)

Versatile cut-resistant gloves for truly demanding applications

- **INTERCEPT™ Cut Resistance:** ISO F/ANSI A7 hand protection
- **EN407 level 1 heat resistance:** Protects up to 100°C (212°F)
- **ZONZ™ Comfort Fit:** Tailored fit for dexterous comfort



EN 388



4X32F



ABR



CUT

EN 407



T1XXXX



| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | | Size Click for more |
|------------------------------|---------------|------------------|--------------|--------------------------------|------------|-------------------------|----------------|-------------------|-------------------|---|
| MICROFLEX® Ultraform™ UF-524 | Cobalt | Nitrile | 9.1" | Palm: 2.4mil Finger: 3.9mil | 1.5 | Yes | Yes | No | | XS - XL  |
| MICROFLEX® XCEED® XC-310 | Blue | Nitrile | 9.5" | Palm: 2.8mil Finger: 4.3mil | 0.65 | Yes | Yes | No | | XS - XL  |
| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
| HyFlex® 11-542 | Black | Nitrile | 8.4" - 10.5" | Knitted | Knitwrist | ANSELL GRIP™ Technology | - | Yes | Yes | 6 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

A photograph showing the back of a person wearing a white lab coat. A firefighter's hand, wearing a black nitrile glove and a brown leather jacket with yellow reflective stripes, is placed on the person's back. The background is a blurred red and orange.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL

SPLASH & DRUG PROTECTION

MICROFLEX® MidKnight™ MK-296 [More Info](#)

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations






CHEMICAL PROTECTION

AlphaTec® 3000 Ultrasonically Welded - Model 111 [More Info](#)

Durable, comfortable multi-layer chemical barrier, Type 3/4/5 protection

- Multi-layer barrier fabric provides effective protection against numerous chemicals
- Designed to protect, typical innovative features include dual zip systems and double cuffs
- Lightweight and durable
- Highly visible bright yellow color for improved worker safety
- Anti-static, tested according to EN 1149-5 and AATCC 76



| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|-------------------------------------|--------|----------|------------------|--------------------------------|---|-----------------|----------------|-------------------|--|
| MICROFLEX® MidKnight™ MK-296 | Black | Nitrile | 9.6" | Palm: 4.7mil Finger: 5.9mil | 1.5 | Yes | Yes | Yes | XS - 2XL  |
| Bodysuit Style | Color | Garment | Fabric | Seam | Design Features by Model Configuration | | | | Size Click for more |
| AlphaTec® 3000 - Model 111 | Yellow | Coverall | Chemical barrier | Welded | Double zip, double flap system, no drip cuff, respirator fit hood | | | | S - 5XL  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



TACTICAL **(Response & Search Teams)**

TACTICAL (Response & Search Teams)

IMPACT PROTECTION

RINGERS® R507 [More Info](#)

Tactical glove with Supercuff technology and lightweight materials for maximum flexibility

- Contoured fingertip design for enhanced tactile feel
- Lightweight materials for maximum flexibility
- High performance spandex for ergonomic contoured fit
- Hook & loop standard cuff for adjustable custom fit
- Patented Supercuff technology for maximum wrist flexibility



RINGERS® R532 [More Info](#)

Flame Resistant tactical glove with leather palm and touchscreen compatibility

- Premium goatskin leather palm for durability and contoured fit
- Kevlar® stitching construction for maximum structural durability
- Custom designed index finger for enhanced trigger and tactile feel
- Touchscreen compatible middle fingertip
- Lightweight FR Nomex® materials protecting top of hand areas
- Leather reinforcement patches on fingertips for extra durability
- Cuff loop for attaching to hooks on vests, belts, and uniforms
- Secure cuff closure with hook and loop TPR pull tab closure



RINGERS® R313 [More Info](#)

Impact technology and rugged grip system specially designed for extrication in search and rescue

- TPR impact protection on top of hand and full length of fingers
- Durable grip system on palm and fingers enhances grip
- Extended cuff with gaiter closure to keep out debris
- Kevlar® stitched padded palm



RINGERS® R536 [More Info](#)

Hard knuckle Flame Resistant tactical glove with leather palm, PVC palm patch and touchscreen compatibility

- Premium goatskin leather palm for durability and contoured fit
- PVC knuckle protector laminated with Kevlar® blended fabric
- PVC palm patch with padding on palm heel for extra durability
- Custom designed index finger for enhanced trigger and tactile feel
- Touchscreen compatible middle fingertip
- Lightweight FR Nomex® materials protecting top of hand areas
- Leather reinforcement patches on fingertips for extra durability
- Cuff loop for attaching to hooks on vests, belts, and uniforms
- Secure cuff closure with hook and loop TPR pull tab closure
- Low profile FR TPR for maximum impact protection on fingers and thumb areas







EN 388



4242BP

ABR

CUT

| Glove Style | Coating Color | Coating Material | Construction | Cuff Style | Grip Design | Washing Temperature | Gauge | Latex-free Y/N | Liner Material | Size Click for more |
|---------------|---------------|------------------|--------------|-----------------------------------|------------------|---------------------|-------|----------------|----------------|--|
| RINGERS® R507 | Black | - | Cut & sewn | Hook & loop rubber pull tab | - | Handwash cold water | - | Yes | - | 7-12  |
| RINGERS® R532 | Black | - | Cut & sewn | Velcro® | Goatskin leather | Handwash cold water | - | Yes | - | 7-12  |
| RINGERS® R313 | Black | - | Cut & sewn | Extended cuff with gaiter closure | Durable blend | 30 °C (86 °F) | - | Yes | Polyester | 7-12  |
| RINGERS® R536 | Black | - | Cut & sewn | Velcro® | Goatskin leather | Handwash cold water | - | Yes | - | 8-12  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.


TACTICAL (Response & Search Teams)

CHEMICAL PROTECTION

AlphaTec® 2000 STANDARD Bound - Model 111 [More Info](#)

Superior breathable microporous laminate technology, Type 5/6 protection

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone-free, critical in spray painting applications




AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151-G02 [More Info](#)

Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect, rear entry suit with neoprene rubber face seal for a close fit to full face respirators
- Welded and taped seams, our highest barrier to liquids and particulates
- Enhanced comfort, knitted inner cuffs and inner textile type fabric improves wearer acceptance
- Anti-static, tested according to EN 1149-5



MICROCHEM
Chemical Barrier Technology



| Bodysuit Style | Color | Garment | Fabric | Seam | Design Features by Model Configuration | Size Click for more |
|---|-------|----------|------------------|-------------------------------|---|---|
| AlphaTec® 2000 STANDARD Bound - Model 111 | White | Coverall | MPL | Bound | Fully elasticated, finger loops, two-way zip, zip flap, respirator fit hood | S - 5XL i |
| AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151-G02 | Green | Coverall | Chemical barrier | Ultrasonically welded & taped | Neoprene rubber face seal, rear horizontal zip entry, ultrasonically welded and taped seams and attached socks with boot overflap | S - 5XL i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

A person wearing a full-body green hazmat suit and a hooded mask is standing in a decontamination chamber. High-pressure water jets are spraying them from multiple angles. The person is wearing blue rubber boots. The background is dark and industrial.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES AND OCCUPATIONAL HEALTH FIRE / HAZMAT / EMERGENCY PREPAREDNESS

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES AND OCCUPATIONAL HEALTH FIRE / HAZMAT / EMERGENCY PREPAREDNESS

SPLASH & DRUG PROTECTION

MICROFLEX® BLAZE™ N48 [More Info](#)

High visibility orange nitrile gloves for protection that you can see

- High visibility orange color
- Works exceptionally well in oily environments
- Extended cuff for added protection of wrist and forearm
- Certified by the National Fire Protection Association (NFPA)



CHEMICAL PROTECTION

AlphaTec® 4000 Ultrasonically Welded & Taped - Model 111 [More Info](#)

Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect, typical innovative features include dual zip systems and double cuffs
- Welded and taped seams, our highest barrier to liquids and particulates
- Enhanced comfort, knitted inner cuffs and inner textile type fabric improves wearer acceptance
- Anti-static, tested according to EN 1149-5



TYPE 3-B

TYPE 4-B

TYPE 5-B

EN 14126

EN 1073-2:2002

EN 1149-5:2008

EN 374

AlphaTec® CFR Stitched & Taped - Model 111 [More Info](#)

Flame retardant multi-hazard chemical barrier, Type 3/4/5 protection

- Multi hazard protection from chemical spray without compromising wearer safety in the event of a flash fire*
- Flame retardant treated fabric with PVC barrier film protection
- Offers protection from pressurised liquid spray to EN Type 3 & 4 and particulates to EN Type 5
- Optimized body fit, improving wearer comfort and safety
- Highly visible bright red colour to improve worker safety



TYPE 3-B

TYPE 4-B




TYPE 5-B

EN 14126

EN 1073-2:2002

EN 1149-5:2008

* AlphaTec® CFR should never be worn in isolation for flame retardant protection. Always wear over the top of garments which achieve EN ISO 14116 Index 2 or above.

| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|--|--------|----------|---|--------------------------------|------------------|--|----------------|-------------------|---|
| MICROFLEX® BLAZE™ N48 | Orange | Nitrile | 10.6" | Palm: 5.1mil Finger: 7.9mil | 1.5 | Yes | Yes | No | S - 2XL  |
| Bodysuit Style | Color | Garment | Fabric | | Seam | Design Features by Model Configuration | | | Size Click for more |
| AlphaTec® 4000 Ultrasonically Welded & Taped - Model 111 | Green | Coverall | Chemical barrier | | Welded & taped | 2-piece hood, double zip closure, double cuffs with knitted inner cuff. Elasticated hood, waist, wrists and ankles | | | S - 5XL  |
| AlphaTec® CFR Stitched & Taped - Model 111 | Red | Coverall | FR treated Sontara, wood pulp and polyester with PVC barrier film | | Stitched & taped | 2-piece hood, elasticated hood, waist, wrists and ankles. Double zip closure | | | S - 5XL  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

BODY SEARCH, BODY EXAMINATION, MAIL ROOM



BODY SEARCH, BODY EXAMINATION, MAIL ROOM


SPLASH & DRUG PROTECTION

MICROFLEX® LIFESTAR EC™ LSE-104 [More Info](#)

Reliable barrier protection against opioids and hazardous substances

- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- Dual layer, dual color design for two layers of protection
- Advanced barrier protection (AQL 0.65)
- Non-stick and non-foaming properties for reduced interference when working



| Glove Style | Color | Material | Glove Length | Glove Thickness | AQL | Powder-free Y/N | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|--|-------------------------------|----------|--------------|--------------------------------|------|-----------------|----------------|-------------------|---|
| MICROFLEX® LIFESTAR EC™ LSE-104 | White exterior, Blue interior | Nitrile | 11" | Palm: 5.5mil Finger: 8.3mil | 0.65 | Yes | Yes | Yes | S - 3XL  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



INFECTION PREVENTION (Chemicals / Disinfectants / Sanitizers)




INFECTION PREVENTION (Chemicals / Disinfectants / Sanitizers)


CHEMICAL PROTECTION

AlphaTec® Solvex® 37-175 [More Info](#)

Versatile chemical protection of 15 mil, performing across a diverse range of applications

- Cotton flocking, reducing sweat for the wearer
- Sandpatch finish giving the glove a smooth surface
- Indirect costs, thanks to fewer rejects of fragile parts
- Fully reusable, with an unequalled abrasion resistance
- Provides superb comfort for the wearer



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Grip Design | Anti-static | Latex-free Y/N | Silicone-free Y/N | Size Click for more |
|---------------------------------|---------------|------------------|--------------|--------------|------------|-------------|-------------|----------------|-------------------|--|
| AlphaTec® Solvex® 37-175 | Green | Nitrile | 13" | Unsupported | Gauntlet | Sandpatch | Not tested | Yes | Yes | 6 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

SPECIALTY



SPECIALTY

ELECTRICAL PROTECTION

ActivArm® 96-002 [More Info](#)

Low Voltage Leather Premium Goat Skin Leather Protector

- Extends life of your rubber insulated gloves while providing excellent hand protection
- Provides cut, puncture, and abrasion protection
- Manufactured to ASTM D120 & EN 60903 standards protector requirements
- Suitable to wear with Class 0 & 00 class gloves



EN 388:2016



ActivArm® 96-003 [More Info](#)

High Voltage Leather Premium Goat Skin Leather Protector

- Extends life of your rubber insulated gloves while providing excellent hand protection
- Provides cut, puncture, and abrasion protection
- Manufactured to ASTM D120 & EN 60903 standards
- Suitable to wear with Class 1 thru 4 class gloves



EN 388:2016



ActivArm® 96-001 Canvas Bag [More Info](#)

Ansell's ActivArm® canvas bag is an essential storage solution for your electrical insulating gloves that protects the gloves from folding and keeps them out of excessive heat, sunlight, humidity, ozone, and any chemical or substance that could damage the rubber

- 100% Cotton
- Proper storage extends the life of rubber insulated gloves
- Heavy canvas construction
- Brass metal buckle for easy carrying or hanging while in storage



| Glove Style | Coating Color | Coating Material | Glove Length | Construction | Cuff Style | Finishing | Liner Material | Size Click for more |
|-----------------------------|---------------|------------------|--------------|---------------------|--|-------------------------|--|--|
| ActivArm® 96-002 | N/A | N/A | 10" | Cut & sewn | Straight cuff with overedge binding fabric | Natural leather texture | Premium goatskin | 7-12 i |
| ActivArm® 96-003 | N/A | N/A | 12" | Cut & sewn | Straight cuff with overedge binding fabric | Natural leather texture | Premium goatskin | 8-12 i |
| Bag Style | Construction | | Length | Washing Temperature | Finishing | | Size Click for more | |
| ActivArm® 96-001 Canvas Bag | Cut & sewn | | 11" - 18" | NA | 100% Cotton | | 11", 14", 16", 18" i | |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

SPECIALTY

ELECTRICAL PROTECTION

ActivArm[®] Electrical Insulating Gloves Class 00

- **RIG0011B** [More Info](#) / **RIG0011R** [More Info](#) /

RIG0011Y [More Info](#) / **RIG0014B** [More Info](#) /

RIG0014Y [More Info](#)

Ultimate fit, comfort and performance for electrical workers' safety and protection

- Performance profile comfort
- Natural rubber latex for ultimate durability and flexibility
- Ergonomically-designed hand at rest shape for less hand fatigue
- Generous flared cuff allows room for clothing and improves ventilation
- Case hardened finish provides smoother surface for easy donning and doffing performance and protection
- Product meets all applicable NFPA, OSHA and CSA standards
- Environmentally-friendly
- Proprietary dipping process
- ISO 14001 certified manufacturing facility
- Electrical glove Class 00 offers arc flash protection Class 1 in accordance with EN 61482-1-2
- Maximum voltage use AC DC: 500V ac | 750V dc



RIG0011B



RIG0011R



RIG0011Y



RIG0014B



RIG0014Y

| Glove Style | Coating Color | Coating Material | Cuff Style | Length | Washing Temperature | Size Click for more |
|--|---------------|----------------------|---------------|--------|---------------------|--|
| ActivArm [®] Electrical Insulating Gloves Class 00 - RIG0011B | Black | Natural latex rubber | Rolled beaded | 11" | 60 °C (140 °F) | 7-11 i |
| ActivArm [®] Electrical Insulating Gloves Class 00 - RIG0011R | Red | | | | | 7-10 i |
| ActivArm [®] Electrical Insulating Gloves Class 00 - RIG0011Y | Yellow | | | | | 7-12 i |
| ActivArm [®] Electrical Insulating Gloves Class 00 - RIG0014B | Black | Natural latex rubber | Rolled beaded | 14" | 60 °C (140 °F) | 7-9 i |
| ActivArm [®] Electrical Insulating Gloves Class 00 - RIG0014Y | Yellow | | | | | 9-10 i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

SPECIALTY

ELECTRICAL PROTECTION

ActivArm[®] Electrical Insulating Gloves Class 0

- **RIG011B** [More Info](#) / **RIG011R** [More Info](#) /

RIG011Y [More Info](#) / **RIG014B** [More Info](#) /

RIG014Y [More Info](#)

Ultimate fit, comfort and performance for electrical workers' safety and protection

- Performance profile comfort
- Natural rubber latex for ultimate durability and flexibility
- Ergonomically-designed hand at rest shape for less hand fatigue
- Generous flared cuff allows room for clothing and improves ventilation
- Case hardened finish provides smoother surface for easy donning and doffing performance and protection
- Product meets all applicable NFPA, OSHA and CSA standards
- Environmentally-friendly
- Proprietary dipping process
- ISO 14001 certified manufacturing facility
- Electrical glove Class 0 offers arc flash protection Class 1 in accordance with EN 61482-1-2
- Maximum voltage use AC DC: 1,000V ac | 1,500V dc



RIG011B



RIG011R



RIG011Y



RIG014B



RIG014Y

| Glove Style | Coating Color | Coating Material | Cuff Style | Length | Washing Temperature | Size Click for more |
|--|---------------|----------------------|---------------|--------|---------------------|--|
| ActivArm [®] Electrical Insulating Gloves Class 0 - RIG011B | Black | Natural latex rubber | Rolled beaded | 11" | 60 °C (140 °F) | 7 - 12 i |
| ActivArm [®] Electrical Insulating Gloves Class 0 - RIG011R | Red | | | | | 7 - 12 i |
| ActivArm [®] Electrical Insulating Gloves Class 0 - RIG011Y | Yellow | | | | | 11, 12 i |
| ActivArm [®] Electrical Insulating Gloves Class 0 - RIG014B | Black | Natural latex rubber | Rolled beaded | 14" | 60 °C (140 °F) | 8 - 11 i |
| ActivArm [®] Electrical Insulating Gloves Class 0 - RIG014Y | Yellow | | | | | 8 - 12 i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

SPECIALTY

ELECTRICAL PROTECTION

ActivArm[®] Electrical Insulating Gloves Class 1

- **RIG114B** [More Info](#)  / **RIG114Y** [More Info](#)  / **RIG116B** [More Info](#) 

Ultimate fit, comfort and performance for electrical workers' safety and protection

- Performance profile comfort
- Natural rubber latex for ultimate durability and flexibility
- Ergonomically-designed hand at rest shape for less hand fatigue
- Generous flared cuff allows room for clothing and improves ventilation
- Case hardened finish provides smoother surface for easy donning and doffing performance and protection
- Product meets all applicable NFPA, OSHA and CSA standards
- Environmentally-friendly
- Proprietary dipping process
- ISO 14001 certified manufacturing facility
- Maximum voltage use AC DC: 7,500V ac | 11,250V dc



RIG114B



RIG114Y



RIG116B

| Glove Style | Coating Color | Coating Material | Cuff Style | Length | Washing Temperature | Size Click for more |
|--|---------------|----------------------|---------------|--------|---------------------|--|
| ActivArm [®] Electrical Insulating Gloves Class 1 - RIG114B | Black | Natural latex rubber | Rolled beaded | 14" | 60 °C (140 °F) | 8 - 12  |
| ActivArm [®] Electrical Insulating Gloves Class 1 - RIG114Y | Yellow | | | | | 8 - 11  |
| ActivArm [®] Electrical Insulating Gloves Class 1 - RIG116B | Black | Natural latex rubber | Rolled beaded | 16" | 60 °C (140 °F) | 9 - 11  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

SPECIALTY

ELECTRICAL PROTECTION

ActivArm[®] Electrical Insulating Gloves Class 2

- **RIG214B** [More Info](#) / **RIG214R** [More Info](#) /

RIG214Y [More Info](#) / **RIG216B** [More Info](#) /

RIG216Y [More Info](#)

Ultimate fit, comfort and performance for electrical workers' safety and protection

- Performance Profile comfort
- Natural Rubber Latex for ultimate durability and flexibility
- Ergonomically-designed hand at rest shape for less hand fatigue
- Generous flared cuff allows room for clothing and improves ventilation
- Case hardened finish provides smoother surface for easy donning and doffing performance and protection
- Product meets all applicable NFPA, OSHA and CSA standards
- Environmentally-friendly
- Proprietary dipping process
- ISO 14001 certified manufacturing facility
- Electrical glove Class 2 offers arc flash protection Class 2 in accordance with EN 61482-1-2
- Maximum voltage use AC DC:17,000V ac | 25,500V dc



RIG214B



RIG214R



RIG214Y



RIG216B



RIG216Y

| Glove Style | Coating Color | Coating Material | Cuff Style | Length | Washing Temperature | Size Click for more |
|--|---------------|----------------------|---------------|--------|---------------------|--|
| ActivArm [®] Electrical Insulating Gloves Class 2 - RIG214B | Black | Natural latex rubber | Rolled beaded | 14" | 60 °C (140 °F) | 8 - 12 i |
| ActivArm [®] Electrical Insulating Gloves Class 2 - RIG214R | Red | | | | | 2 i |
| ActivArm [®] Electrical Insulating Gloves Class 2 - RIG214Y | Yellow | | | | | 8-10, 12 i |
| ActivArm [®] Electrical Insulating Gloves Class 2 - RIG216B | Black | Natural latex rubber | Rolled beaded | 16" | 60 °C (140 °F) | 8 - 12 i |
| ActivArm [®] Electrical Insulating Gloves Class 2 - RIG216Y | Yellow | | | | | 8 - 12 i |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

SPECIALTY

ELECTRICAL PROTECTION

ActivArm[®] Electrical Protection Gloves Class 3 - RIG316B [More Info](#) / Class 4 - RIG418B [More Info](#)



Ultimate fit, comfort and performance for electrical workers' safety and protection

- Performance profile comfort
- Natural rubber latex for ultimate durability and flexibility
- Ergonomically-designed hand at rest shape for less hand fatigue
- Generous flared cuff allows room for clothing and improves ventilation
- Case hardened finish provides smoother surface for easy donning and doffing performance and protection
- Product meets all applicable NFPA, OSHA and CSA standards
- Environmentally-Friendly
- Proprietary dipping process
- ISO 14001 certified manufacturing facility
- **Class 3:** Maximum voltage use AC DC: 26,500V ac | 39,750V dc
- **Class 4:** Maximum voltage use AC DC:36,000V ac | 54,000V dc



RIG316B

RIG418B

| Glove Style | Coating Color | Coating Material | Cuff Style | Length | Washing Temperature | Size Click for more |
|--|---------------|----------------------|---------------|--------|---------------------|--|
| ActivArm [®] Electrical Protection Gloves Class 3 - RIG316B | Black | Natural latex rubber | Rolled beaded | 14" | 60 °C (140 °F) | 8 - 11  |
| ActivArm [®] Electrical Protection Gloves Class 4 - RIG418B | Black | Natural latex rubber | Rolled beaded | 16" | 60 °C (140 °F) | 9 - 12  |

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL / OCCUPATIONAL HEALTH

| MICROFLEX® MidKnight™ MK-296 | | AlphaTec® 58-735 | | AlphaTec® 58-435 | | HyFlex® 11-840 | |
|---------------------------------|----------------------------|------------------|---------------------------|------------------|---------------------------|----------------|---------------------------|
| XS | MK-296-XS | 6 | 58-735-6 | 7 | 58-435-7 | 6 | 11-840-6 |
| S | MK-296-S | 7 | 58-735-7 | 8 | 58-435-8 | 7 | 11-840-7 |
| M | MK-296-M | 8 | 58-735-8 | 9 | 58-435-9 | 8 | 11-840-8 |
| L | MK-296-L | 9 | 58-735-9 | 10 | 58-435-10 | 9 | 11-840-9 |
| XL | MK-296-XL | 10 | 58-735-10 | 11 | 58-435-11 | 10 | 11-840-10 |
| 2XL | MK-296-XXL | 11 | 58-735-11 | | | 11 | 11-840-11 |

| HyFlex® 11-542 | | HyFlex® 11-210 | | ActivArm® 97-003 | | ActivArm® 43-217 | |
|----------------|---------------------------|----------------|--------------------------|------------------|---------------------------|------------------|---------------------------|
| 6 | 11-542-6 | 18" | 11-210-N | 9 | 97-003-9 | 9 | 43-217-9 |
| 7 | 11-542-7 | 18" | 11-210-W | 10 | 97-003-10 | 10 | 43-217-10 |
| 8 | 11-542-8 | | | 11 | 97-003-11 | 11 | 43-217-11 |
| 9 | 11-542-9 | | | | | | |
| 10 | 11-542-10 | | | | | | |
| 11 | 11-542-11 | | | | | | |

ENGINEERING / MAINTENANCE / GROUNDS / UTILITY

| HyFlex® 11-840 | | EDGE® 48-711 | | AlphaTec® 58-530B | | AlphaTec® 2000 STANDARD Bound - Model 111 | | AlphaTec® 56-210 | |
|----------------|---------------------------|--------------|---------------------------|-------------------|----------------------------|---|----------------------------------|------------------|----------------------------------|
| 6 | 11-840-6 | 9 | 48-711-9 | 7 | 58-530B-7 | S | WH20-B-92-111-02 | 27" X 46" | 56-210 (27"x46") |
| 7 | 11-840-7 | 10 | 48-711-10 | 8 | 58-530B-8 | M | WH20-B-92-111-03 | 27" X 55" | 56-210 (27"x55") |
| 8 | 11-840-8 | 11 | 48-711-11 | 9 | 58-530B-9 | L | WH20-B-92-111-04 | | |
| 9 | 11-840-9 | | | 10 | 58-530B-10 | XL | WH20-B-92-111-05 | | |
| 10 | 11-840-10 | | | 11 | 58-530B-11 | 2XL | WH20-B-92-111-06 | | |
| 11 | 11-840-11 | | | | | 3XL | WH20-B-92-111-07 | | |
| | | | | | | 4XL | WH20-B-92-111-08 | | |
| | | | | | | 5XL | WH20-B-92-111-09 | | |

ENGINEERING / MAINTENANCE / UTILITY / MACHINERY / GROUNDS / CUSTODIAL

| ActivArm® 97-681 | | ActivArm® 43-113 | |
|------------------|---------------------------|------------------|---------------------------|
| 8 | 97-681-8 | 9 | 43-113-9 |
| 9 | 97-681-9 | 10 | 43-113-10 |
| 10 | 97-681-10 | | |
| 11 | 97-681-11 | | |

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

KITCHEN / LAUNDRY

| DURA-TOUCH® 34-725 | | MICROFLEX® Ultraform™ UF-524 | | ActivArmr® 97-631 | | ActivArmr® 42-474 | |
|--------------------|---------------------------|------------------------------|---------------------------|-------------------|---------------------------|-------------------|---------------------------|
| S | 34-725-S | XS | UF-524-XS | 7 | 97-631-7 | 9 | 42-474-9 |
| M | 34-725-M | S | UF-524-S | 8 | 97-631-8 | 10 | 42-474-10 |
| L | 34-725-L | M | UF-524-M | 9 | 97-631-9 | | |
| XL | 34-725-XL | L | UF-524-L | 10 | 97-631-10 | | |
| | | XL | UF-524-XL | 11 | 97-631-11 | | |

| HyFlex® 74-048 | | AlphaTec® 56-910 | |
|----------------|---------------------------|------------------|-----------------------------|
| 6 | 74-048-6 | S | 56-910-S |
| 7 | 74-048-7 | M | 56-910-M |
| 8 | 74-048-8 | L | 56-910-L |
| 9 | 74-048-9 | XL | 56-910-XL |
| 10 | 74-048-10 | 2XL | 56-910-XXL |
| 11 | 74-048-11 | 3XL | 56-910-XXXL |

KITCHEN (Dishwashing / Food Preparation / Cleaning)

| AlphaTec® 19-026 | | AlphaTec® Solvex® 37-145 | | AlphaTec® 58-435 | |
|------------------|---------------------------|--------------------------|---------------------------|------------------|---------------------------|
| 8 | 19-026-8 | 6 | 37-145-6 | 7 | 58-435-7 |
| 10 | 19-026-10 | 7 | 37-145-7 | 8 | 58-435-8 |
| | | 8 | 37-145-8 | 9 | 58-435-9 |
| | | 9 | 37-145-9 | 10 | 58-435-10 |
| | | 10 | 37-145-10 | 11 | 58-435-11 |
| | | 11 | 37-145-11 | | |

| AlphaTec® 87-198 | | AlphaTec® 54-290 | | AlphaTec® 56-015 | |
|------------------|---------------------------|------------------|------------------------|------------------|------------------------|
| 7 | 87-198-7 | 28" X 45" | 54-290 | 33" x 39" | 56-015 |
| 8 | 87-198-8 | | | 33" X 47" | 56-015 |
| 9 | 87-198-9 | | | 33" X 49" | 56-015 |
| 10 | 87-198-10 | | | | |

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH (Fleet Maintenance)

| HyFlex® 11-840 | | HyFlex® 11-542 | | HyFlex® 11-751 | | HyFlex® 11-250 | |
|----------------|---------------------------|----------------|---------------------------|----------------|---------------------------|----------------|-----------------------------------|
| 6 | 11-840-6 | 6 | 11-542-6 | 6 | 11-751-6 | 12" Narrow | 11-250 12" Narrow |
| 7 | 11-840-7 | 7 | 11-542-7 | 7 | 11-751-7 | 12" Wide | 11-250 12" Wide |
| 8 | 11-840-8 | 8 | 11-542-8 | 8 | 11-751-8 | 16" Narrow | 11-250 16" Narrow |
| 9 | 11-840-9 | 9 | 11-542-9 | 9 | 11-751-9 | 16" Wide | 11-250 16" Wide |
| 10 | 11-840-10 | 10 | 11-542-10 | 10 | 11-751-10 | 18" Narrow | 11-250-18" Narrow |
| 11 | 11-840-11 | 11 | 11-542-11 | 11 | 11-751-11 | 18" Wide | 11-250-18" Wide |

| HyFlex® 11-210 | | AlphaTec® 58-435 | | AlphaTec® 1500 Stitched - Model 100 | | AlphaTec® 1800 STANDARD Bound - Model 111 | |
|----------------|--------------------------|------------------|---------------------------|-------------------------------------|----------------------------------|---|----------------------------------|
| 18" | 11-210-N | 7 | 58-435-7 | S | WH15-S-92-100-02 | S | WH18-B-92-111-02 |
| 18" | 11-210-W | 8 | 58-435-8 | M | WH15-S-92-100-03 | M | WH18-B-92-111-03 |
| | | 9 | 58-435-9 | L | WH15-S-92-100-04 | L | WH18-B-92-111-04 |
| | | 10 | 58-435-10 | XL | WH15-S-92-100-05 | XL | WH18-B-92-111-05 |
| | | 11 | 58-435-11 | 2XL | WH15-S-92-100-06 | 2XL | WH18-B-92-111-06 |
| | | | | 3XL | WH15-S-92-100-07 | 3XL | WH18-B-92-111-07 |
| | | | | 4XL | WH15-S-92-100-08 | 4XL | WH18-B-92-111-08 |
| | | | | 5XL | WH15-S-92-100-09 | 5XL | WH18-B-92-111-09 |

FLEET MAINTENANCE HVAC

| HyFlex® 11-840 | | EDGE® 48-929 | | RINGERS® R060 | | RINGERS® R065 | | AlphaTec® 2000 STANDARD Bound - Model 111 | |
|----------------|---------------------------|--------------|---------------------------|---------------|-------------------------|---------------|-------------------------|---|----------------------------------|
| 6 | 11-840-6 | 6 | 48-929-6 | 8 | R060-8 | 7 | R065-7 | S | WH20-B-92-111-02 |
| 7 | 11-840-7 | 7 | 48-929-7 | 9 | R060-9 | 8 | R065-8 | M | WH20-B-92-111-03 |
| 8 | 11-840-8 | 8 | 48-929-8 | 10 | R060-10 | 9 | R065-9 | L | WH20-B-92-111-04 |
| 9 | 11-840-9 | 9 | 48-929-9 | 11 | R060-11 | 10 | R065-10 | XL | WH20-B-92-111-05 |
| 10 | 11-840-10 | 10 | 48-929-10 | 12 | R060-12 | 11 | R065-11 | 2XL | WH20-B-92-111-06 |
| 11 | 11-840-11 | 11 | 48-929-11 | 13 | R060-13 | 12 | R065-12 | 3XL | WH20-B-92-111-07 |
| | | | | | | 13 | R065-13 | 4XL | WH20-B-92-111-08 |
| | | | | | | | | 5XL | WH20-B-92-111-09 |

| RINGERS® R161 | | RINGERS® R313 | | RINGERS® R536 | | AlphaTec® Solvex® 37-175 | | RINGERS® R074 | |
|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|--------------------------|---------------------------|---------------|-------------------------|
| 7 | R161-7 | 7 | R313-7 | 8 | R536-8 | 6 | 37-175-6 | 8 | R074-8 |
| 8 | R161-8 | 8 | R313-8 | 9 | R536-9 | 7 | 37-175-7 | 10 | R074-10 |
| 9 | R161-9 | 9 | R313-9 | 10 | R536-10 | 8 | 37-175-8 | 12 | R074-12 |
| 10 | R161-10 | 10 | R313-10 | 11 | R536-11 | 9 | 37-175-9 | | |
| 11 | R161-11 | 11 | R313-11 | 12 | R536-12 | 10 | 37-175-10 | | |
| 12 | R161-12 | 12 | R313-12 | | | 11 | 37-175-11 | | |
| 13 | R161-13 | | | | | | | | |

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL (Response & Search Teams – Drug / Body Fluid Protection / Cell Search)

| MICROFLEX® MidKnight™ MK-296 | MICROFLEX® SUPRENO™ SE SU-690 | MICROFLEX® LIFESTAR EC™ LSE-104 | MICROFLEX® SUPRENO™ EC SEC-375 |
|---------------------------------|----------------------------------|------------------------------------|-----------------------------------|
| XS MK-296-XS | XS SU-690-XS | S LSE-104-S | XS SEC-375-XS |
| S MK-296-S | S SU-690-S | M LSE-104-M | S SEC-375-S |
| M MK-296-M | M SU-690-M | L LSE-104-L | M SEC-375-M |
| L MK-296-L | L SU-690-L | XL LSE-104-XL | L SEC-375-L |
| XL MK-296-XL | XL SU-690-XL | 2XL LSE-104-2XL | XL SEC-375-XL |
| 2XL MK-296-2XL | | 3XL LSE-104-3XL | 2XL SEC-375-XXL |
| | | | 3XL SEC-375-XXXL |

| MICROFLEX® Ultraform™ UF-524 | MICROFLEX® XCEED® XC-310 | HyFlex® 11-542 |
|---------------------------------|------------------------------|------------------------------|
| XS UF-524-XS | XS XC-310-XS | 6 11-542-6 |
| S UF-524-S | S XC-310-S | 7 11-542-7 |
| M UF-524-M | M XC-310-M | 8 11-542-8 |
| L UF-524-L | L XC-310-L | 9 11-542-9 |
| XL UF-524-XL | XL XC-310-XL | 10 11-542-10 |
| | | 11 11-542-11 |

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES & OCCUPATIONAL HEALTH TACTICAL

| MICROFLEX® MidKnight™ MK-296 | AlphaTec® 3000 Ultrasonically Welded - Model 111 |
|---------------------------------|--|
| XS MK-296-XS | S YE30-W-92-111-02 |
| S MK-296-S | M YE30-W-92-111-03 |
| M MK-296-M | L YE30-W-92-111-04 |
| L MK-296-L | XL YE30-W-92-111-05 |
| XL MK-296-XL | 2XL YE30-W-92-111-06 |
| 2XL MK-296-XXL | 3XL YE30-W-92-111-07 |
| | 4XL YE30-W-92-111-08 |
| | 5XL YE30-W-92-111-09 |

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

TACTICAL (Response & Search Teams)

| RINGERS® R507 | | RINGERS® R532 | | RINGERS® R313 | | RINGERS® R536 | |
|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|
| 7 | R507-7 | 7 | R532-7 | 7 | R313-7 | 8 | R536-8 |
| 8 | R507-8 | 8 | R532-8 | 8 | R313-8 | 9 | R536-9 |
| 9 | R507-9 | 9 | R532-9 | 9 | R313-9 | 10 | R536-10 |
| 10 | R507-10 | 10 | R532-10 | 10 | R313-10 | 11 | R536-11 |
| 11 | R507-11 | 11 | R532-11 | 11 | R313-11 | 12 | R536-12 |
| 12 | R507-12 | 12 | R532-12 | 12 | R313-12 | | |

| AlphaTec® 2000 STANDARD Bound - Model 111 | | AlphaTec® 4000 - Model 151 | |
|---|----------------------------------|-------------------------------|--------------------------------------|
| S | WH20-B-92-111-02 | S | GR40-T-92-151-02-G02 |
| M | WH20-B-92-111-03 | M | GR40-T-92-151-03-G02 |
| L | WH20-B-92-111-04 | L | GR40-T-92-151-04-G02 |
| XL | WH20-B-92-111-05 | XL | GR40-T-92-151-05-G02 |
| 2XL | WH20-B-92-111-06 | 2XL | GR40-T-92-151-06-G02 |
| 3XL | WH20-B-92-111-07 | 3XL | GR40-T-92-151-07-G02 |
| 4XL | WH20-B-92-111-08 | 4XL | GR40-T-92-151-08-G02 |
| 5XL | WH20-B-92-111-09 | 5XL | GR40-T-92-151-09-G02 |

LABORATORIES, ENVIRONMENTAL SERVICES, EMERGENCY SERVICES AND OCCUPATIONAL HEALTH FIRE / HAZMAT / EMERGENCY PREPAREDNESS

| MICROFLEX® BLAZE™ N48 | | AlphaTec® 4000 Ultrasonically Welded & Taped - Model 111 | | AlphaTec® CFR Stitched & Taped - Model 111 | | MICROFLEX® LIFESTAR EC™ LSE-104 | | AlphaTec® Solvex® 37-175 | |
|--------------------------|----------------------|--|----------------------------------|---|----------------------------------|------------------------------------|-----------------------------|-----------------------------|---------------------------|
| S | N481 | S | GR40-T-92-111-02 | S | RD96-T-92-111-02 | S | LSE-104-S | 6 | 37-175-6 |
| M | N482 | M | GR40-T-92-111-03 | M | RD96-T-92-111-03 | M | LSE-104-M | 7 | 37-175-7 |
| L | N483 | L | GR40-T-92-111-04 | L | RD96-T-92-111-04 | L | LSE-104-L | 8 | 37-175-8 |
| XL | N484 | XL | GR40-T-92-111-05 | XL | RD96-T-92-111-05 | XL | LSE-104-XL | 9 | 37-175-9 |
| 2XL | N485 | 2XL | GR40-T-92-111-06 | 2XL | RD96-T-92-111-06 | 2XL | LSE-104-2XL | 10 | 37-175-10 |
| | | 3XL | GR40-T-92-111-07 | 3XL | RD96-T-92-111-07 | 3XL | LSE-104-3XL | 11 | 37-175-11 |
| | | 4XL | GR40-T-92-111-08 | 4XL | RD96-T-92-111-08 | | | | |
| | | 5XL | GR40-T-92-111-09 | 5XL | RD96-T-92-111-09 | | | | |

BODY SEARCH, BODY EXAMINATION, MAIL ROOM

INFECTION PREVENTION (Chemicals / Disinfectants / Sanitizers)

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

SPECIALTY

| ActivArm® 96-002 | ActivArm® 96-003 | ActivArm® 96-001 Canvas Bag | ActivArm® Electrical Insulating Gloves Class 00 - RIG0011B | ActivArm® Electrical Insulating Gloves Class 00 - RIG0011R |
|------------------------------|------------------------------|-----------------------------------|--|--|
| 7 96-002-7 | 8 96-003-8 | Bag 11" 96-001-11 | 7 RIG0011B-7 | 7 RIG0011R-7 |
| 8 96-002-8 | 9 96-003-9 | Bag 14" 96-001-14 | 8 RIG0011B-8 | 8 RIG0011R-8 |
| 9 96-002-9 | 10 96-003-10 | Bag 16" 96-001-16 | 8.5 RIG0011B-8.5 | 9 RIG0011R-9 |
| 10 96-002-10 | 11 96-003-11 | Bag 18" 96-001-18 | 9 RIG0011B-9 | 10 RIG0011R-10 |
| 11 96-002-11 | 12 96-003-12 | | 9.5 RIG0011B-9.5 | |
| 12 96-002-12 | | | 10 RIG0011B-10 | |
| | | | 11 RIG0011B-11 | |

| ActivArm® Electrical Insulating Gloves Class 00 - RIG0011Y | ActivArm® Electrical Insulating Gloves Class 00 - RIG0014B | ActivArm® Electrical Insulating Gloves Class 00 - RIG0014Y | ActivArm® Electrical Insulating Gloves Class 0 - RIG011B | ActivArm® Electrical Insulating Gloves Class 0 - RIG011R |
|--|--|--|--|--|
| 7 RIG0011Y-7 | 7 RIG0014B-7 | 9 RIG0014Y-9 | 7 RIG011B-7 | 7 RIG011R-7 |
| 8 RIG0011Y-8 | 9 RIG0014B-9 | 10 RIG0014Y-10 | 8 RIG011B-8 | 8 RIG011R-8 |
| 9 RIG0011Y-9 | | | 8.5 RIG011B-8.5 | 8.5 RIG011R-8.5 |
| 10 RIG0011Y-10 | | | 9 RIG011B-9 | 9 RIG011R-9 |
| 11 RIG0011Y-11 | | | 9.5 RIG011B-9.5 | 9.5 RIG011R-9.5 |
| 12 RIG0011Y-12 | | | 10 RIG011B-10 | 10 RIG011R-10 |
| | | | 11 RIG011B-11 | 10.5 RIG011R-10.5 |
| | | | 12 RIG011B-12 | 11 RIG011R-11 |
| | | | | 12 RIG011R-12 |

| ActivArm® Electrical Insulating Gloves Class 0 - RIG011Y | ActivArm® Electrical Insulating Gloves Class 0 - RIG014B | ActivArm® Electrical Insulating Gloves Class 0 - RIG014Y | ActivArm® Electrical Insulating Gloves Class 1 - RIG114B | ActivArm® Electrical Insulating Gloves Class 1 - RIG114Y |
|--|--|--|--|--|
| 7 RIG011Y-7 | 8 RIG014B-8 | 8 RIG014Y-8 | 8 RIG114B-8 | 8 RIG114Y-8 |
| 8 RIG011Y-8 | 8.5 RIG014B-8.5 | 8.5 RIG014Y-8.5 | 9 RIG114B-9 | 9 RIG114Y-9 |
| 8.5 RIG011Y-8.5 | 9 RIG014B-9 | 9 RIG014Y-9 | 10 RIG114B-10 | 10 RIG114Y-10 |
| 9 RIG011Y-9 | 9.5 RIG014B-9.5 | 10 RIG014Y-10 | 11 RIG114B-11 | 11 RIG114Y-11 |
| 9.5 RIG011Y-9.5 | 10 RIG014B-10 | 11 RIG014Y-11 | 12 RIG114B-12 | |
| 10 RIG011Y-10 | 10.5 RIG014B-10.5 | 12 RIG014Y-12 | | |
| 10.5 RIG011Y-10.5 | 11 RIG014B-11 | | | |
| 11 RIG011Y-11 | | | | |
| 12 RIG011Y-12 | | | | |

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.
Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

SPECIALTY

| ActivArm® Electrical Insulating Gloves Class 1 - RIG116B | ActivArm® Electrical Insulating Gloves Class 2 - RIG214B | ActivArm® Electrical Insulating Gloves Class 2 - RIG214R | ActivArm® Electrical Insulating Gloves Class 2 - RIG214Y |
|--|--|--|--|
| 9 RIG116B-9 | 8 RIG214B-8 | 9 RIG214R-9 | 8 RIG214Y-8 |
| 10 RIG116B-10 | 9 RIG214B-9 | | 9 RIG214Y-9 |
| 11 RIG116B-11 | 10 RIG214B-10 | | 10 RIG214Y-10 |
| | 11 RIG214B-11 | | 12 RIG214Y-12 |
| | 12 RIG214B-12 | | |

| ActivArm® Electrical Insulating Gloves Class 2 - RIG216B | ActivArm® Electrical Insulating Gloves Class 2 - RIG216Y | ActivArm® Electrical Protection Gloves Class 3 - RIG316B | ActivArm® Electrical Protection Gloves Class 4 - RIG418B |
|--|--|--|--|
| 8 RIG216B-8 | 8 RIG216Y-8 | 8 RIG316B-8 | 9 RIG418B-9 |
| 9 RIG216B-9 | 9 RIG216Y-9 | 9 RIG316B-9 | 10 RIG418B-10 |
| 10 RIG216B-10 | 10 RIG216Y-10 | 10 RIG316B-10 | 11 RIG418B-11 |
| 11 RIG216B-11 | 11 RIG216Y-11 | 11 RIG316B-11 | 12 RIG418B-12 |
| 12 RIG216B-12 | 12 RIG216Y-12 | | |



ABOUT ANSELL

As a global leader in personal protective solutions with over 125 years of experience in keeping people safe, Ansell's mission is to provide innovative and reliable solutions for safety, well-being and peace of mind to workers around the world. Our global team of more than 12,000 people in 55 countries design, manufacture and market cutting edge PPE that millions of workers in industrial and healthcare settings rely upon every day. We offer a comprehensive portfolio of hand and body protection products and provide customers with tailored solutions to meet their unique needs across a wide range of industries and applications.

ANSELL CANADA INC

105 Lauder
Cowansville, QC,
J2K 2K8 Canada
T: +1-800-363-8340

Except as noted, Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. Viton® and Nomex® are trademarks of DuPont used for informational purposes only. DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company used under a license by Ansell Healthcare Products LLC. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2022 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

WARNING: Products that provide "cut resistance" and "cut protection" or "puncture resistance" and "puncture protection" do not completely prevent or eliminate the potential for cuts or punctures, and are not intended or tested to provide protection against powered blades, serrated or other sharp or rotating equipment. Products offering "viral protection" do not completely prevent the transmission of disease. Products that provide chemical resistance" or "chemical protection" do not completely prevent or eliminate the potential for injury due to chemical exposure. Products that provide "resistance" to oil or grease or which are "oil repellant" do not completely prevent or eliminate the potential for oil or liquid penetration or absorption. Products that provide "snag resistance" or "snag protection" do not completely prevent or eliminate the potential for snags or friction-related injuries. Products that provide protection against sparks or flames are not "fireproof" and do not completely prevent or eliminate the potential for burns or associated injuries. Products that provide protection or resistance against heat or cold are not intended for use in extreme temperatures – use only as specified. Products containing natural rubber latex may cause allergic reactions in some individuals. Products that provide "impact, crush and pinch protection" do not completely eliminate the potential for impact or crush related injuries. Users are encouraged to always use caution and care when handling sharp or abrasive materials, chemicals, or other hazardous or dangerous substances. Any information or data provided is based upon Ansell's current knowledge and understanding of the subject matter, and is offered solely as a possible suggestion for use in making your own decisions or product choices. Product users should conduct all appropriate testing or other evaluations to determine the suitability of Ansell products for a particular purpose or use within a particular environment. It is the responsibility of a product user to assess the level of risk and to determine the protective equipment required or appropriate for the user's particular purpose. Ansell may revise this information as new information, knowledge or experience becomes available. ANSELL DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.

ansell.com