



Ansell



MUNICIPALITIES CANADA

Hazards & Solutions

ansell.com

CONTENTS

[Click to
VIEW PRODUCTS](#) ↓

WASTE WATER TREATMENT / DRINKING WATER PLANT	4
WASTE WATER TREATMENT / MASS TRANSIT.....	4
WASTE WATER TREATMENT / SOLID WASTE MANAGEMENT / PARKS AND RECREATION / STREETS CREWS.....	5
HOUSING AUTHORITY	7
PARKS & RECREATION.....	10
UTILITY.....	11
STREETS CREWS	13
DRINKING WATER PLANT / MAINTENANCE DEPOT - FLEET SERVICES / HOUSING AUTHORITY	15
DRINKING WATER PLANT	15
DRINKING WATER PLANT / FIRE SERVICES.....	16
DRINKING WATER PLANT / LAW ENFORCEMENT / FIRE SERVICES	16
FIRE SERVICES	18
ANIMAL CONTROL.....	19
POLICE	20
LAW ENFORCEMENT / FIRE SERVICES.....	20
LAW ENFORCEMENT	21
CORRECTION	23
MAINTENANCE DEPOT - (Fleet Services)	25
MASS TRANSIT.....	26
BUS / GARAGE	26
SOLID WASTE MANAGEMENT.....	28



WASTE WATER TREATMENT / DRINKING WATER PLANT

SINGLE-USE PROTECTION

MICROFLEX® 93-260 [More Info](#)

Chemical-resistant disposable gloves that offer tough chemical protection and unparalleled comfort

- Three layer design for superior protection against harsh chemicals
- The thinnest chemical resistant disposable glove for enhanced tactility and dexterity
- Extra soft material and ergonomic design for outstanding fit, feel and flexibility
- Lower acceptable pinhole rate (0.65 AQL) for reliable protection against hazardous substances
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



WASTE WATER TREATMENT / MASS TRANSIT

CUT PROTECTION

HyFlex® 11-939 [More Info](#)

Ultralight, fully coated cut-resistant and oil-repellent work gloves

- **RIPEL™ Liquid Repellence:** Defense from oil and chemicals
- **Reinforced thumb crotch:** 12x greater durability around the thumb*
- **Ultralight 18-gauge design:** All-day comfort and dexterity



*compared to competitor gloves lacking this feature

Glove Style	Color	Material		Glove Length	Glove Thickness	AQL	Powder-free Y/N	Latex-free Y/N	Silicone-free Y/N	Size Click for more
MICROFLEX® 93-260	Green	Nitrile, neoprene (Polychloroprene)		11.2"	Palm: 7.8mil Finger: 7.9mil	0.65	Yes	Yes	Yes	XS - 2XL 
Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
HyFlex® 11-939	Black & grey	Foam nitrile	8.3" - 10.3"	Knitted	Knitwrist	ANSELL GRIP™ Technology	No	Yes	Yes	6 - 11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

WASTE WATER TREATMENT / SOLID WASTE MANAGEMENT / PARKS & RECREATION / STREETS CREWS

CHEMICAL PROTECTION

AlphaTec® 62-401 [More Info](#)

An excellent glove providing maximum comfort, with a natural rubber coating on a 100% cotton liner

- Heavy duty glove
- Wrinkle finish for excellent wet & dry grip
- Ergonomically styled fit providing maximum comfort
- Cotton liner provide excellent thermal insulation (hot or cold)
- Compliant with FDA food handling requirements



					
ANSI A2 CUT	EN 511 O11	EN 407 X2XXXX	EN 388 3131B	EN 374 AKL	EN ISO 374-5: 2016

Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
AlphaTec® 62-401	Blue	Natural latex rubber	13"	Supported	Gauntlet	Crinkle finish	No	No	No	7-11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselIGUARDIAN® assessment or use self-service AnselIGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



ACTIVE/ARMR
Ansell

ACTIVE/ARMR
Ansell
96-002
GLOVE PROTECTOR
WEAROVER SIZE 8
0.4 L. 10"

8 ACTIVE/ARMR
ANSI/ASTM D120
CLASS 00 EN60903
MAX USE VOLT 500V AC
TYPE I
Ansell

HOUSING AUTHORITY

CHEMICAL PROTECTION

AlphaTec® Solvex® 37-185 [More Info](#)

High-comfort, chemical resistant glove for a wide range of applications, covering to the top of the elbow

- No inner cotton flocking, reducing risk of lint contamination and making it ideal for production areas sensitive to the introduction of external impurities
- Sandpatch finish giving the glove a smooth surface that decreases indirect costs, thanks to fewer rejects of fragile parts
- Fully reusable, with an unequaled abrasion resistance
- Provides superb comfort for the wearer
- Complies with FDA food handling requirements (21 CFR 177.2600)



AlphaTec® 37-310 [More Info](#)

These food-processing gloves offer all-day comfort at an exceptional value

- 100% latex-free
- Unflocked: to prevent the risk of food contamination
- Extra-thin 8 mil/0.2mm palm for PPE gloves with advanced dexterity



AlphaTec® 37-300 [More Info](#)

All day comfort at exceptional value

- 8mil / 0.2mm thickness allows dexterity and tactility without a loss of durability
- NBR offering protection against light acids, greases, oils and liquids
- Engineered fit to allow optimum balance of fit and flexibility both on its own or as an over glove
- The latex-free formulation of these gloves presents no risk of Type 1 allergies
- Long cuff extends to the forearm



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
AlphaTec® Solvex® 37-185	Green	Nitrile	18"	Unsupported	Gauntlet	Sandpatch	Yes	Yes	Yes	7-11 i
AlphaTec® 37-310	Blue	Nitrile	12.2"	Unsupported	Gauntlet	Reversed lozenge	Yes	Yes	Yes	7-11 i
AlphaTec® 37-300	Green	Nitrile	12"	-	Gauntlet	Lozenge	Yes	Yes	Yes	7-11 i

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

HOUSING AUTHORITY

GENERAL PROTECTION

HyFlex® 11-840 [More Info](#)

Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- **Improved abrasion protection:** provides 20% more abrasion for longer lasting handling in abrasive conditions
- **Enhanced grip:** up to 2 times more grip in dry environments for secure handling and a safer day at work
- **Thin FORTIX™ nitrile foam coating:** the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- **Ergonomic fit:** Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- **Silicone-free:** no transfer of silicone contaminants to metal parts prior to painting
- **Clean and Skin Friendly:** benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free



HyFlex® 11-925 [More Info](#)

Ultralight abrasion-resistant gloves with special oil-repellent capabilities

- **RIPEL™ Liquid Repellence:** PPE gloves that protect in oily conditions
- **Three-quarter dipping:** For defensive coating with ample grip
- **Ultralight fine-gauge liner:** Highly flexible, dexterous hand protection



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
HyFlex® 11-840	Black	Foam nitrile	8" - 11"	Knitted	Knitwrist	ANSELL GRIP™ Technology	No	Yes	Yes	6 - 11 
HyFlex® 11-925	Blue	Nitrile	8.07" - 9.84"	Knitted	Knitwrist	ANSELL GRIP™ Technology	Yes	Yes	Yes	6 - 11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

HOUSING AUTHORITY

CUT PROTECTION

HyFlex® 11-541 [More Info](#)

Lightweight cut-resistant industrial gloves with exceptional grip

- **ANSELL GRIP™:** For strong, confident grip
- **INTERCEPT™ Cut Resistance:** EN and ANSI level 4 hand protection
- **ZONZ™ Comfort Fit:** For PPE gloves boasting comfort and dexterity



ActivArm® 80-813 [More Info](#)

These work gloves offer superior flame-resistant protection from extreme hazards

- Materials are inherently flame resistant, providing protection even after multiple launderings; Meets FR Testing CGSB 155.20-2000
- Superior arc-flash protection: "Arc Rating (ATPV) = 9.4 cal/cm2 Arc Category Level 2 per ASTM F2675-13"
- EN ISO cut level C protection provides the worker the ability to handle sharp parts and materials with confidence
- Outstanding ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and safety performance
- Proprietary soft foam coating ensures a secure grip in wet, oily and dry environments to reduce slippage and tension in the hands



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
HyFlex® 11-541	Grey	Foam nitrile	7.71" - 9.84"	Knitted	Knitwrist	ANSELL GRIP™ Technology	Yes	Yes	Yes	6-11 
ActivArm® 80-813	Black	Neoprene foam	8.86" - 10.24"	Knitted	Knitwrist	-	Yes	Yes	Yes	6-11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

PARKS & RECREATION

CUT PROTECTION

ActivArm[®] 80-813 [More Info](#)

These work gloves offer superior flame-resistant protection from extreme hazards

- Materials are inherently flame resistant, providing protection even after multiple launderings; Meets FR Testing CGSB 155.20-2000
- Superior arc-flash protection: "Arc Rating (ATPV) = 9.4 cal/cm2 Arc Category Level 2 per ASTM F2675-13"
- EN ISO cut level C protection provides the worker the ability to handle sharp parts and materials with confidence
- Outstanding ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and safety performance
- Proprietary soft foam coating ensures a secure grip in wet, oily and dry environments to reduce slippage and tension in the hands



COLD & HEAT PROTECTION

ActivArm[®] 52-590 [More Info](#)

Nitrile impregnated coating on a jersey liner

- General purpose glove in medium to heavy duty applications. More flexible, more comfortable, far more hard-wearing
- Superior resistance to abrasion and good protection against minor injuries, cuts and puncture
- Close, comfortable fit while safely cushioning the hand. Absorbs perspiration, keeping the hand dry and comfortable for longer
- Excellent dry grip. Makes handling quicker and easier



ActivArm[®] 97-681 [More Info](#)

Cold and liquid protection with dexterity and comfort

- PVC coating provides grip and flexibility, even in the coldest temperatures
- RIPEL™ Technology keeps liquids out helping your hands stay dry and warm longer
- Two-layer design gives the user:
 - PVC coated flexible nylon exterior to protect against liquid and mechanical risks, including cut
 - Soft and insulative acrylic interior provides comfort and warmth
- Industry leading combination of warmth and dexterity in a liquidproof glove
- Thin enough to handle small objects but protective enough for harsh environments



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArm [®] 80-813	Black	Neoprene foam	8.86" - 10.24"	Knitted	Knitwrist	-	Yes	Yes	Yes	6-11 
ActivArm [®] 52-590	Brown	Nitrile	11.6"	Cut & sewn	Safety cuff	-	Yes	-	No	9-10 
ActivArm [®] 97-681	Blue	PVC	9.84" - 11.22"	Knitted	Gauntlet	-	Yes	-	No	8-11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

UTILITY

CUT PROTECTION

ActivArm[®] 80-813 [More Info](#)

These work gloves offer superior flame-resistant protection from extreme hazards

- Materials are inherently flame resistant, providing protection even after multiple launderings; Meets FR Testing CGSB 155.20-2000
- Superior arc-flash protection: "Arc Rating (ATPV) = 9.4 cal/cm2 Arc Category Level 2 per ASTM F2675-13"
- EN ISO cut level C protection provides the worker the ability to handle sharp parts and materials with confidence
- Outstanding ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont[™] Kevlar[®] increases productivity and safety performance
- Proprietary soft foam coating ensures a secure grip in wet, oily and dry environments to reduce slippage and tension in the hands



HyFlex[®] 11-738 [More Info](#)

Highly durable cut-resistant gloves, with strong blended fibers and reinforced thumb crotch

- **INTERCEPT[™] Cut Resistance and strong fibers:** Robust cut protection
- **FORTIX[™] Abrasion Resistance:** PPE gloves with heightened durability
- **Reinforced thumb crotch:** Targeted hand protection and resilience



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArm [®] 80-813	Black	Neoprene foam	8.86" - 10.24"	Knitted	Knitwrist	-	Yes	Yes	Yes	6-11 
HyFlex [®] 11-738	Black	Water-based polyurethane & nitrile	8.85" - 10.82"	Knitted	Knitwrist	-	Yes	Yes	Yes	6-11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselGUARDIAN[®] assessment or use self-service AnselGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

UTILITY

CUT PROTECTION

ActivArm[®] 96-002 [More Info](#)

Low voltage leather premium goat skin leather protector

- Extends life of your rubber insulated gloves while providing excellent hand protection
- Provides cut, puncture, and abrasion protection
- Manufactured to ASTM D120 & EN 60903 standards protector requirements
- Suitable to wear with Class 0 & 00 class gloves

EN 388:2016



ActivArm[®] 96-003 [More Info](#)

High voltage leather premium goat skin leather protector

- Extends life of your rubber insulated gloves while providing excellent hand protection
- Provides cut, puncture, and abrasion protection
- Manufactured to ASTM D120 & EN 60903 standards
- Suitable to wear with Class 1 thru 4 class gloves

EN 388:2016



ActivArm[®] 96-001 Canvas Bag [More Info](#)

Ansell's ActivArm[®] canvas bag is an essential storage solution for your electrical insulating gloves that protects the gloves from folding and keeps them out of excessive heat, sunlight, humidity, ozone, and any chemical or substance that could damage the rubber

- 100% Cotton
- Proper storage extends the life of rubber insulated gloves
- Heavy canvas construction
- Brass metal buckle for easy carrying or hanging while in storage



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Finishing	Liner Material	Size Click for more
ActivArm [®] 96-002	N/A	N/A	10"	Cut & sewn	Straight cuff with overedge binding fabric	Natural leather texture	Premium goatskin	7-12 
ActivArm [®] 96-003	N/A	N/A	12"	Cut & sewn	Straight cuff with overedge binding fabric	Natural leather texture	Premium goatskin	8-12 
Bag Style	Construction		Length	Washing Temperature	Finishing		Size Click for more	
ActivArm [®] 96-001 Canvas Bag	Cut & sewn		11" - 18"	NA	100% Cotton		11", 14", 16", 18" 	

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

STREETS CREWS

COLD & HEAT PROTECTION

ActivArm[®] 97-011 [More Info](#)

Protecting workers from the elements

- 2-ply acrylic brushed liner keeps hands warm in extreme cold, as well as cut and abrasion protection
- Tested to perform at -4°F/-20°C
- ¾ double-dipped nitrile coating has a sandy finish for excellent wet/oily and dry materials handling, preventing injury from slippage
- Superior all-day comfort reduces hand fatigue
- More breathable than leather, keeping hands dry and comfortable
- Increases worker safety when high visibility is a must, including low-light conditions



ActivArm[®] 97-631 [More Info](#)

Cold resistant glove

- PVC coating provides excellent grip and flexibility, even in the coldest temperatures
- Two-layer design gives the user:
 - Flexible nylon exterior protects against mechanical risks, including cut, and contours to the hand permitting maximum dexterity
 - Soft and insulative acrylic interior provides comfort and warmth
- Giving the wearer a unique combination of warmth, dexterity, and flexibility that lets you feel everything but the cold
- Cold resistant glove that lets you tackle everything from food processing to outdoor construction



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArm [®] 97-011	Black	Nitrile	9.64" - 10.82"	Knitted	Knitwrist	-	Yes	-	No	8 - 11 
ActivArm [®] 97-631	Black	PVC	9.84" - 11.22"	Knitted	Knitwrist	-	No	-	No	7 - 11 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN[®] assessment or use self-service AnsellGUARDIAN[®] Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



AlphaTec
2200
STANDARD

MICROBOARD Astell

DRINKING WATER PLANT / MAINTENANCE DEPOT - FLEET SERVICES / HOUSING AUTHORITY

CHEMICAL PROTECTION

AlphaTec® 58-735 [More Info](#)

Advanced chemical protection with high level cut performance

- INTERCEPT™ Cut Resistant Technology provides protection against lacerations
- Optimised fit that integrates the cut liner into nitrile shell for better dexterity & tactility versus double gloving
- Excellent dry & wet grip enhance dexterity and reduce hand fatigue
- Yellow high-visibility cut liner acts as an indicator for when glove is cut, highlighting when chemical protection is compromised
- Cuff can be folded to act as a gutter to prevent chemicals running down the arm
- Oeko-Tex® Standard 100 Approved
- Compliant with FDA food handling requirements



ABR



CUT



4X32C



X1XXXX

EN ISO 374-1: 2016/Type A



AJKLMNOPT

EN ISO 374-5: 2016



DRINKING WATER PLANT

CHEMICAL PROTECTION

AlphaTec® 2300 STANDARD Bound - Model 111 [More Info](#)

Medium duty chemical barrier, Type 5/6 protection

- A good protective barrier to numerous inorganic liquid chemicals including acids and bases
- Lightweight, yet relatively strong and durable
- Designed to protect, typical coverall features include respirator fit hood and a zip flap with self-adhesive tape closure
- Highly visible bright yellow for improved worker safety
- Anti-static, tested according to EN 1149-5



TYPE 5-B



TYPE 6-B



EN 14126



EN 1073-2: 2002



EN 374



EN 1149-5: 2008

Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
AlphaTec® 58-735	Medium glass green	Nitrile	14"	Supported	Extended	ANSSELL GRIP™ Technology	Yes EN1149	Yes	Yes	6 - 11 
Bodysuit Style	Color	Garment	Fabric			Seam	Design Features by Model Configuration			Size Click for more
AlphaTec® 2300 STANDARD Bound - Model 111	Yellow	Coverall	Polyethylene on bicomponent polypropylene / polyethylene non woven			Bound	Coverall, 3-piece hood, elasticated hood, waist, wrists and ankles. 2-way front zipper with resealable storm flap and finger loops			S - 5XL 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

DRINKING WATER PLANT / FIRE SERVICES

CHEMICAL PROTECTION

MICROCHEM® 6000 Gas -Tight - Model 812- GA1 [More Info](#)

Multi-layer chemical barrier technology for Type 1 / Level A Gas-tight protection

- Excellent chemical protection, >480 mins for 15 chemicals specified by EN 943-2:2002
- Innovative fabric technology, high performance barrier laminate with scrim reinforcement
- Lightweight and flexible
- Highly visible bright orange colour for improved worker safety
- Ultrasonically welded and hot air taped seams
- DYNAT / YKK Gas-Tight zipper provides protection and performance in the most hostile of chemical environments
- The zip has an outer zip flap made of the same material as the suit
- Semi-rigid 3 layer GAG visor provides excellent optical clarity



EN 14126

DRINKING WATER PLANT / LAW ENFORCEMENT / FIRE SERVICES

CHEMICAL PROTECTION

AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151 [More Info](#)

Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect, typical innovative features include dual zip systems and double cuffs
- Welded and taped seams, our highest barrier to liquids and particulates
- Enhanced comfort, knitted inner cuffs and inner textile type fabric improves wearer acceptance
- Anti-static, tested according to EN 1149-5



TYPE 3-B



TYPE 4-B



TYPE 5-B



EN 14126



EN 1073-2:
2002



EN 1149-5:
2008



EN 374



Bodysuit Style	Color	Garment	Fabric	Seam	Design Features by Model Configuration	Size Click for more
MICROCHEM® 6000 Gas -Tight - Model 812- GA1	Orange	Encapsulated suit	Multi-layer non woven barrier laminate fabric	Ultrasonically welded & taped seams	Type 1 Gas-Tight Suit with integral socks, complete with straight outer leg. Side entry DYNAT / YKK Gas-Tight Zipper with Velcro closing flap. Reinforced knees and single sleeve and internal locking cuff and GA1 glove set (Barrier + Neoprene outer)	S - 5XL 
AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151	Green	Rear entry	Multi-layer non woven barrier laminate fabric	Ultrasonically welded & taped	Neoprene rubber face seal, rear horizontal zip entry, ultrasonically welded and taped seams and attached socks with boot overlap	S - 4XL 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselGUARDIAN® assessment or use self-service AnselGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



FIRE SERVICES

IMPACT PROTECTION

RINGERS® R313 [More Info](#)

Impact technology and rugged grip system specially designed for extrication in search and rescue

- TPR impact protection on top of hand and full length of fingers
- Durable grip system on palm and fingers enhances grip
- Extended cuff with gaiter closure to keep out debris
- Kevlar® stitched padded palm



RINGERS® R314 [More Info](#)

High-viz impact technology and extreme grip system specially designed for extrication in search and rescue

- Kevlar® stitched padded palm
- Extended cuff with gaiter closure to keep out debris
- Durable grip system on palm and fingers enhances grip
- High visibility and reflective details for increased safety
- TPR impact protection on top of hand and full length of fingers



RINGERS® R327 [More Info](#)

Impact technology and durable grip system with a waterproof and breathable Hipora barrier for the ultimate protection in search and rescue

- TPR impact protection on top of hand and full length of fingers
- Waterproof and breathable Hipora barrier to protect hands from micro-organisms such as TB, Hepatitis, Staph, and HIV
- Meets O.S.H.A. Standards for Blood-borne Pathogen Protection
- Extended cuff with gaiter closure to keep out debris
- Cut resistant durable palm, thumb panels, and side panels
- High visibility and reflective details for increased safety



RINGERS® R355 [More Info](#)

Reflective backing and synthetic leather palm with foam padded rope channel for dexterity and protection, designed for rope handling and rescue response

- Premium synthetic leather palm and fingertip patches with Kevlar® stitching
- Foam padded rope control channel on palm
- Secured cuff closure with hook and loop TPR pull tab closure
- Incredible fingertip dexterity allows knot untying without removing gloves
- Heavy duty leather material between fingers for extra durability
- Reflective markings on top of hand for better visibility



Glove Style	Coating Color	Coating Material	Construction	Cuff Style	Grip Design	Washing Temperature	Gauge	Latex-free Y/N	Liner Material	Size Click for more
RINGERS® R313	Black	-	Cut & sewn	Extended cuff with gaiter closure	Durable blend	30 °C (86 °F)	-	Yes	Polyester	7 - 12 
RINGERS® R314	Black	-	Cut & sewn	Extended cuff with gaiter closure	Durable blend	30 °C (86 °F)	-	Yes	Polyester	7 - 13 
RINGERS® R327	Hi-viz	-	Cut & sewn	Extended cuff with gaiter closure	Durable blend	Handwash cold water	-	Yes	Polyester	8 - 13 
RINGERS® R355	Black	-	Cut & sewn	Velcro®	Synthetic leather, foam finish	Handwash cold water	-	Yes	-	8 - 13 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselIGUARDIAN® assessment or use self-service AnselIGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

FIRE SERVICES

FIRE PROTECTION

RINGERS® R630 [More Info](#) / RINGERS® R631 [More Info](#)

Structural fire glove with premium split cowhide leather featuring Kevlar® stitching, Porelle® barrier, and Kovenex® lining

- Constructed with Porelle® insert for optimum breathability and waterproof barrier
- Lined with Kovenex® for thermal and flame resistance
- Palm reinforcement with durable Eversoft® thermal split cowhide leather
- Kevlar® stitching construction for maximum structural durability
- Seamless fingertips construction for great flexibility and dexterity
- Durable Eversoft® thermal split cowhide leather on top and palm of the gloves
- **RINGERS® R630:** Eversoft® thermal split cowhide leather gauntlet cuff for maximum flexibility
- **RINGERS® R631:** Two-ply Kevlar® wristlet construction with leather pull tab for maximum flexibility



RINGERS® R630



RINGERS® R631




ANIMAL CONTROL

PUNCTURE RESISTANCE & CUT PROTECTION

ActivArm® 43-216 [More Info](#)

These industrial heat-resistant gloves offer high levels of durability, control and protection from heat, flame, sparks and puncture

- Improved 3-dimensional thumb design for fine dexterity and control
- Premium split cowhide leather and welted seams with Kevlar®
- Cotton liner for enhanced protection
- Long cuff for enhanced protection
- Do not use in heavy-duty cut applications. The glove is not liquidproof, hence is not to be used with chemicals
- Keep away from sources of ozone or ignition. Keep out of direct sunlight. Store in a cool and dry place



Glove Style	Coating Color	Construction			Cuff Style		Latex-free Y/N	Washing Temperature		Size Click for more	
RINGERS® R630	Black	Cut & sewn			Gauntlet		Yes	Handwash cold water		7-13 i	
RINGERS® R631											
Glove Style	Coating Color	Coating Material	Liner Color	Liner Material	Glove Length	Construction	Cuff Style	Grip Design	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArm® 43-216	-	-	Yellow	Split cowhide leather, cotton, Kevlar®	14.6" - 16.3"	Cut & sewn	Gauntlet	-	Yes	No	10 i

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselGUARDIAN® assessment or use self-service AnselGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

POLICE

SINGLE-USE PROTECTION

MICROFLEX® SUPRENO™ EC SEC-375 [More Info](#)

Durable nitrile gloves that offer extra durability to enhance safety

- Superior strength and durability for maximum protection against rips, snags or tears
- Low, 0.65 AQL for advanced barrier protection
- Tested for use with chemotherapy / cytotoxic drugs
- Meets or exceeds the emergency medical glove requirements of NFPA 1999
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



MICROFLEX® MidKnight™ MK-296 [More Info](#)

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



LAW ENFORCEMENT / FIRE SERVICES

CHEMICAL PROTECTION

AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151 [More Info](#)

Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect, typical innovative features include dual zip systems and double cuffs
- Welded and taped seams, our highest barrier to liquids and particulates
- Enhanced comfort, knitted inner cuffs and inner textile type fabric improves wearer acceptance
- Anti-static, tested according to EN 1149-5



TYPE 3-B TYPE 4-B TYPE 5-B EN 14126

Glove Style	Color	Material	Glove Length	Glove Thickness	AQL	Powder-free Y/N	Latex-free Y/N	Silicone-free Y/N	Size Click for more
MICROFLEX® SUPRENO™ EC SEC-375	Violet blue	Nitrile	11.6"	Palm: 5.5mil Finger: 8.7mil	0.65	Yes	Yes	No	XS - 3XL i
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil	1.5	Yes	Yes	Yes	XS - 2XL i
Bodysuit Style	Color	Garment	Fabric		Seam	Design Features by Model Configuration			Size Click for more
AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151	Green	Rear entry	Multi-layer non woven barrier laminate fabric		Ultrasonically welded & taped	Neoprene rubber face seal, rear horizontal zip entry, ultrasonically welded and taped seams and attached socks with boot overlap			S - 4XL i

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselGUARDIAN® assessment or use self-service AnselGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

LAW ENFORCEMENT

SINGLE-USE PROTECTION

MICROFLEX® LIFESTAR EC™ LSE-104 [More Info](#)

EMS gloves offering reliable barrier protection against opioids and hazardous substances

- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- Dual layer, dual color design for two layers of protection
- Advanced barrier protection (AQL 0.65)
- Non-stick and non-foaming properties for reduced interference when working



MICROFLEX® MidKnight™ MK-296 [More Info](#)

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



TRAFFIC / TACTICAL

RINGERS® R307 [More Info](#)

High-viz glove with reflective palm material for traffic control

- Quick pull-on design
- Bright, highly visible color
- High performance reflective strips on full palm
- Great flexibility and dexterity



RINGERS® R507 [More Info](#)

Tactical glove with Supercuff technology and lightweight materials for maximum flexibility

- Contoured fingertip design for enhanced tactile feel
- Lightweight materials for maximum flexibility
- High performance spandex for ergonomic contoured fit
- Hook & loop standard cuff for adjustable custom fit
- Patented Supercuff technology for maximum wrist flexibility



Glove Style	Color	Material	Glove Length	Glove Thickness	AQL	Powder-free Y/N	Latex-free Y/N	Silicone-free Y/N	Size <i>Click for more</i>	
MICROFLEX® LIFESTAR EC™ LSE-104	White exterior, blue interior	Nitrile	11"	Palm: 5.5mil Finger: 8.3mil	0.65	Yes	Yes	Yes	S - 3XL 	
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil	1.5	Yes	Yes	Yes	XS - 2XL 	
Glove Style	Coating Color	Coating Material	Construction	Cuff Style	Grip Design	Washing Temperature	Gauge	Latex-free Y/N	Liner Material	Size <i>Click for more</i>
RINGERS® R307	Yellow	-	Cut & sewn	Slip-on	-	Handwash cold water	-	Yes	-	8 - 13 
RINGERS® R507	Black	-	Cut & sewn	Hook & loop rubber pull tap	-	Handwash cold water	-	Yes	-	7 - 12 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.


LAW ENFORCEMENT

CHEMICAL PROTECTION

AlphaTec® 2000 STANDARD Bound - Model 111 [More Info](#)

Superior breathable microporous laminate technology, Type 5/6 protection


- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone-free, critical in spray painting applications



AlphaTec® 2000 Ts PLUS Stitched & Taped - Model 111 [More Info](#)

Superior breathable microporous laminate technology, Type 4/5/6 protection


- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized body fit, improving wearer comfort and safety
- Anti-static, tested according to EN 1149-5
- Ultra Low Linting, reduced risk of contamination in critical areas
- Silicone-free, critical in spray painting applications
- Tunnelled elasticated hood, wrists and ankles - Helps to minimize the risk of linting and cross contamination



AlphaTec® 2300 PLUS Stitched & Taped - Model 132 [More Info](#)

Medium duty chemical barrier, Type 3/4/5 protection

- A good protective barrier to numerous inorganic liquid chemicals including acids and bases
- Type 3 coverall, lightweight, yet relatively strong and durable
- Designed to protect, typical coverall features include respirator fit hood and a zip flap with self-adhesive tape closure
- Highly visible bright yellow for improved worker safety
- Anti-static, tested according to EN 1149-5



Bodysuit Style	Color	Garment	Fabric	Seam	Design Features by Model Configuration	Size Click for more
AlphaTec® 2000 STANDARD Bound - Model 111	White	Coverall	Microporous polyethylene laminate non woven	Bound	Fully elasticated, finger loops, two-way zip, zip flap, respirator fit hood	S - 5XL
AlphaTec® 2000 Ts PLUS Stitched & Taped - Model 111	White, green	Coverall	Microporous polyethylene laminate non woven	Stitched & taped	3-piece hood, single zipper with re-sealable storm flap, thumb loops and chin strap. Elasticated waist, tunnelled elasticated wrists, hood and ankles	S - 5XL
AlphaTec® 2300 PLUS Stitched & Taped - Model 132	Yellow	Coverall	Polyethylene on bicomponent polypropylene / polyethylene non woven	Stitched & taped	3-piece hood, 2 way front zipper with re-sealable storm flap, finger loops. Elasticated hood, waist, wrists and ankles	S - 5XL

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselIGUARDIAN® assessment or use self-service AnselIGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

CORRECTION

SINGLE-USE PROTECTION

MICROFLEX® SUPRENO™ EC SEC-375

[More Info](#) 

Durable nitrile gloves that offer extra durability to enhance safety

- Superior strength and durability for maximum protection against rips, snags or tears
- Low, 0.65 AQL for advanced barrier protection
- Tested for use with chemotherapy / cytotoxic drugs
- Meets or exceeds the emergency medical glove requirements of NFPA 1999
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



MICROFLEX® MidKnight™ MK-296

[More Info](#) 

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



Glove Style	Color	Material	Glove Length	Glove Thickness	AQL	Powder-free Y/N	Latex-free Y/N	Silicone-free Y/N	Size Click for more
MICROFLEX® SUPRENO™ EC SEC-375	Violet blue	Nitrile	11.6"	Palm: 5.5mil Finger: 8.7mil	0.65	Yes	Yes	No	XS - 3XL 
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil	1.5	Yes	Yes	Yes	XS - 2XL 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



Ansell
EN388
EU A1/A2, A/B
BR S1/S2
CA S3/S2 - NL/LOT 1/2/3
MADE IN CHINA

11-840
HyFlex
A 10


MAINTENANCE DEPOT - (Fleet Services)

WELDING PROTECTION

ActivArmr® 43-216 [More Info](#)

These industrial heat-resistant gloves offer high levels of durability, control and protection from heat, flame, sparks and puncture

- Improved 3-dimensional thumb design for fine dexterity and control
- Premium split cowhide leather and welted seams with Kevlar®
- Cotton liner for enhanced protection
- Long cuff for enhanced protection
- Do not use in heavy-duty cut applications. The glove is not liquidproof, hence is not to be used with chemicals
- Keep away from sources of ozone or ignition. Keep out of direct sunlight. Store in a cool and dry place



ActivArmr® 43-217 [More Info](#)

Our best welding glove provides users with high dexterity and control while keeping their hands protected and safe

- TIG welding glove that provides EN12477 Type-B protection for precise welding and thermal tasks
- Suitable for TIG welding, as well as grinding, brazing, metal fabrication and maintenance
- Provides protection from heat, flames, sparks and weld spatter
- 3-dimensional thumb design greatly increases fine dexterity for precise welding control
- Premium full grain goatskin and welted seams with para-aramid thread ensure durability in use
- Long split cowhide cuff extends protection to the forearms



GENERAL & IMPACT PROTECTION

ActivArmr® 97-120 [More Info](#)

Best in class oil and impact protection

- Feature Icons - Integrated glove feature icons allow for quick identification
- High Visibility - Bright orange - colored exterior and reflective logo
- Oil Impermeable Barrier - Repellency from drilling fluids and oils to keep hands clean and improve comfort
- Enhanced Oil Grip - Mitigates hand fatigue and injury by addressing the #1 worker frustration for efficiency and safety
- Impact Protection - Impact bumpers protect entire back of hand from medium-level impact injury to prevent loss time



Glove Style	Coating Color	Coating Material	Liner Color	Liner Material	Glove Length	Construction	Cuff Style	Grip Design	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArmr® 43-216	Yellow	-	Yellow	Split cowhide leather, cotton, Kevlar®	14.6" - 16.3"	Cut & sewn	Gauntlet	-	Yes	No	10 i
ActivArmr® 43-217	White	Goatskin	White	-	13.3" - 14"	-	Gauntlet	-	-	-	9-11 i
ActivArmr® 97-120	Orange	Nitrile	Orange Hi-viz™	Kevlar®, spandex, nylon	10.08" - 11.53"	Knitted	Knitwrist	ANSSELL GRIP™ Technology	Yes	Yes	8-12 i

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

MASS TRANSIT

GENERAL PROTECTION

HyFlex® 11-840 [More Info](#)

Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- **Improved abrasion protection:** provides 20% more abrasion for longer lasting handling in abrasive conditions
- **Enhanced grip:** up to 2 times more grip in dry environments for secure handling and a safer day at work
- **Thin FORTIX™ nitrile foam coating:** the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- **Ergonomic fit:** Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- **Silicone-free:** no transfer of silicone contaminants to metal parts prior to painting
- **Clean and Skin Friendly:** benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free



 ANSELL GRIP™ Ansell Grip Technology	 FORTIX™ Abrasion Resistance Technology	 EN 388	 ANSI 4 ABR	 ANSI A1 CUT	 EN 407
 ERGOFORM™ Ergonomic Design Technology	 ZONZ™ Comfort Fit Technology	 4131A			 X1XXXX

BUS / GARAGE

SINGLE-USE PROTECTION

MICROFLEX® MidKnight™ MK-296 [More Info](#)

Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
HyFlex® 11-840	Black	Foam nitrile	8" - 11"	Knitted	Knitwrist	ANSELL GRIP™ Technology	No	Yes	Yes	6 - 11 
Glove Style	Color	Material	Glove Length	Glove Thickness		AQL	Powder-free Y/N	Latex-free Y/N	Silicone-free Y/N	Size Click for more
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil		1.5	Yes	Yes	Yes	XS - 2XL 

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnsellGUARDIAN® assessment or use self-service AnsellGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.



SOLID WASTE MANAGEMENT

GENERAL PROTECTION

ActivArm® 80-100 [More Info](#)

Superb mechanical performance with comfort and a sure grip

- Crinkled finished coating for an excellent dry or wet grip for better safety and productivity
- Designed for use in a wide range of handling and carrying applications
- Delivers excellent overall mechanical performance for maximal protection and durability
- Automatic knitted liner delivers an optimally tensioned inner surface for superb fit and flexibility




COLD & HEAT PROTECTION

ActivArm® 80-400 [More Info](#)

Excellent insulation and comfortable handling in cold conditions

- High visibility with seamless yellow thermal terry liner
- Bright blue crinkled palm provides added wet and dry grip
- Insulated glove for use in cold temperatures
- Ergonomic design for superior fit, comfort, flexibility and dexterity
- Also offers protection when handling hot parts up to 250°C / 480°F for 15 seconds



Glove Style	Coating Color	Coating Material	Liner Color	Liner Material	Glove Length	Construction	Cuff Style	Grip Design	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArm® 80-100	Blue	Natural latex rubber	Grey	Cotton, polyester	9.25" - 11.02"	Knitted	Knitwrist	-	-	No	6-10
ActivArm® 80-400	Blue	Natural latex rubber	Yellow Hi-viz™	Acrylic terry loop	10" - 12"	Knitted	Knitwrist	Crinkle finish	-	No	7-11

Note: Product availability may vary. These styles serve as example only. For tailored recommendations for your unique needs and applications, please request an AnselIGUARDIAN® assessment or use self-service AnselIGUARDIAN® Partner tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals you use.

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager. Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

WASTE WATER TREATMENT / DRINKING WATER PLANT

MICROFLEX® 93-260	
XS	93260060
S	93260070
M	93260080
L	93260090
XL	93260100
2XL	93260110

WASTE WATER TREATMENT / MASS TRANSIT

HyFlex® 11-939	
6	11-939-6
7	11-939-7
8	11-939-8
9	11-939-9
10	11-939-10
11	11-939-11

WASTE WATER TREATMENT / SOLID WASTE MANAGEMENT / PARKS AND RECREATION / STREETS CREWS

AlphaTec® 62-401	
7	62-401-7
8	62-401-8
9	62-401-9
10	62-401-10
11	62-401-11

HOUSING AUTHORITY

AlphaTec® Solvex® 37-185	
7	37-185-7
8	37-185-8
9	37-185-9
10	37-185-10
11	37-185-11

AlphaTec® 37-310	
7	37-310-7
8	37-310-8
9	37-310-9
10	37-310-10
11	37-310-11

AlphaTec® 37-300	
7	37-300-7
8	37-300-8
9	37-300-9
10	37-300-10
11	37-300-11

HyFlex® 11-925	
6	11-925-6
7	11-925-7
8	11-925-8
9	11-925-9
10	11-925-10
11	11-925-11

HyFlex® 11-840	
6	11-840-6
7	11-840-7
8	11-840-8
9	11-840-9
10	11-840-10
11	11-840-11

HyFlex® 11-541	
6	11-541-6
7	11-541-7
8	11-541-8
9	11-541-9
10	11-541-10
11	11-541-11

ActivArm® 80-813	
6	80-813-6
7	80-813-7
8	80-813-8
9	80-813-9
10	80-813-10
11	80-813-11

PARKS & RECREATION

ActivArm® 80-813	
6	80-813-6
7	80-813-7
8	80-813-8
9	80-813-9
10	80-813-10
11	80-813-11

ActivArm® 52-590	
9	52-590-9
10	52-590-10

ActivArm® 97-681	
8	97-681-8
9	97-681-9
10	97-681-10
11	97-681-11

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager. Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

UTILITY

ActivArm [®] 80-813		HyFlex [®] 11-738		ActivArm [®] 96-001 Canvas Bag	
6	80-813-6	6	11-738-6	Bag 11"	96-001-11
7	80-813-7	7	11-738-7	Bag 14"	96-001-14
8	80-813-8	8	11-738-8	Bag 16"	96-001-16
9	80-813-9	9	11-738-9	Bag 18"	96-001-18
10	80-813-10	10	11-738-10		
11	80-813-11	11	11-738-11		

STREETS CREWS

ActivArm [®] 96-002		ActivArm [®] 96-003		ActivArm [®] 97-011		ActivArm [®] 97-631	
7	96-002-7	8	96-003-8	8	97-011-8	7	97-631-7
8	96-002-8	9	96-003-9	9	97-011-9	8	97-631-8
9	96-002-9	10	96-003-10	10	97-011-10	9	97-631-9
10	96-002-10	11	96-003-11	11	97-011-11	10	97-631-10
11	96-002-11	12	96-003-12			11	97-631-11
12	96-002-12						

DRINKING WATER PLANT / MAINTENANCE DEPOT- FLEET SERVICES / HOUSING AUTHORITY

AlphaTec [®] 58-735	
6	58-735-6
7	58-735-7
8	58-735-8
9	58-735-9
10	58-735-10
11	58-735-11

DRINKING WATER PLANT

AlphaTec [®] 2300 STANDARD Bound - Model 111	
S	YY23-B-92-111-02
M	YY23-B-92-111-03
L	YY23-B-92-111-04
XL	YY23-B-92-111-05
2XL	YY23-B-92-111-06
3XL	YY23-B-92-111-07
4XL	YY23-B-92-111-08
5XL	YY23-B-92-111-09

DRINKING WATER PLANT / FIRE SERVICES

MICROCHEM [®] 6000 Gas -Tight - Model 812- GA1	
S	OR60-T-92-812-02-GA1
M	OR60-T-92-812-03-GA1
L	OR60-T-92-812-04-GA1
XL	OR60-T-92-812-05-GA1
2XL	OR60-T-92-812-06-GA1
3XL	OR60-T-92-812-07-GA1
4XL	OR60-T-92-812-08-GA1
5XL	OR60-T-92-812-09-GA1

DRINKING WATER PLANT / LAW ENFORCEMENT / FIRE SERVICES

AlphaTec [®] 4000 Ultrasonically Welded & Taped - Model 151	
S	GR40-T-92-151-02-G02
M	GR40-T-92-151-03-G02
L	GR40-T-92-151-04-G02
XL	GR40-T-92-151-05-G02
2XL	GR40-T-92-151-06-G02
3XL	GR40-T-92-151-07-G02
4XL	GR40-T-92-151-08-G02

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager. Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

FIRE SERVICES

RINGERS® R313		RINGERS® R314		RINGERS® R327	
7	R313-7	7	R314-7	8	R327-8
8	R313-8	8	R314-8	9	R327-9
9	R313-9	9	R314-9	10	R327-10
10	R313-10	10	R314-10	11	R327-11
11	R313-11	11	R314-11	12	R327-12
12	R313-12	12	R314-12	13	R327-13
		13	R314-13		

ANIMAL CONTROL

RINGERS® R355		RINGERS® R630		RINGERS® R631		ActivArmr® 43-216	
8	R355-8	7	R630-7	7	R631-7	10	43-216-10
9	R355-9	8	R630-8	8	R631-8		
10	R355-10	9	R630-9	9	R631-9		
11	R355-11	10	R630-10	10	R631-10		
12	R355-12	11	R630-11	11	R631-11		
13	R355-13	12	R630-12	12	R631-12		
		13	R630-13	13	R631-13		

POLICE

MICROFLEX® SUPRENO™ EC SEC-375		MICROFLEX® MidKnight™ MK-296		AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151	
XS	SEC-375-XS	XS	MK-296-XS	S	GR40-T-92-151-02-G02
S	SEC-375-S	S	MK-296-S	M	GR40-T-92-151-03-G02
M	SEC-375-M	M	MK-296-M	L	GR40-T-92-151-04-G02
L	SEC-375-L	L	MK-296-L	XL	GR40-T-92-151-05-G02
XL	SEC-375-XL	XL	MK-296-XL	2XL	GR40-T-92-151-06-G02
2XL	SEC-375-XXL	2XL	MK-296-XXL	3XL	GR40-T-92-151-07-G02
3XL	SEC-375-XXXL			4XL	GR40-T-92-151-08-G02

LAW ENFORCEMENT / FIRE SERVICES

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager. Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

LAW ENFORCEMENT

MICROFLEX® LIFESTAR EC™ LSE-104		MICROFLEX® MidKnight™ MK-296		RINGERS® R307		RINGERS® R507	
S	LSE-104-S	XS	MK-296-XS	8	R307-8	7	R507-7
M	LSE-104-M	S	MK-296-S	9	R307-9	8	R507-8
L	LSE-104-L	M	MK-296-M	10	R307-10	9	R507-9
XL	LSE-104-XL	L	MK-296-L	11	R307-11	10	R507-10
2XL	LSE-104-2XL	XL	MK-296-XL	12	R307-12	11	R507-11
3XL	LSE-104-3XL	2XL	MK-296-XXL	13	R307-13	12	R507-12

AlphaTec® 2000 STANDARD Bound - Model 111		AlphaTec® 2000 Ts PLUS Stitched & Taped - Model 111		AlphaTec® 2300 PLUS Stitched & Taped - Model 132	
S	WH20-B-92-111-02	S	WH20-T-92-111-02	S	WH20-T-92-132-02
M	WH20-B-92-111-03	M	WH20-T-92-111-03	M	WH20-T-92-132-03
L	WH20-B-92-111-04	L	WH20-T-92-111-04	L	WH20-T-92-132-04
XL	WH20-B-92-111-05	XL	WH20-T-92-111-05	XL	WH20-T-92-132-05
2XL	WH20-B-92-111-06	2XL	WH20-T-92-111-06	2XL	WH20-T-92-132-06
3XL	WH20-B-92-111-07	3XL	WH20-T-92-111-07	3XL	WH20-T-92-132-07
4XL	WH20-B-92-111-08	4XL	WH20-T-92-111-08	4XL	WH20-T-92-132-08
5XL	WH20-B-92-111-09	5XL	WH20-T-92-111-09	5XL	WH20-T-92-132-09

CORRECTION

MICROFLEX® SUPRENO™ EC SEC-375		MICROFLEX® MidKnight™ MK-296	
XS	SEC-375-XS	XS	MK-296-XS
S	SEC-375-S	S	MK-296-S
M	SEC-375-M	M	MK-296-M
L	SEC-375-L	L	MK-296-L
XL	SEC-375-XL	XL	MK-296-XL
2XL	SEC-375-XXL	2XL	MK-296-XXL
3XL	SEC-375-XXXL		

ORDER NUMBER:

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager. Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

MAINTENANCE DEPOT - (Fleet Services)

ActivArmr® 43-216		ActivArmr® 43-217		ActivArmr® 97-120		HyFlex® 11-840	
10	43-216-10	9	43-217-9	8	97-120-8	6	11-840-6
		10	43-217-10	9	97-120-9	7	11-840-7
		11	43-217-11	10	97-120-10	8	11-840-8
				11	97-120-11	9	11-840-9
				12	97-120-12	10	11-840-10
						11	11-840-11

BUS / GARAGE

MICROFLEX® MidKnight™ MK-296	
XS	MK-296-XS
S	MK-296-S
M	MK-296-M
L	MK-296-L
XL	MK-296-XL
2XL	MK-296-XXL

SOLID WASTE MANAGEMENT

ActivArmr® 80-100		ActivArmr® 80-400	
6	80-100-6	7	80-400-7
7	80-100-7	8	80-400-8
8	80-100-8	9	80-400-9
9	80-100-9	10	80-400-10
10	80-100-10	11	80-400-11



ABOUT ANSELL

As a global leader in personal protective solutions with over 125 years of experience in keeping people safe, Ansell's mission is to provide innovative and reliable solutions for safety, well-being and peace of mind to workers around the world. Our global team of more than 12,000 people in 55 countries design, manufacture and market cutting edge PPE that millions of workers in industrial and healthcare settings rely upon every day. We offer a comprehensive portfolio of hand and body protection products and provide customers with tailored solutions to meet their unique needs across a wide range of industries and applications.

ANSELL CANADA INC

105 Lauder
Cowansville, QC,
J2K 2K8 Canada
T: +1-800-363-8340

Except as noted, Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. Viton® and Nomex® are trademarks of DuPont used for informational purposes only. DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company used under a license by Ansell Healthcare Products LLC. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2022 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

WARNING: Products that provide "cut resistance" and "cut protection" or "puncture resistance" and "puncture protection" do not completely prevent or eliminate the potential for cuts or punctures, and are not intended or tested to provide protection against powered blades, serrated or other sharp or rotating equipment. Products offering "viral protection" do not completely prevent the transmission of disease. Products that provide chemical resistance" or "chemical protection" do not completely prevent or eliminate the potential for injury due to chemical exposure. Products that provide "resistance" to oil or grease or which are "oil repellent" do not completely prevent or eliminate the potential for oil or liquid penetration or absorption. Products that provide "snag resistance" or "snag protection" do not completely prevent or eliminate the potential for snags or friction-related injuries. Products that provide protection against sparks or flames are not "fireproof" and do not completely prevent or eliminate the potential for burns or associated injuries. Products that provide protection or resistance against heat or cold are not intended for use in extreme temperatures – use only as specified. Products containing natural rubber latex may cause allergic reactions in some individuals. Products that provide "impact, crush and pinch protection" do not completely eliminate the potential for impact or crush related injuries. Users are encouraged to always use caution and care when handling sharp or abrasive materials, chemicals, or other hazardous or dangerous substances. Any information or data provided is based upon Ansell's current knowledge and understanding of the subject matter, and is offered solely as a possible suggestion for use in making your own decisions or product choices. Product users should conduct all appropriate testing or other evaluations to determine the suitability of Ansell products for a particular purpose or use within a particular environment. It is the responsibility of a product user to assess the level of risk and to determine the protective equipment required or appropriate for the user's particular purpose. Ansell may revise this information as new information, knowledge or experience becomes available. ANSELL DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.

ansell.com