





# **MUNICIPALITIES**

Hazards & Solutions

ansell.com



# **CONTENTS**

Click VIEW PRODUC	to TS
WHY ANSELL?	3
ANSELL ADVANTAGE	3
SUSTAINABILITY AT ANSELL	4
WASTE WATER TREATMENT / DRINKING WATER PLANT	6
WASTE WATER TREATMENT / MASS TRANSIT	6
WASTE WATER TREATMENT / SOLID WASTE MANAGEMENT / PARKS AND RECREATION / STREETS CREWS	7
HOUSING AUTHORITY	9
PARKS & RECREATION	12
UTILITY	13
STREETS CREWS	14
DRINKING WATER PLANT / MAINTENANCE DEPOT - FLEET SERVICES / HOUSING AUTHORITY	16
DRINKING WATER PLANT	
DRINKING WATER PLANT / FIRE SERVICES	17
DRINKING WATER PLANT / LAW ENFORCEMENT / FIRE SERVICES	17
FIRE SERVICES	
FIRE SERVICES / HAZMAT PROTECTION	
FIRE / HAZMAT RESPONSE / BODY PROTECTION	21
ANIMAL CONTROL	21
POLICE	22
LAW ENFORCEMENT / FIRE SERVICES	
LAW ENFORCEMENT	24
CORRECTION	26
MAINTENANCE DEPOT - (Fleet Services)	29
MASS TRANSIT	
BUS / GARAGE	30
SOLID WASTE MANAGEMENT	22

# **WHY ANSELL?**

Our mission is to provide innovative and effective solutions for safety, well-being, and peace of mind, no matter who or where you are.

Every day, more than 14,000+ people in 58 countries design, manufacture and market products on which millions of workers and healthcare professionals rely on.

#### **MARKET LEADERSHIP**



No. 1 or 2 market share in key segments globally



Safety assessments for every industry



Sell
~12 billion gloves
per year




Average medical professional personally wears nearly 1,200 pairs of Ansell gloves per year



Protect more than 10 million workers each day

# **ANSELL ADVANTAGE**



# **SUSTAINABILITY AT ANSELL**



Ansell is recognised as a world leading company in the safety industry. We are a listed company and are proud of the performance we deliver to our shareholders. We are also a truly global company, with over 13,000 employees spread across 54 countries. Our obligations extend not only to our investors, but also to our customers, employees and wider workforce, suppliers, community and our planet.

We are committed to doing business in an ethical manner which yields long-term, sustainable benefits for the Company and all of our stakeholders. Our goal is to become a leader in sustainability, just as we are in safety.

Our Responsible and Responsive Strategy and Purpose encapsulates our key stakeholders and areas of focus for sustainability which are covered in this report.

# A Responsible and Responsive Strategy & Purpose

• We care about our people and safety is our top priority **Better** • We support our communities Society **Employees and** • We play fair and conduct business ethically Community **Business ethics** wider workforce • We use natural resources with care GHG' **Better** • We work to continually lower our GHG emissions **Environment Materials and Energy and** • We respect the local environment • We provide our customers with safety and productivity solutions **Better** • We choose like-minded partners **Business**  We reward investors **Customers Suppliers Investors** 





# **WASTE WATER TREATMENT / DRINKING WATER PLANT**

#### SINGLE-USE PROTECTION

# MICROFLEX® 93-260 More Info



#### Chemical-resistant disposable gloves that offer tough chemical protection and unparalleled comfort

- Three layer design for superior protection against harsh chemicals
- The thinnest chemical resistant disposable glove for enhanced tactility and dexterity
- Extra soft material and ergonomic design for outstanding fit, feel and flexibility
- Lower acceptable pinhole rate (0.65 AQL) for reliable protection against hazardous
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations

EN ISO 374-1:













# **WASTE WATER TREATMENT / MASS TRANSIT**

#### **CUT PROTECTION**

HyFlex® 11-939 More Info 1



#### Ultralight, fully coated cut-resistant and oil-repellent work gloves

- RIPEL™ Liquid Repellence: Defense from oil and chemicals
- Reinforced thumb crotch: 12x greater durability around the thumb\*
- Ultralight 18-gauge design: All-day comfort and dexterity





















<sup>\*</sup>compared to competitor gloves lacking this feature



Glove Style	Colo		Material		love ngth		love ckness	AQL	Powder-free Y/N	Latex-free Y/N	Silicone-free Y/N	Size Click for more
MICROFLEX® 93-260	Greer		Nitrile, neopre Polychloropre		1.2"		: 7.8mil r: 7.9mil	0.65	Yes	Yes	Yes	<u>XS - 2XL</u> 1
Glove Style		oating Color	Coating Material	Glove Length	Constr	uction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
HyFlex® 11-939	E	lack &	Foam nitrile	8.3" - 10.3"	Knit	ted	Knitwrist	ANSELL GRIP™ Technology	No	Yes	Yes	6 - 11



# **WASTE WATER TREATMENT / SOLID WASTE MANAGEMENT / PARKS & RECREATION / STREETS CREWS**

#### **CHEMICAL PROTECTION**

## AlphaTec® 62-401 More Info 1

An excellent glove providing maximum comfort, with a natural rubber coating on a 100% cotton liner

- Heavy duty glove
- · Wrinkle finish for excellent wet & dry grip
- Ergonomically styled fit providing maximum comfort
- Cotton liner provide excellent thermal insulation (hot or cold)
- Compliant with FDA food handling requirements













쉆



Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
AlphaTec® 62-401	Blue	Natural latex rubber	13"	Supported	Gauntlet	Crinkle finish	No	No	No	7-11 🕖



### **HOUSING AUTHORITY**

#### CHEMICAL PROTECTION

### AlphaTec® Solvex® 37-185 More Info 10

High-comfort, chemical resistant glove for a wide range of applications, covering to the top of the elbow

- No inner cotton flocking, reducing risk of lint contamination and making it ideal for production areas sensitive to the introduction of external impurities
- Sandpatch finish giving the glove a smooth surface that decreases indirect costs, thanks to fewer rejects of fragile parts
- Fully reusable, with an unequaled abrasion resistance
- · Provides superb comfort for the wearer
- Complies with FDA food handling requirements (21 CFR 177.2600)



EN 388 EN ISO 374-5

100% latex-free

advanced dexterity







AlphaTec® 37-310 More Info 1

comfort at an exceptional value

These food-processing gloves offer all-day

Extra-thin 8 mil/0.2mm palm for PPE gloves with







EN ISO 374-5: EN 388









EN ISO 374-1:

## AlphaTec® 37-300 (More Info 1)

#### All day comfort at exceptional value

- 8mil / 0.2mm thickness allows dexterity and tactility without a loss of durability
- NBR offering protection against light acids, greases, oils and liquids
- Engineered fit to allow optimum balance of fit and flexibility both on its own or as an over glove
- The latex-free formulation of these gloves presents no risk of Type 1 allergies
- · Long cuff extends to the forearm



2001X













Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
AlphaTec® Solvex® 37-185	Green	Nitrile	18"	Unsupported	Gauntlet	Sandpatch	Yes	Yes	Yes	7-11 🕖
AlphaTec® 37-310	Blue	Nitrile	12.2"	Unsupported	Gauntlet	Reversed lozenge	Yes	Yes	Yes	7-11
AlphaTec® 37-300	Green	Nitrile	12"	-	Gauntlet	Lozenge	Yes	Yes	Yes	7-11 🕖

### **HOUSING AUTHORITY**

#### **GENERAL PROTECTION**

#### HyFlex® 11-840 (More Info



#### Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- Improved abrasion protection: provides 20% more abrasion for longer lasting handling in abrasive conditions
- Enhanced grip: up to 2 times more grip in dry environments for secure handling and a safer day at work
- Thin FORTIX<sup>™</sup> nitrile foam coating: the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- Ergonomic fit: Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- **Ultimate comfort:** Ansell ZONZ<sup>™</sup> Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- Silicone-free: no transfer of silicone contaminants to metal parts prior to painting
- Clean and Skin Friendly: benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free

















### HyFlex® 11-925 More Info





- RIPEL™ Liquid Repellence: PPE gloves that protect in oily conditions
- Three-quarter dipping: For defensive coating with ample grip
- Ultralight fine-gauge liner: Highly flexible, dexterous hand protection













Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
HyFlex® 11-840	Black	Foam nitrile	8" - 11"	Knitted	Knitwrist	ANSELL GRIP™ Technology	No	Yes	Yes	<u>6 - 11</u> 🕖
HyFlex® 11-925	Blue	Nitrile	8.07" - 9.84"	Knitted	Knitwrist	ANSELL GRIP™ Technology	Yes	Yes	Yes	6-11 🕖


## **HOUSING AUTHORITY**

#### **CUT PROTECTION**

## HyFlex® 11-541 (More Info 1)

#### Lightweight cut-resistant industrial gloves with exceptional grip

- . ANSELL GRIP™: For strong, confident grip
- INTERCEPT™ Cut Resistance: EN and ANSI level 4 hand protection
- **ZONZ**™ **Comfort Fit:** For PPE gloves boasting comfort and dexterity





#### ActivArmr® 80-813 More Info



#### These work gloves offer superior flame-resistant protection from extreme hazards

- Materials are inherently flame resistant, providing protection even after multiple launderings; Meets FR Testing CGSB 155.20-2000
- Superior arc-flash protection: "Arc Rating (ATPV) = 9.4 cal/cm2 Arc Category Level 2 per ASTM F2675-13"
- EN ISO cut level C protection provides the worker the ability to handle sharp parts and materials with confidence
- Outstanding ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and safety performance
- Proprietary soft foam coating ensures a secure grip in wet, oily and dry environments to reduce slippage and tension in the hands













Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
HyFlex® 11-541	Grey	Foam nitrile	7.71" - 9.84"	Knitted	Knitwrist	ANSELL GRIP™ Technology	Yes	Yes	Yes	6-11 ()
ActivArmr® 80-813	Black	Neoprene foam	8.86" - 10.24"	Knitted	Knitwrist	-	Yes	Yes	Yes	<u>6 - 11</u> 🚺

# PARKS & RECREATION

#### **CUT PROTECTION**

#### ActivArmr® 80-813 (More Info



#### These work gloves offer superior flame-resistant protection from extreme hazards

- Materials are inherently flame resistant, providing protection even after multiple launderings; Meets FR Testing CGSB 155.20-2000
- Superior arc-flash protection: "Arc Rating (ATPV) = 9.4 cal/cm2 Arc Category Level 2 per ASTM F2675-13"
- EN ISO cut level C protection provides the worker the ability to handle sharp parts and materials with confidence
- Outstanding ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and safety performance
- Proprietary soft foam coating ensures a secure grip in wet, oily and dry environments to reduce slippage and tension in the hands











## **COLD & HEAT PROTECTION**

#### ActivArmr® 52-590 More Info



#### Nitrile impregnated coating on a jersey liner

- General purpose glove in medium to heavy duty applications. More flexible, more comfortable, far more hard-wearing
- · Superior resistance to abrasion and good protection against minor injuries, cuts and puncture
- Close, comfortable fit while safely cushioning the hand. Absorbs perspiration, keeping the hand dry and comfortable for longer
- Excellent dry grip. Makes handling quicker and easier











#### ActivArmr® 97-681 (More Info (1)



#### Cold and liquid protection with dexterity and comfort

- · PVC coating provides grip and flexibility, even in the coldest temperatures
- RIPEL™ Technology keeps liquids out helping your hands stay dry and warm longer
- · Two-layer design gives the user:
- PVC coated flexible nylon exterior to protect against liquid and mechanical risks, including cut
- Soft and insulative acrylic interior provides comfort and warmth
- · Industry leading combination of warmth and dexterity in a liquidproof glove
- Thin enough to handle small objects but protective enough for harsh environments













Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
ActivArmr® 80-813	Black	Neoprene foam	8.86" - 10.24"	Knitted	Knitwrist	-	Yes	Yes	Yes	<u>6 - 11</u> <b>()</b>
ActivArmr® 52-590	Brown	Nitrile	11.6"	Cut & sewn	Safety cuff	-	Yes	-	No	9,10
ActivArmr® 97-681	Blue	PVC	9.84" - 11.22"	Knitted	Gauntlet	-	Yes	-	No	<u>8 - 11</u> <b>()</b>

## **UTILITY**

#### **CUT PROTECTION**

#### ActivArmr® 80-813 (More Info

#### These work gloves offer superior flame-resistant protection from extreme hazards

- Materials are inherently flame resistant, providing protection even after multiple launderings; Meets FR Testing CGSB 155.20-2000
- Superior arc-flash protection: "Arc Rating (ATPV) = 9.4 cal/cm2 Arc Category Level 2 per ASTM F2675-13"
- · EN ISO cut level C protection provides the worker the ability to handle sharp parts and materials with confidence
- · Outstanding ergonomic design, superior comfort, dexterity and flexibility based on patented technology
- Thin 13g knitted liner with DuPont™ Kevlar® increases productivity and safety performance
- Proprietary soft foam coating ensures a secure grip in wet, oily and dry environments to reduce slippage and tension in the hands











HyFlex® 11-738 More Info



#### Highly durable cut-resistant gloves, with strong blended fibers and reinforced thumb crotch

- INTERCEPT<sup>™</sup> Cut Resistance and strong fibers: Robust cut protection
- **FORTIX™** Abrasion Resistance: PPE gloves with heightened durability
- Reinforced thumb crotch: Targeted hand protection and resilience














# ActivArmr® 96-001 Canvas Bag More Info



Ansell's ActivArmr® canvas bag is an essential storage solution for your electrical insulating gloves that protects the gloves from folding and keeps them out of excessive heat, sunlight, humidity, ozone, and any chemical or substance that could damage the rubber





- Heavy canvas construction
- · Brass metal buckle for easy carrying or hanging while in storage

ACTIVARM 96-001 THE ULTIMATE PERSONA PROTECTI GEAR.
Wear your Glo
An

Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
ActivArmr® 80-813	Black	Neoprene foam	8.86" - 10.24"	Knitted	Knitwrist	-	Yes	Yes	Yes	6-11 1
HyFlex® 11-738	Black	Water-based polyurethane & nitrile	8.85" - 10.82"	Knitted	Knitwrist	-	Yes	Yes	Yes	<u>6 - 11</u> 🕖
				Washing						Size

Bag Style	Construction	Length	Washing Temperature	Finishing	<b>Size</b> Click for more
ActivArmr® 96-001 Canvas Bag	Cut & sewn	11" - 18"	N/A	100% Cotton	11", 14", 16", 18"

## **UTILITY**

#### **CUT PROTECTION**

#### ActivArmr® 96-002 (More Info 1)



#### Low voltage leather premium goat skin leather protector

- · Extends life of your rubber insulated gloves while providing excellent hand protection
- Provides cut, puncture, and abrasion protection
- Manufactured to ASTM D120 & EN 60903 standards protector requirements
- Suitable to wear with Class 0 & 00 class gloves





# ActivArmr® 96-003 More Info

#### High voltage leather premium goat skin leather protector

- · Extends life of your rubber insulated gloves while providing excellent hand protection
- Provides cut, puncture, and abrasion protection
- Manufactured to ASTM D120 & EN 60903 standards
- Suitable to wear with Class 1 thru 4 class gloves





#### STREETS CREWS

#### **COLD & HEAT PROTECTION**

### ActivArmr® 97-011 More Info

#### Protecting workers from the elements

- 2-ply acrylic brushed liner keeps hands warm in extreme cold, as well as cut and abrasion protection
- Tested to perform at -4°F/-20°C
- 3/4 double-dipped nitrile coating has a sandy finish for excellent wet/oily and dry materials handling, preventing injury from slippage
- Superior all-day comfort reduces hand fatigue
- More breathable than leather, keeping hands dry and comfortable
- Increases worker safety when high visibility is a must, including low-light conditions











# ActivArmr® 97-631 (More Info 1)

#### Cold resistant glove



- · Two-layer design gives the user:
- Flexible nylon exterior protects against mechanical risks, including cut, and contours to the hand permitting maximum dexterity
- Soft and insulative acrylic interior provides comfort and
- Giving the wearer a unique combination of warmth, dexterity, and flexibility that lets you feel everything but
- Cold resistant glove that lets you tackle everything from food processing to outdoor construction











Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff	Style	Finish	ing	Liner Material	<b>Size</b> Click for more
ActivArmr® 96-002	N/A	N/A	10"	Cut & sewn	Straight cuff with overedge binding fabric			Natural leather texture		7-12 🕡
ActivArmr® 96-003	N/A	N/A	12"	Cut & sewn	Straight cuff with overedge binding fabric		ge Natural l textu		Premium goatskin	8 - 12 🕖
	Coating	Coating	Glove							
Glove Style	Color	Material	Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-fre Y/N	e Size Click for more
Glove Style  ActivArmr® 97-011	_			<b>Construction</b> Knitted	Cuff Style Knitwrist		Anti-static Yes			



# DRINKING WATER PLANT / MAINTENANCE DEPOT - FLEET SERVICES / **HOUSING AUTHORITY**

#### **CHEMICAL PROTECTION**

## AlphaTec® 58-735 (More Info 1)

#### Advanced chemical protection with high level cut performance

- INTERCEPT™ Cut Resistant Technology provides protection against lacerations
- Optimised fit that integrates the cut liner into nitrile shell for better dexterity & tactility versus double gloving
- Excellent dry & wet grip enhance dexterity and reduce hand fatigue
- Yellow high-visibility cut liner acts as an indicator for when glove is cut, highlighting when chemical protection is compromised
- Cuff can be folded to act as a gutter to prevent chemicals running down the arm
- Oeko-Tex® Standard 100 Approved
- Compliant with FDA food handling requirements



6















# **DRINKING WATER PLANT**

#### CHEMICAL PROTECTION

# AlphaTec® 2300 STANDARD Bound - Model 111 (More Info 0)

#### Medium duty chemical barrier, Type 5/6 protection

- · A good protective barrier to numerous inorganic liquid chemicals including acids and bases
- Lightweight, yet relatively strong and durable
- · Designed to protect, typical coverall features include respirator fit hood and a zip flap with self-adhesive tape closure
- · Highly visible bright yellow for improved worker safety
- · Anti-static, tested according to EN 1149-5



















Glove Style	Coating Color	Coating Material	Glove Length	Construction	Cuff Style	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
AlphaTec® 58-735	Medium glass green	Nitrile	14"	Supported	Extended	ANSELL GRIP™ Technology	Yes EN1149	Yes	Yes	6-11 0
Bodysuit Style	Color	Garment		Fabric		Seam	Design Features by Model Configuration			<b>Size</b> Click for more
AlphaTec® 2300 STANDARD Bound - Model 111	Yellow	Coverall	Polyethylene on bicomponent polypropylene / polyethylene non woven			Bound	Coverall, 3-piece hood, elasticated hood, waist, wrists and ankles. 2-way front zipper with resealable storm flap and finger loops			<u>S - 5XL</u> <b>(</b> )



### **DRINKING WATER PLANT / FIRE SERVICES**

#### CHEMICAL PROTECTION

#### MICROCHEM® 6000 Gas -Tight - Model 812- GA1 (More Info 6)

### Multi-layer chemical barrier technology for Type 1 / Level A Gas-tight protection

- Excellent chemical protection, >480 mins for 15 chemicals specified by EN 943-2:2002
- Innovative fabric technology, high performance barrier laminate with scrim reinforcement
- · Lightweight and flexible
- · Highly visible bright orange colour for improved worker safety
- · Ultrasonically welded and hot air taped seams
- · DYNAT / YKK Gas-Tight zipper provides protection and performance in the most hostile of chemical environments
- The zip has an outer zip flap made of the same material as the suit
- · Semi-rigid 3 layer GAG visor provides excellent optical clarity





# **DRINKING WATER PLANT / LAW ENFORCEMENT / FIRE SERVICES**

#### CHEMICAL PROTECTION

#### AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151 (More Info )

#### Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect, typical innovative features include dual zip systems and double cuffs
- Welded and taped seams, our highest barrier to liquids and particulates
- Enhanced comfort, knitted inner cuffs and inner textile type fabric improves wearer acceptance
- · Anti-static, tested according to EN 1149-5





















Bodysuit Style	Color	Garment	Fabric	Seam	Design Features by Model Configuration	Size Click for more
MICROCHEM® 6000 Gas -Tight - Model 812- GA1	Orange	Encapsulated suit	Multi-layer non woven barrier laminate fabric	Ultrasonically welded & taped seams	Type 1 Gas-Tight Suit with integral socks, complete with straight outer leg. Side entry DYNAT / YKK Gas-Tight Zipper with Velcro closing flap. Reinforced knees and single sleeveand internal locking cuff and GA1 glove set (Barrier + Neoprene outer)	<u>S - 5XL</u> <b>1</b>
AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151	Green	Rear entry	Multi-layer non woven barrier laminate fabric	Ultrasonically welded & taped	Neoprene rubber face seal, rear horizontal zip entry, ultrasonically welded and taped seams and attached socks with boot overflap	<u>S - 4XL</u> 🕖



#### **FIRE SERVICES**

#### IMPACT PROTECTION

#### RINGERS® R313 (More Info 1)



Impact technology and rugged grip system specially designed for extrication in search and rescue

- TPR impact protection on top of hand and full length of fingers
- · Durable grip system on palm and fingers enhances grip
- Extended cuff with gaiter closure to keep out debris
- Kevlar® stitched padded palm











#### RINGERS® R314 (More Info 1)



High-viz impact technology and extreme grip system specially designed for extrication in search and rescue

- Kevlar® stitched padded palm
- Extended cuff with gaiter closure to keep out debris
- Durable grip system on palm and fingers enhances
- · High visibility and reflective details for increased safety
- TPR impact protection on top of hand and full length of fingers








#### RINGERS® R327 (More Info 1)





- TPR impact protection on top of hand and full length of fingers
- Waterproof and breathable Hipora barrier to protect hands from micro-organisms such as TB, Hepatitis, Staph, and HIV
- Meets O.S.H.A. Standards for Blood-borne Pathogen
- Extended cuff with gaiter closure to keep out debris
- Cut resistant durable palm, thumb panels, and side
- High visibility and reflective details for increased safety














# RINGERS® R355 More Info



Reflective backing and synthetic leather palm with foam padded rope channel for dexterity and protection, designed for rope handling and rescue response





- Secured cuff closure with hook and loop TPR pull tab closure
- Incredible fingertip dexterity allows knot untying without removing gloves
- Heavy duty leather material between fingers for extra durability
- Reflective markings on top of hand for better visibility





Washing Coating Coating Latex-free Liner Size Glove Style Color Materia Construction **Cuff Style Grip Design Temperature** Gauge Material Click for more Y/N Extended cuff with Durable RINGERS® R313 Black Cut & sewn 30 °C (86 °F) Yes Polyester 7-12 gaiter closure blend Extended cuff with Durable RINGERS® R314 Black Cut & sewn 30 °C (86 °F) Yes Polyester 8 - 13 gaiter closure blend Extended cuff with Durable Handwash cold RINGERS® R327 Hi-viz Cut & sewn Yes Polyester 8-13 blend gaiter closure water Synthetic RINGERS® R355 Black Cut & sewn Velcro® leather, 30 °C (86 °F) Yes 8 - 13 foam finish



# **FIRE SERVICES**

#### **FIRE PROTECTION**

RINGERS® R630 (More Info ) / RINGERS® R631 (More Info )

#### Structural fire glove with premium split cowhide leather featuring Kevlar® stitching, Porelle® barrier, and Kovenex® lining

- Constructed with Porelle® insert for optimum breathability and waterproof barrier
- Lined with Kovenex® for thermal and flame resistance
- Palm reinforcement with durable Eversoft® thermal split cowhide leather
- · Kevlar® stitching construction for maximum structural durability
- Seamless fingertips construction for great flexibility and dexterity
- Durable Eversoft® thermal split cowhide leather on top and palm of the gloves
- RINGERS® R630: Eversoft® thermal split cowhide leather gauntlet cuff for maximum flexibility
- RINGERS® R631: Two-ply Kevlar® wristlet construction with leather pull tab for maximum flexibility







RINGERS® R630

#### RINGERS® R631

# **FIRE SERVICES / HAZMAT PROTECTION**

#### **PATIENT TRANSFER SHEET**

# SANDEL® Z-Slider™ Patient Transfer Sheet More Info 1

#### A patient transfer sheet with convenience, cost-efficiency and ease-of-use

- Prevent injuries: Minimize back injuries to healthcare and EMS workers
- Reduce cross-contamination: Disposable for improved infection control
- Improve staff compliance: Wall dispensers place product at the point of care



Glove Style	Coati	ing Color	Construction	Cu	ff Style	Latex-free Y/N	Washing Temperature	Size Click for more									
RINGERS® R630 RINGERS® R631	ı	Black	Cut & sewn	Ga	auntlet	Yes	Handwash cold water	7-13 🕖									
Patient Transfer Sheet		Color	Mate	rial		Description		Size Click for more									
SANDEL® Z-Slider™ Single Pack					Patient Tra	Patient Transfer Sheet, Individually Wrapped (Non-Sterile)											
Point-of-Care Clear Wall Holder					Point-of-	Care Clear Wall Mountin Z-Slider Single-Pack		One Size 🕖									
SANDEL® Z-Slider™ Roll					Patient T	ransfer Sheet (roll disper	nser box) (Non-Sterile)	One Size 🕖									
SANDEL® Z-Slider™ Wall Dispenser (Large)	)	Orange	LDPE (Low-density p		Patient Trar	nsfer Sheet Dispenser Ref	fill for Large Wall Holder	One Size 🕖									
Point-of-Care Clear Wall Holder		Orange	(Low-defisity p	otyethytene)	Point-	12" x 20.5"											
SANDEL® Z-Slider™ Wall Dispenser (Small)	)														Patient Trar	fill for Small Wall Holder )	One Size 🕖
Point-of-Care Clear Wall Holder					Point-	of-Care Clear Wall Moun 2104 Dispenser		11.5" x 11"									
SANDEL® Z-Slider™ XL - Single Pack	•				Patient Tra	45" x 53"											



# FIRE / HAZMAT RESPONSE / BODY PROTECTION

#### FIRE / CHEMICAL PROTECTION

#### AlphaTec® FLASH Type CV / VP1 (More Info 1)



#### Flame retardant, multi-layer, re-usable chemical barrier technology, Type 1 / Level A protection

- Meets NFPA 1991:2016 including the optional chemical flash fire and liquefied gas protection requirements
- · Patented fabric system with chloroprene rubber on an aramid base fabric, providing excellent flame and abrasion resistance
- Provides an outstanding barrier against a wide range of chemicals
- Well-proven encapsulating design that fits on top of all major SCBA brands and bottle sizes
- PyroMan<sup>™</sup> tested













# **ANIMAL CONTROL**

#### **PUNCTURE RESISTANCE & CUT PROTECTION**

# ActivArmr® 43-216 (More Info 1)



#### These industrial heat-resistant gloves offer high levels of durability, control and protection from heat, flame, sparks and puncture

- Improved 3-dimensional thumb design for fine dexterity and control
- Premium split cowhide leather and welted seams with Kevlar®
- Cotton liner for enhanced protection
- Long cuff for enhanced protection
- Do not use in heavy-duty cut applications. The glove is not liquidproof, hence is not to be used with chemicals
- Keep away from sources of ozone or ignition. Keep out of direct sunlight. Store in a cool and dry place









Bodysuit Style		Color	Garı	nent	Fabric	Seam		Design Features by Mode			Configuration		<b>Size</b> Click for more	
AlphaTec® FL Type CV / VPI	ASH	Orange, Olive Green	Encapsulated		rubbar		Stitched and covered with chloroprene rubber tape on the outside and a barrier laminate tape on the inside		major SCBA brands and bottle sizes. Comes with two different visor options: Type CV - Wide vision visor with 3D depth of					S-3XL <b>⑦</b>
Glove Style	Coat Col		Coating Material	Liner Color	Liner Material	Glove Length	Construction	Cuf	f Style	Grip Design	Latex-free Y/N	Silicone-free Y/N	Cl	<b>Size</b> lick for more
ActivArmr® 43-216	-		-	Yellow	Split cowhide leather, cotton, Kevlar®	14.6" - 16.3	" Cut & sewn	Ga	untlet	-	Yes	No		10 🕖

### **POLICE**

#### SINGLE-USE PROTECTION

# MICROFLEX® MidKnight™ More Info 1 **Touch 93-732**

#### Provides excellent dexterity along with enhanced comfort fit and feel

- Enhanced dexterity and tactility in a thin, yet strong design
- Distinctive black color provides contrast while also hiding the appearance of oils, bodily fluids and other stains
- ERGOFORM™ design technology reduces muscle strain during repetitive tasks, improving worker comfort and productivity
- Textured on the fingertips for secure handling of instruments and materials









## MICROFLEX® MidKnight™ MK-296 (More Info 1)

#### Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing - Results showed no permeation after 30 min. of dynamic testing protocol

# MICROFLEX® SUPRENO™ EC SEC-375 More Info 1

#### Durable nitrile gloves that offer extra durability to enhance safety

- · Superior strength and durability for maximum protection
- against rips, snags or tears • Low, 0.65 AQL for advanced barrier protection
- Tested for use with chemotherapy / cytotoxic drugs
- · Meets or exceeds the emergency medical glove requirements of NFPA 1999
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing - Results showed no permeation after 30 min. of dynamic testing protocol





Glove Style	Color	Material	Glove Length	Glove Thickness	AQL	Latex-free Y/N	Fentanyl Testing Y/N	Chemo Testing Y/N	<b>Size</b> Click for more
MICROFLEX® MidKnight™ Touch 93-732	Black	Nitrile	9.6"	Palm: 2.8mil Finger: 3.9mil	1.5	Yes	No	No	<u>S - 2XL</u> 1
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil	1.5	Yes	Yes	No	XS - 2XL
MICROFLEX® SUPRENO™ EC SEC-375	Violet blue	Nitrile	11.6"	Palm: 5.5mil Finger: 8.7mil	0.65	Yes	Yes	Yes	XS - 3XL 🕖

<sup>\*</sup> For more information on how Ansell tests for Fentanyl protection, please contact your Ansell representative. Note: Product availability may vary. These styles serve as example only.



# **LAW ENFORCEMENT / FIRE SERVICES**

#### **CHEMICAL PROTECTION**

# AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151 More Info 10

#### Innovative multi-layer chemical barrier technology, Type 3/4/5 protection

- Exceptional protection, over 200 chemicals permeation tested, including chemical warfare agents
- Designed to protect, typical innovative features include dual zip systems and double cuffs
- Welded and taped seams, our highest barrier to liquids and particulates
- Enhanced comfort, knitted inner cuffs and inner textile type fabric improves wearer acceptance
- Anti-static, tested according to EN 1149-5



















Bodysuit Style	Color	Color Garment Fabric		Seam	Design Features by Model Configuration	<b>Size</b> Click for more
AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151	Green	Rear entry	Multi-layer non woven barrier laminate fabric	Ultrasonically welded & taped	Neoprene rubber face seal, rear horizontal zip entry, ultrasonically welded and taped seams and attached socks with boot overflap	<u>S - 4XL</u> <b>1</b>

#### **LAW ENFORCEMENT**

#### SINGLE-USE PROTECTION

# MICROFLEX® MidKnight™ More Info 1 **Touch 93-732**

#### Provides excellent dexterity along with enhanced comfort fit and feel

- Enhanced dexterity and tactility in a thin, yet strong
- Distinctive black color provides contrast while also hiding the appearance of oils, bodily fluids and other stains
- ERGOFORM™ design technology reduces muscle strain during repetitive tasks, improving worker comfort and productivity
- Textured on the fingertips for secure handling of instruments and materials





VIRUS





### MICROFLEX® MidKnight™ MK-296 More Info 0

#### Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing - Results showed no permeation after 30 min. of dynamic testing protocol



# MICROFLEX® LIFESTAR EC™ LSE-104 (More Info 0)

#### EMS gloves offering reliable barrier protection against opioids and hazardous substances

- Dual layer, dual color design for two layers of protection
- Advanced barrier protection (AQL 0.65)
- Non-stick and non-foaming properties for reduced interference when working
- Certified to the Emergency Medical Glove Requirements of NFPA 1999
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing - Results showed no permeation after 30 min. of dynamic testing protocol





Glove Style	Color	Material	Glove Length	Glove Thickness	AQL	Latex-free Y/N	Fentanyl Testing Y/N	Chemo Testing Y/N	<b>Size</b> Click for more
MICROFLEX® MidKnight™ Touch 93-732	Black	Nitrile	9.6"	Palm: 2.8mil Finger: 3.9mil	1.5	Yes	No	No	<u>S - 2XL</u> <b>1</b>
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil	1.5	Yes	Yes	No	XS - 2XL
MICROFLEX <sup>®</sup> LIFESTAR EC <sup>™</sup> LSE-104	White exterior, blue interior	Nitrile	11"	Palm: 5.5mil Finger: 8.7mil	0.65	Yes	Yes	No	<u>S - 3XL</u> <b>1</b>

<sup>\*</sup> For more information on how Ansell tests for Fentanyl protection, please contact your Ansell representative. Note: Product availability may vary. These styles serve as example only.



# **LAW ENFORCEMENT**

#### TRAFFIC / TACTICAL

### RINGERS® R307 More Info



#### High-viz glove with reflective palm material for traffic control

- Quick pull-on design
- Bright, highly visible color
- High performance reflective strips on full palm
- · Great flexibility and dexterity



### RINGERS® R507 More Info



#### Tactical glove with Supercuff technology and lightweight materials for maximum flexibility

- · Contoured fingertip design for enhanced tactile
- Lightweight materials for maximum flexibility
- High performance spandex for ergonomic contoured fit
- Hook & loop standard cuff for adjustable custom
- Patented Supercuff technology for maximum wrist flexibility



Glove Style	Coating Color	Coating Material	Construction	Cuff Style	Grip Design	Washing Temperature	Gauge	Latex-free Y/N	Liner Material	<b>Size</b> Click for more
RINGERS® R307	Yellow	-	Cut & sewn	Slip-on	-	Handwash cold water	-	Yes	-	<u>8-13</u> <b>(</b> )
RINGERS® R507	Black	-	Cut & sewn	Hook & loop rubber pull tap	-	30 °C (86 °F)	-	Yes	-	7-12 🕡

### **CORRECTION**

#### CHEMICAL PROTECTION

## AlphaTec® 2000 STANDARD (More Info 1) **Bound - Model 111**

#### Superior breathable microporous laminate technology, Type 5/6 protection

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- · Optimized body fit, improving wearer comfort and
- Anti-static, tested according to EN 1149-5
- Low linting to help reduce the risk of cross contamination in critical areas
- Silicone-free, critical in spray painting applications













# AlphaTec® 2000 Ts PLUS (More Info 1) Stitched & Taped - Model 111

#### Superior breathable microporous laminate technology, Type 4/5/6 protection

- · Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- · Optimized body fit, improving wearer comfort and
- · Anti-static, tested according to EN 1149-5
- Ultra Low Linting, reduced risk of contamination in critical areas
- Silicone-free, critical in spray painting applications
- Tunnelled elasticated hood, wrists and ankles Helps to minimize the risk of linting and cross contamination

































AlphaTec® 2300 PLUS Stitched & Taped - Model 132 More Info 1

#### Medium duty chemical barrier, Type 3/4/5 protection

- · A good protective barrier to numerous inorganic liquid chemicals including acids and bases
- Type 3 coverall, lightweight, yet relatively strong and durable
- Designed to protect, typical coverall features include respirator fit hood and a zip flap with self-adhesive tape closure
- Highly visible bright yellow for improved worker safety
- Anti-static, tested according to EN 1149-5





















Bodysuit Style	Color	Garment	Fabric	Seam	Design Features by Model Configuration	<b>Size</b> Click for more
AlphaTec® 2000 STANDARD Bound - Model 111	White, green	Coverall	Microporous polyethylene laminate non woven	Bound	Fully elasticated, finger loops, two-way zip, zip flap, respirator fit hood	<u>S - 5XL</u>
AlphaTec® 2000 Ts PLUS Stitched & Taped - Model 111	White, green	Coverall	Microporous polyethylene laminate non woven	Stitched & taped	3-piece hood, single zipper with re-sealable storm flap, thumb loops and chin strap. Elasticated waist, tunnelled elasticated wrists, hood and ankles	<u>S - 5XL</u> 1
AlphaTec® 2300 PLUS Stitched & Taped - Model 132	Yellow	Coverall	Polyethylene on bicomponent polypropylene / polyethylene non woven	Stitched & taped	3-piece hood, 2 way front zipper with re-sealable storm flap, finger loops. Elasticated hood, waist, wrists and ankles	<u>S - 5XL 🕡</u>

### **CORRECTION**

#### SINGLE-USE PROTECTION

# MICROFLEX® MidKnight™ More Info 1 **Touch 93-732**

#### Provides excellent dexterity along with enhanced comfort fit and feel

- Enhanced dexterity and tactility in a thin, yet strong
- Distinctive black color provides contrast while also hiding the appearance of oils, bodily fluids and other stains
- ERGOFORM™ design technology reduces muscle strain during repetitive tasks, improving worker comfort and productivity
- Textured on the fingertips for secure handling of instruments and materials EN ISO 374-1:











# MICROFLEX® MidKnight™ MK-296 More Info 1)

#### Black nitrile gloves that mask stains

- The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing - Results showed no permeation after 30 min. of dynamic testing protocol



### MICROFLEX® SUPRENO™ EC SEC-375 (More Info

#### Durable nitrile gloves that offer extra durability to enhance safety

- Superior strength and durability for maximum
- protection against rips, snags or tears Low, 0.65 AQL for advanced barrier protection
- Tested for use with chemotherapy / cytotoxic drugs
- Meets or exceeds the emergency medical glove requirements of NFPA 1999
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose
- ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing - Results showed no permeation after 30 min. of dynamic testing protocol





Glove Style	Color	Material	Glove Length	Glove Thickness	AQL	Latex-free Y/N	Fentanyl Testing Y/N	Chemo Testing Y/N	<b>Size</b> Click for more
MICROFLEX® MidKnight™ Touch 93-732	Black	Nitrile	9.6"	Palm: 2.8mil Finger: 3.9mil	1.5	Yes	No	No	<u>S - 2XL</u> 1
MICROFLEX® MidKnight™ MK-296	Black	Nitrile	9.6"	Palm: 4.7mil Finger: 5.9mil	1.5	Yes	Yes	No	XS - 2XL 🕖
MICROFLEX® SUPRENO™ EC SEC-375	Violet blue	Nitrile	11.6"	Palm: 5.5mil Finger: 8.7mil	0.65	Yes	Yes	Yes	XS - 3XL 🕖

<sup>\*</sup> For more information on how Ansell tests for Fentanyl protection, please contact your Ansell representative. Note: Product availability may vary. These styles serve as example only.



# **MAINTENANCE DEPOT - (Fleet Services)**

#### **WELDING PROTECTION**

#### ActivArmr® 43-216 (More Info

These industrial heat-resistant gloves offer high levels of durability, control and protection from heat, flame, sparks and puncture

- Improved 3-dimensional thumb design for fine dexterity and control
- · Premium split cowhide leather and welted seams with Kevlar®
- · Cotton liner for enhanced protection
- Long cuff for enhanced protection
- Do not use in heavy-duty cut applications. The glove is not liquidproof, hence is not to be used with
- Keep away from sources of ozone or ignition. Keep out of direct sunlight. Store in a cool and dry place





413X4X



#### ActivArmr® 43-217 (More Info

Our best welding glove provides users with high tactility and dexterity while keeping their hands protected and safe

- TIG welding glove that provides EN12477 Type-B protection for precise welding and thermal tasks
- Suitable for TIG welding, as well as grinding, brazing, metal fabrication and maintenance
- Provides protection from heat, flames, sparks and weld spatter
- 3-dimensional thumb design greatly increases fine dexterity for precise welding control
- Premium full grain goatskin and welted seams with para-aramid thread ensure durability in use
- Long split cowhide cuff extends protection to the forearms











#### **GENERAL & IMPACT PROTECTION**

#### ActivArmr® 97-120 More Info

#### Best in class oil and impact protection

- Feature Icons Integrated glove feature icons allow for quick identification
- High Visibility Bright orange colored exterior and reflective logo
- · Oil Impermeable Barrier Repellency from drilling fluids and oils to keep hands clean and improve comfort
- · Enhanced Oil Grip Mitigates hand fatigue and injury by addressing the #1 worker frustration for efficiency and safety
- · Impact Protection Impact bumpers protect entire back of hand from medium-level impact injury to prevent loss time











송

Glove Style	Coating Color	Coating Material	Liner Color	Liner Material	Glove Length	Construction	Cuff Style	Grip Design	Latex-free Y/N	Silicone-free Y/N	<b>Size</b> Click for more
ActivArmr® 43-216	Yellow	-	Yellow	Split cowhide leather, cotton, Kevlar®	14.6" - 16.3"	Cut & sewn	Gauntlet	-	Yes	No	10 0
ActivArmr® 43-217	White	Goatskin	White	-	13.3" - 14"	-	Gauntlet	-	-	-	9-11 (1)
ActivArmr® 97-120	Orange	Nitrile	Orange Hi-viz™	Kevlar®, spandex, nylon	10.08" - 11.53"	Knitted	Knitwrist	ANSELL GRIP™ Technology	Yes	Yes	<u>8 - 12</u> <b>()</b>

### **MASS TRANSIT**

#### GENERAL PROTECTION

# HvFlex® 11-840 (More Info

#### Extreme durability for extended wear in abrasive applications with up to 20% higher abrasion protection

- Improved abrasion protection: provides 20% more abrasion for longer lasting handling in abrasive conditions
- Enhanced grip: up to 2 times more grip in dry environments for secure handling and a safer day at work
- Thin FORTIX<sup>™</sup> nitrile foam coating: the new and improved coating is softer which increases flexibility and comfort. The 1.25 mm nitrile coating provides up to 2 times more grip and offers 20% longer wear time.
- Ergonomic fit: Optimized knitting at the base of the pinky finger across the finger tips and through the palm matches natural hand contours
- Ultimate comfort: Ansell ZONZ™ Comfort Fit Technology optimizes the knitting in selecting zones of the liner improving support, breathability and range of movement
- Silicone-free: no transfer of silicone contaminants to metal parts prior to painting
- Clean and Skin Friendly: benefits from proprietary washing process that efficiently extracts impurities to deliver a cleaner, more comfortable glove
- Oeko-Tex® and Dermatest certified
- DMF free















EN 407

# **BUS/GARAGE**

#### SINGLE-USE PROTECTION

# MICROFLEX® MidKnight™ MK-296 (More Info )



#### Black nitrile gloves that mask stains

- · The distinctive color of these black nitrile gloves hides stains and provides contrast for improved visibility
- These disposable grip gloves feature a fully textured design for a confident grip
- Non-foaming for easy handling of objects in wet environments
- Tested against both fentanyl and gastric acid (vomit) to simulate hazardous, real world overdose situations
- · ACPP (Dynamic Testing Protocol)\* used for Fentanyl testing Results showed no permeation after 30 min. of dynamic testing protocol



Glove Style	Coating Color	Coatin Materi			Construction	Cuff S	tyle	Grip Design	Anti-static	Latex-free Y/N	Silicone-free Y/N	Size Click for more
HyFlex® 11-840	Black	Foam nitrile	8" -	11"	Knitted	Knitw	rist	ANSELL GRIP™ Technology	No	Yes	Yes	6-11 0
Glove Style	Cc	olor	Material	Glove Length	Glove Thicknes		AQL	Latex-free Y/N	Fentanyl Testing Y/N	Cher Testi Y/I	ing	<b>Size</b> lick for more
MICROFLEX® MidKnight™ MK-296	Bl	ack	Nitrile	9.6"	Palm: 4.7r Finger: 5.9		1.5	Yes	Yes	No	)	XS - 2XL

<sup>\*</sup> For more information on how Ansell tests for Fentanyl protection, please contact your Ansell representative. Note: Product availability may vary. These styles serve as example only.



#### **SOLID WASTE MANAGEMENT**

#### GENERAL PROTECTION

#### ActivArmr® 80-100 (More Info



#### Superb mechanical performance with comfort and a sure grip

- Crinkled finished coating for an excellent dry or wet grip for better safety and productivity
- Designed for use in a wide range of handling and carrying applications
- Delivers excellent overall mechanical performance for maximal protection and durability
- Automatic knitted liner delivers an optimally tensioned inner surface for superb fit and flexibility









#### **COLD & HEAT PROTECTION**

#### ActivArmr® 80-400 (More Info



#### **Excellent insulation and comfortable handling** in cold conditions

- · High visibility with seamless yellow thermal terry
- Bright blue crinkled palm provides added wet and dry grip
- Insulated glove for use in cold temperatures
- Ergonomic design for superior fit, comfort. flexibility and dexterity
- · Also offers protection when handling hot parts up to 250°C / 480°F for 15 seconds















#### CHEMICAL RESISTANT / BREATHABLE PROTECTION

#### AlphaTec® Breathable FR Bib Overall 66-672 More Info 1

#### NFPA 1992 and NFPA 2112 certified bib-overall is breathable, re-usable and resistant to chemical splash, flash fire, arc flash and hot liquids.

- Chemical splash fabric provides protection with penetration data for more than 70 chemicals
- FR fabric resists flash fire, arc flash and hot liquids
- · Breathable fabric maximizes comfort, reducing the risk of heat stress and increasing productivity
- Sealed seams and double front storm flap ensure the whole garment offers leak-tight protection from chemical spray
- FR adjustable straps and buckles
- · Hook-and-loop fastenings at legs
- Durable laminated fabric system is machine washable for longer, cost-effective service life
- Certified according to NFPA 1992 2018 liquid splash-protective clothing for hazardous materials emergencies
- Certified according to NFPA 2112 2018 standard on flame-resistant clothing for protection of industrial personnel against short-duration thermal exposures from fireautomatic knitted liner delivers an optimally tensioned inner surface for superb fit and flexibility





Glove Style	Coating Color	Coating Materia	•	Liner Material	Glove Lengtl		Construction	Cuff	f Style	Grip Design	Latex-free Y/N	Silicone-free Y/N	Size Click for more
ActivArmr® 80-100	Blue	Natural la rubber	Glev	Cotton, polyester	9.25" - 11.02"		Knitted Knitw		twrist	-	-	No	6-10 (1)
ActivArmr® 80-400	Blue	Natural la rubber			10" - 12	2"	Knitted	Knitwrist		Crinkle finish	-	No	7-11 🕖
Bodysuit Styl	e	Color	Garment	Fabric			Seam		Design	Features b	oy Model Conf	iguration	<b>Size</b> Click for more
AlphaTec® B FR Bib Overa		Blue	Bib- overall	breathable membr	White Nomex® inner with breathable membrane and Blue Nomex® outer		vith and Stitched and taped		at th	e ankle for	and loop clost a snug fit. Adj parachute buc	ustable	One size 🕖

#### **SOLID WASTE MANAGEMENT**

#### CHEMICAL RESISTANT / BREATHABLE PROTECTION

#### AlphaTec® Breathable FR Jacket More Info 1 66-670

#### NFPA 1992 and NFPA 2112 certified iacket is breathable, re-usable and resistant to chemical splash, flash fire, arc flash and hot liquids.

- Chemical splash fabric provides protection with penetration data for more than 70 chemicals
- FR fabric resists flash fire, arc flash and hot liquids
- Breathable fabric maximizes comfort, reducing the risk of heat stress and increasing productivity
- Sealed seams and double front storm flap ensure the whole garment offers leak-tight protection from chemical spray
- Durable laminated fabric system is machine washable for longer, cost-effective service life
- Certified according to NFPA 1992 2018 liquid splashprotective clothing for hazardous materials emergencies
- Certified according to NFPA 2112 2018 standard on flame-resistant clothing for protection of industrial personnel against short-duration thermal exposures from fire



# AlphaTec® Breathable FR Coverall (More Info 1)



#### NFPA 1992 and NFPA 2112 certified coverall is breathable, re-usable and resistant to chemical splash, flash fire, arc flash and hot liquids.

- Chemical splash fabric provides protection with penetration data for more than 70 chemicals
- FR fabric resists flash fire, arc flash and hot liquids
- Breathable fabric maximizes comfort, reducing the risk of heat stress and increasing productivity
- Sealed seams and double front storm flap ensure the whole garment offers leak-tight protection from chemical spray
- Durable laminated fabric system is machine washable for longer, cost-effective service life
- Certified according to NFPA 1992 2018 liquid splash-protective clothing for hazardous materials emergencies
- Certified according to NFPA 2112 2018 standard on flame-resistant clothing for protection of industrial personnel against short-duration thermal exposures from fire





# AlphaTec® Breathable FR Coat 66-671 (More Info 1)



### NFPA 1992 and NFPA 2112 certified coat is breathable, re-usable and resistant to chemical splash, flash fire, arc flash and hot liquids.

- · Chemical splash fabric provides protection with penetration data for more than 70 chemicals
- · FR fabric resists flash fire, arc flash and hot liquids
- · Breathable fabric maximizes comfort, reducing the risk of heat stress and increasing productivity
- Sealed seams and double front storm flap ensure the whole garment offers leak-tight protection from chemical spray
- Hook-and-loop fastenings at cuffs
- Certified according to NFPA 1992 2018 liquid splash-protective clothing for hazardous materials emergencies
- Certified according to NFPA 2112 2018 standard on flame-resistant clothing for protection of industrial personnel against short-duration thermal exposures from fire





Bodysuit Style	Color	Garment	Fabric	Seam	Design Features by Model Configuration	<b>Size</b> Click for more
AlphaTec® Breathable FR Jacket 66-670	Blue	Jacket	White Nomex® inner with breathable membrane and Blue Nomex® outer	Stitched and taped	Raglan sleeves, designed for comfortable arm movement. Adjustable hook and loop closure straps at the wrist, ankle and front flap for a snug fit. Double front zipper flap for secured closure. Heavy duty zipper. Front tab to clip a microphone or other devices	One size 1
AlphaTec® Breathable FR Coverall 66-677	Blue	Coverall	White Nomex® inner with breathable membrane and Blue Nomex® outer	Stitched and taped	Raglan sleeves, designed for comfortable arm movement. Adjustable hook and loop closure straps at the wrist, ankle and front flap for a snug fit. Double front zipper flap for secured closure. Heavy duty zipper. Front tab to clip a microphone or other devices	One size 🚺
AlphaTec® Breathable FR Coat 66-671	Blue	Coat	White Nomex® inner with breathable membrane and Blue Nomex® outer	Stitched and taped	Raglan sleeves, designed for comfortable arm movement. Adjustable hook and loop closure straps at the wrist and front flap for a snug fit. Double front zipper flap for secured closure. Heavy duty zipper. Front tab to clip a microphone or other devices	One size 🕡

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.

Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

# WASTE WATER TREATMENT / DRINKING WATER PLANT

# WASTE WATER TREATMENT / MASS TRANSIT

# WASTE WATER TREATMENT / SOLID WASTE MANAGEMENT / PARKS AND RECREATION / STREETS CREWS

М	IICROFLEX® 93-260
XS	93260060
S	93260070
М	93260080
L	93260090
XL	93260100
2XL	93260110

	HyFlex® 11-939	
6	<u>11-939-6</u>	
7	<u>11-939-7</u>	
8	<u>11-939-8</u>	
9	11-939-9	
10	11-939-10	
11	<u>11-939-11</u>	

	AlphaTec® 62-401
7	<u>62-401-7</u>
8	<u>62-401-8</u>
9	<u>62-401-9</u>
10	62-401-10
11	62-401-11

#### **HOUSING AUTHORITY**

Alph	aTec® Solvex® 37-185
7	<u>37-185-7</u>
8	<u>37-185-8</u>
9	<u>37-185-9</u>
10	<u>37-185-10</u>
11	37-185-11

	AlphaTec® 37-310
7	37-310-7
8	<u>37-310-8</u>
9	<u>37-310-9</u>
10	<u>37-310-10</u>
11	<u>37-310-11</u>

	AlphaTec® 37-300	
7	37-300-7	
8	<u>37-300-8</u>	
9	<u>37-300-9</u>	
10	<u>37-300-10</u>	
11	37-300-11	

	HyFlex® 11-840	
6	<u>11-840-6</u>	
7	<u>11-840-7</u>	
8	<u>11-840-8</u>	
9	11-840-9	
10	11-840-10	
11	11-840-11	

	HyFlex® 11-925
6	<u>11-925-6</u>
7	<u>11-925-7</u>
8	<u>11-925-8</u>
9	<u>11-925-9</u>
10	11-925-10
11	<u>11-925-11</u>

	HyFlex® 11-541
6	<u>11-541-6</u>
7	<u>11-541-7</u>
8	11-541-8
9	<u>11-541-9</u>
10	<u>11-541-10</u>
11	<u>11-541-11</u>

	ActivArmr® 80-813
6	<u>80-813-6</u>
7	80-813-7
8	80-813-8
9	80-813-9
10	80-813-10
11	<u>80-813-11</u>

#### PARKS & RECREATION

ı	ActivArmr® 80-813
6	80-813-6
7	80-813-7
8	80-813-8
9	80-813-9
10	80-813-10
11	80-813-11

	ActivArmr® 52-590
9	<u>52-590-9</u>
10	52-590-10

ActivArmr® 97-681		
8	97-681-8	
9	97-681-9	
10	97-681-10	
11	97-681-11	

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.

Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

#### **UTILITY**

ActivArmr® 80-813			HyFlex® 11-738
6	<u>80-813-6</u>	6	<u>11-738-6</u>
7	80-813-7	7	<u>11-738-7</u>
8	80-813-8	8	<u>11-738-8</u>
9	80-813-9	9	<u>11-738-9</u>
10	80-813-10	10	<u>11-738-10</u>
11	80-813-11	11	11-738-11

ActivArmr® 96-001 Canvas Bag		
Bag 11"	96-001-11	
Bag 14"	96-001-14	
Bag 16"	<u>96-001-16</u>	
Bag 18"	96-001-18	

#### **STREETS CREWS**

	ActivArmr® 96-002
7	<u>96-002-7</u>
8	<u>96-002-8</u>
9	<u>96-002-9</u>
10	96-002-10
11	<u>96-002-11</u>
12	96-002-12

ActivArmr® 96-003		
8	<u>96-003-8</u>	
9	96-003-9	
10	96-003-10	
11	<u>96-003-11</u>	
12	96-003-12	

	ActivArmr® 97-011	ı	ActivArmr® 97-631
8	<u>97-011-8</u>	7	<u>97-631-7</u>
9	97-011-9	8	<u>97-631-8</u>
10	97-011-10	9	97-631-9
11	<u>97-011-11</u>	10	97-631-10
		11	97-631-11

# DRINKING WATER PLANT / MAINTENANCE DEPOTFLEET SERVICES / HOUSING AUTHORITY

DRIN	IKING	WATER	PLANT

DRINKING	WATER	PLANT /
FIRE SERVI	CES	

<b>DRINKING WATER PLANT</b>
LAW ENFORCEMENT /
FIRE SERVICES

	AlphaTec® 58-735
6	<u>58-735-6</u>
7	<u>58-735-7</u>
8	<u>58-735-8</u>
9	<u>58-735-9</u>
10	<u>58-735-10</u>
11	<u>58-735-11</u>

AlphaTec® 2300 STANDARD Bound - Model 111		
S	YY23-B-92-111-02	
М	YY23-B-92-111-03	
L	YY23-B-92-111-04	
XL	YY23-B-92-111-05	
2XL	YY23-B-92-111-06	
3XL	YY23-B-92-111-07	
4XL	YY23-B-92-111-08	
5XL	YY23-B-92-111-09	

MICROCHEM® 6000 Gas -Tight - Model 812- GA1		
S	OR60-T-92-812-02-GA1	
М	OR60-T-92-812-03-GA1	
L	OR60-T-92-812-04-GA1	
XL	OR60-T-92-812-05-GA1	
2XL	OR60-T-92-812-06-GA1	
3XL	OR60-T-92-812-07-GA1	
4XL	OR60-T-92-812-08-GA1	
5XL	OR60-T-92-812-09-GA1	

AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151		
S	GR40-T-92-151-02-G02	
М	GR40-T-92-151-03-G02	
L	GR40-T-92-151-04-G02	
XL	GR40-T-92-151-05-G02	
2XL	GR40-T-92-151-06-G02	
3XL	GR40-T-92-151-07-G02	
4XL	GR40-T-92-151-08-G02	

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.

Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

#### **FIRE SERVICES**

RINGERS® R313			RINGERS® R314
7	R313-7	8	R314-8
8	<u>R313-8</u>	9	R314-9
9	<u>R313-9</u>	10	R314-10
10	R313-10	11	R314-11
11	R313-11	12	R314-12
12	R313-12	13	R314-13

	RINGERS® R327
8	R327-8
9	R327-9
10	R327-10
11	<u>R327-11</u>
12	R327-12
13	R327-13

	RINGERS® R355	
8	<u>R355-8</u>	
9	<u>R355-9</u>	
10	R355-10	
11	<u>R355-11</u>	
12	R355-12	
13	R355-13	

# FIRE SERVICES / HAZMAT PROTECTION

FIRE / HAZMAT RESPONSE /
BODY PROTECTION

RINGERS® R630		
7	R630-7	
8	R630-8	
9	R630-9	
10	R630-10	
11	R630-11	
12	R630-12	
13	R630-13	

	RINGERS® R631
7	R631-7
8	<u>R631-8</u>
9	R631-9
10	R631-10
11	R631-11
12	R631-12
13	R631-13

SANDEL® Z-Slider™ Patient Transfer Sheet		
33" x 39"	<u>2101</u>	
One Size	<u>2101-H</u>	
One Size	2102	
One Size	<u>2103</u>	
12" x 20.5"	2103-H	
One Size	2104	
11.5" x 11"	<u>2104-H</u>	
45" x 53"	2151	

	lphaTec® FLASH Type CV / VP1	
S	66-Flash-S	
М	<u>66-Flash-M</u>	
L	<u>66-Flash-L</u>	
XL	66-Flash-XL	
2XL	66-Flash-2XL	
3XL	66-Flash-3XL	

#### **ANIMAL CONTROL**

#### **POLICE**

	ActivArmr® 43-216	
10	43-216-10	

MICI	ROFLEX® SUPRENO™ EC SEC-375
XS	<u>SEC-375-XS</u>
S	<u>SEC-375-S</u>
М	<u>SEC-375-M</u>
L	SEC-375-L
XL	SEC-375-XL
2XL	SEC-375-XXL
3XL	SEC-375-XXXL

MICROFLEX® MidKnight™ MK-296		
XS	MK-296-XS	
S	MK-296-S	
М	MK-296-M	
L	MK-296-L	
XL	MK-296-XL	
2XL	MK-296-XXL	

MICROFLEX® MidKnight™ Touch 93-732		
S	<u>93-732-S</u>	
М	<u>93-732-M</u>	
L	<u>93-732-L</u>	
XL	<u>93-732-XL</u>	
2XL	93-732-XXL	

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.

Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

# LAW ENFORCEMENT / FIRE SERVICES

#### **LAW ENFORCEMENT**

	AlphaTec® 4000 Ultrasonically Welded & Taped - Model 151		
S	GR40-T-92-151-02-G02		
М	GR40-T-92-151-03-G02		
L	GR40-T-92-151-04-G02		
XL	GR40-T-92-151-05-G02		
2XL	GR40-T-92-151-06-G02		
3XL	GR40-T-92-151-07-G02		
4XL	GR40-T-92-151-08-G02		

MICRO	FLEX <sup>®</sup> LIFESTAR EC <sup>™</sup> LSE-104	
S	LSE-104-S	
М	LSE-104-M	
L	<u>LSE-104-L</u>	
XL	LSE-104-XL	
2XL	LSE-104-2XL	
3XL	LSE-104-3XL	

MICE	ROFLEX® MidKnight™ MK-296
XS	MK-296-XS
S	MK-296-S
М	MK-296-M
L	MK-296-L
XL	MK-296-XL
2XL	MK-296-XXL

	OFLEX® MidKnight™ Touch 93-732
S	<u>93-732-S</u>
М	<u>93-732-M</u>
L	<u>93-732-L</u>
XL	<u>93-732-XL</u>
2XL	93-732-XXL

#### TRAFFIC / TACTICAL

CO	RR	ECI	ГЮ	N

RINGERS® R307		
8	R307-8	
9	R307-9	
10	R307-10	
11	R307-11	
12	R307-12	
13	R307-13	

	RINGERS® R507
7	R507-7
8	R507-8
9	R507-9
10	R507-10
11	R507-11
12	R507-12

	AlphaTec® 2000 STANDARD		
Во	und - Model 111		
S	WH20-B-92-111-02		
М	WH20-B-92-111-03		
L	WH20-B-92-111-04		
XL	WH20-B-92-111-05		
2XL	WH20-B-92-111-06		
3XL	WH20-B-92-111-07		
4XL	WH20-B-92-111-08		
5XL	WH20-B-92-111-09		

AlphaTec® 2000 Ts PLUS Stitched & Taped - Model 111		
S	WH20-T-92-111-02	
М	WH20-T-92-111-03	
L	WH20-T-92-111-04	
XL	WH20-T-92-111-05	
2XL	WH20-T-92-111-06	
3XL	WH20-T-92-111-07	
4XL	WH20-T-92-111-08	
5XL	WH20-T-92-111-09	

#### CORRECTION

AlphaTec® 2300 PLUS Stitched & Taped - Model 132		
S	YY23-T-92-132-02	
М	YY23-T-92-132-03	
L	YY23-T-92-132-04	
XL	YY23-T-92-132-05	
2XL	YY23-T-92-132-06	
3XL	YY23-T-92-132-07	
4XL	YY23-T-92-132-08	
5XL	YY23-T-92-132-09	

MICROFLEX® SUPRENO™ EC SEC-375		
XS	<u>SEC-375-XS</u>	
S	<u>SEC-375-S</u>	
М	<u>SEC-375-M</u>	
L	<u>SEC-375-L</u>	
XL	SEC-375-XL	
2XL	SEC-375-XXL	
3XL	SEC-375-XXXL	

MICROFLEX® MidKnight™ Touch 93-732	
S	<u>93-732-S</u>
М	<u>93-732-M</u>
L	93-732-L
XL	93-732-XL
2XL	93-732-XXL

To make a purchase, kindly contact your Authorized Ansell Distributor or Ansell Territory Manager.

Click the links below to get more information on product and sizing or to reach our Customer Service for inquiries.

### **MAINTENANCE DEPOT**

- (Fleet Services)

MICROFLEX® MidKnight™ MK-296	
XS	MK-296-XS
S	MK-296-S
М	MK-296-M
L	MK-296-L
XL	MK-296-XL
2XL	MK-296-XXL

	ActivArmr® 43-216
10	43-216-10

	ActivArmr® 43-217
9	43-217-9
10	43-217-10
11	43-217-11

	ActivArmr® 97-120
8	<u>97-120 -8</u>
9	<u>97-120 -9</u>
10	<u>97-120 -10</u>
11	<u>97-120 -11</u>
12	<u>97-120 -12</u>

#### **MASS TRANSIT**

#### **BUS / GARAGE**

#### **SOLID WASTE MANAGEMENT**

	HyFlex® 11-840
6	11-840-6
7	<u>11-840-7</u>
8	<u>11-840-8</u>
9	<u>11-840-9</u>
10	11-840-10
11	11-840-11

MICROFLEX® MidKnight™ MK-296	
XS	MK-296-XS
S	MK-296-S
М	MK-296-M
L	MK-296-L
XL	MK-296-XL
2XL	MK-296-XXL

	ActivArmr® 80-100
6	<u>80-100-6</u>
7	80-100-7
8	80-100-8
9	80-100-9
10	80-100-10
9	80-100-8 80-100-9

	ActivArmr® 80-400
7	80-400-7
8	80-400-8
9	80-400-9
10	80-400-10
11	80-400-11

AlphaTec® Breathable FR Rib Overall 66-672

Single Size 66-672

AlphaTec® Breathable FR Jacket 66-670

Single Size 66-670

AlphaTec® Breathable FR Coverall 66-677

Single Size 66-677

AlphaTec® Breathable FR Coat 66-671

Single Size <u>66-671</u>



#### **ABOUT ANSELL**

As a global leader in personal protective solutions with over 125 years of experience in keeping people safe, Ansell's mission is to provide innovative and reliable solutions for safety, well-being and peace of mind to workers around the world. Our global team of more than 12,000 people in 55 countries design, manufacture and market cutting edge PPE that millions of workers in industrial and healthcare settings rely upon every day. We offer a comprehensive portfolio of hand and body protection products and provide customers with tailored solutions to meet their unique needs across a wide range of industries and applications.

#### **North America Region**

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 210, Iselin, NJ 08830, USA

T: +1 800 800 0444 F: +1 800 800 0445

Except as noted, Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. Viton® and Nomex® are trademarks of DuPont used for informational purposes only. DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company used under a license by Ansell Healthcare Products LLC. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2022 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

WARNING: Products that provide "cut resistance" and "cut protection" or "puncture resistance" and "puncture protection" do not completely prevent or eliminate the potential for cuts or punctures, and are not intended or tested to provide protection against powered blades, serrated or other sharp or rotating equipment. Products offering "viral protection" do not completely prevent the transmission of disease. Products that provide chemical resistance" or "chemical protection" do not completely prevent or eliminate the potential for injury due to chemical exposure. Products that provide "resistance" to oil or grease or which are "oil repellant" do not completely prevent or eliminate the potential for snag sor friction-related injuries. Products that provide protection against sparks or flames are not "fireproof" and do not completely prevent or eliminate the potential for burns or associated injuries. Products that provide protection or resistance against heat or cold are not intended for use in extreme temperatures – use only as specified. Products containing natural rubber latex may cause allergic reactions in some individuals. Products that provide "impact, crush and pinch protection" do not completely eliminate the potential for impact or crush related injuries. Users are encouraged to always use caution and care when handling sharp or abrasive materials, chemicals, or other hazardous or dangerous substances. Any information or data provided is based upon Ansell's current knowledge and understanding of the subject matter, and is offered solely as a possible suggestion for use in making your own decisions or product choices. Product users should conduct all appropriate testing or other evaluations to determine the suitability of Ansell products for a particular purpose or use within a particular environment. It is the responsibility of a product user to assess the level of risk and to determine the protective equipment required or appropriate for the user's particular purpose. Ansell may revise this informatio

