

BIOCLEAN CLEAN NITRILE

High Grip RABS / Isolator Mitten

CHG30NITM9

About

BioClean RABS and Isolator Mittens are manufactured from nitrile with incredibly low levels of particles and excellent ESD properties. Designed for precision work when increased grip is required, our non-sterile CHG mittens are cleanroom processed and packed

Specifications

COMPATIBILITY:

ISO Class 4

LENGTH:

840mm/33"

MATERIAL:

Nitrile

PROTEIN LEVEL:

Nitrile contains no natural latex proteins

SURFACE:

Smooth

SHAPE:

Mitten

COLOUR:

White

100% INSPECTED AND AIR LEAK TESTED

SUITABLE FOR AUTOCLAVING

CAN BE SANITIZED BY VHP OR IPA

Features

- Tested against ASTM D6978-05 for handling chemo drugs
- 100% air leak tested
- Ultra-clean surface ensures product protection
- Specially designed to minimize hand fatigue
- Fits Port Size; 10-12" / 254-305mm

EN 421:2010 ISO 374-5:2016



0598

EN 388:


2016



4101X

EN ISO 374

Type A



AJKNOT



Quality Standards

- Manufactured in a facility holding ISO 9001:2015 and PPER 2016/425 Module D
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Regulation (EU)2016/425
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN420:2003, A1:2009, EN374-1:2016, EN374-5:2016
- Physical properties comply with European Medical Glove Standard EN455-2:2015
- Tested against permeation standard ASTM D6978-05 for cytotoxic drugs
- Suitable for contact with dry,alcoholic and acidic foodstuffs. Regulation (EC)1935/2004 and (EC) 2023/2006.
- Mechanical protection EN388:2016
- Complies with the requirements of European Glove Standard EN 421 Protection against particulate radioactive contamination.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	100% Tested	EN 374-2:2016
Glove Length (mm/in) (-10mm/+50mm)	840/33	EN 420:2003 + A1:2009
Single Wall Thickness (mils/mm) (± 2 mil/0.05 mm)	Cuff: 12/0.30 Palm: 20/0.50 Finger Tip: 24/0.60	EN 455-2:2015
Force At Break During Shelf Life	≥ 6N	EN 455-2:2015

Shelf Life & Storage

Three (3) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

PALM WIDTHS (mm) ± 5mm	
SIZE	9.75
mm	127
TEST METHOD	EN 420:2003 + A1:2009



Protection Against Mechanical Risks, EN 388: 2016+A1:2018

Risk	Performance Level	Risk	Performance
Abrasion Resistance	Level 4	Tear resistance	Level 0
Blade cut resistance	Level 1	Puncture resistance	Level 1
TDM: Cut Resistance	X	Impact Protection	N/A

TO ORDER

Re-order code

CHG30NITM9

Size

9.75

Packing

Triple bagged: One piece per sealed inner PE bag; one inner bag per sealed second inner PE bag; one second inner bag per sealed outer PE bag; 20 outer bags per lined inner white Correx polyethylene box (20 pieces).

For additional information visit us at www.bioclean.com, or contact us at;

Nitritex Ltd

Minton Enterprise Park
Oaks Drive
Newmarket, Suffolk
CB8 7YY
United Kingdom
Tel: +44 1638 663338

Ansell US

111 Wood Avenue South
Suite 210
Iselin, NJ 08830
USA
Tel: +1 800 800 0444

Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20
Seksyen U1, Hicom Glenmarie Industrial Park
40150 Shah Alam, Selangor
Malaysia
Tel: +603 5569 3857/3859

CHG30NIT/1906/PDS7



Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

**Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2019 Ansell Limited. All Rights Reserved.