

BIOCLEAN SAFESTEP ESD Cleanroom Overshoes BESD

About

BioClean™ SafeStep ESD Cleanroom Overshoes with conductive tape offer excellent ESD performance. The elastomer coated overshoe ensures high durability and slip-resistance and the non-marking conductive tape provides excellent dissipative properties.

Specifications

TEARING STRENGTH:

1.6kg (min)

MATERIAL:

Shoe: Elastomer impregnated polypropylene.

Tape: Polyester filament yarn (96%) with conductive nylon carbon filament yarn (4%)

THICKNESS:

0.14mm

HEIGHT:

170mm (6.5")

LENGTH:

Shoe: 400mm (16"). Tape: 61cm (24").

CONSTRUCTION:

Shoe: Spun bonded polypropylene with proprietary elastomer coating

Tape: Polyester filament yarn (96%) with conductive nylon carbon filament yarn (4%)

COLOUR:

White

Features

- Non-marking conductive tape provides excellent dissipative properties
- Slip-resistant
- Elastomer coated for durability
- Low levels of particle shedding

LOW-LINTING

EXCELLENT ESD PERFORMANCE

DURABLE

SLIP-RESISTANT



Billy Bioclean©

Quality Standards

- Manufactured in a facility holding ISO 9001:2015

Shelf Life & Storage

Five (5) years from date of manufacture.
Store in a dry, cool place (<40°C) away
from direct sunlight and fluorescent
light.

Physical Properties

PRODUCT CODE	LENGTH(±5%)	HEIGHT(±5%)	Conductivity
BESD016W	406m	170mm	< 35 Megohms

TO ORDER

Re-order code

BESD016W

Size

16" (406mm)

Packing

100 pieces per sealed inner PE bag; one inner bag per outer PE bag; four outer bags per lined carton (400 pieces)

Please note: When donning BESD overshoes ensure that the loose black tape is located at the back/heel of the foot and is tucked securely inside the users sock making sure the tape is in direct contact with the skin.

For additional information visit us at www.bioclean.com, or call us at +44 1638 663338

Nitritex Ltd

Ground Floor, 15 Kings Court
Willie Snaith Road,
Newmarket,
Suffolk, CB8 7SG
UK
BESD/1811/PDS24

Ansell

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of accessory for a specific application.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2018 Ansell Limited. All Rights Reserved.