

HyFlex™

11-584

High-tactility glove for elevated cut risks



Cut



Light Duty

Boosts precision and productivity with second-skin comfort in an A6/EN ISO F-rated glove

- **Second-Skin Design:** Engineered with AEROFIT™ Precision Comfort Technology, an innovative, flexible foam nitrile coating delivering improved tactility, sensitivity and a more comfortable, breathable glove feel.
- **Premium Comfort:** Overwhelmingly preferred for precision handling tasks and all-day wear[^].
- **Advanced Cut Protection:** Next-generation INTERCEPT™ reinforced HPPE yarn provides reliable ANSI/ISEA 105-2024 A6 / EN ISO F cut resistance for safety when handling sharp parts.
- **Improved Compliance:** Certified skin-friendly and touchscreen compatible to reduce glove removal during shifts.

*Comparison is based on Ansell lab tests under standardized conditions in December 2025 versus similar competitive gloves. Results may vary by application.

[^] Based on a survey of 52 glove wearers comparing Ansell gloves to the competitive gloves available on the market (May 2025); testing conducted with HyFlex 11-574 gloves. Results may vary across other gloves in the series.



Industries

- Aerospace
- Automotive
- Machinery and Equipment

Applications

- Handling metal sheets & panels
- Handling structural and body components
- Metalworking & assembly operations
- Adjusting systems and screwing
- Changing tools and dies
- Handling materials with sharp or rough edges

HyFlex™

11-584

High-tactility glove for elevated cut risks

Key Features

- ◊ **Productivity-enhancing design:** Enables 87% faster precision work.*
- ◊ **AEROFIT™ coating:** An innovative, flexible foam nitrile coating made up to 30% thinner** for exceptional tactility and control.
- ◊ **Breathable 21-gauge liner:** Delivers premium comfort in precision handling.

* Comparison is based on Ansell lab tests under standardized conditions in December 2025 versus similar competitive gloves. Results may vary by application.

** Versus standard Ansell glove with the same level of protection.

Technologies



Performance Standards & Regulatory Compliance

ANSI/ISEA 105-2024



EN388: 2016



3X32F



STANDARD 100 1408033

Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	PACKAGE
HyFlex™ 11-584	Finishing: Palm Coated Coating Material: Foam Nitrile Cuff Style: Knitwrist	21	5, 6, 7, 8, 9, 10, 11, 12	205-272 mm / 8-10.7 inches	• 12 pairs/paper band, 12 paper bands/carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 900
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Australia

Ansell Limited
Level 3, 678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalin Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada
105 Lauder
Cowansville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

