

## Chemical-resistant neoprene disposable gloves, with superb grip in wet and dry conditions

- **Specialized protection:** Provides strong chemical splash protection from most acids and alcohols and EN 374 Type B chemical resistance certification
- **Strong grip:** Textured fingertips and neoprene material enhance grip performance in wet and dry environments
- **Reduced allergy risk:** Non-latex formulation prevents Type 1 (latex) allergic reactions
- **Easy donning:** Polymer-coated, these MICROFLEX<sup>®</sup> gloves are easy to don



### Industries

- Life Sciences
- Chemical

### Recommended For

- Transferring liquids and solids
- Sample taking and processing
- Testing

TECHNICAL DATA SHEET

|                        | Product Information  |
|------------------------|--|
| External Glove Surface | Textured Fingers   |
| Audit Standards        | ISO 13485  |
| Packaging Overview     |  |
| Storage Instructions   | Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition. |
| Country Of Origin      | Indonesia, Malaysia  |
| Product Segmentation   | Robust   |
| Antistatic             | Yes EN1149   |

PHYSICAL PROPERTIES

|   | Typical Values |             | Testing Method      |
|---|----------------|-------------|---------------------|
| Length (mm/inches)                      | 240 / 9.5      |             | ASTM D3767,EN 455-2 |
| Freedom from Holes (Inspection level I) | 1.5 AQL        |             | ASTM D5151,EN 455-1 |
| Palm Thickness (mm/mils)                | 0.13 / 5.1     |             | ASTM D3767,EN 420   |
| Finger Thickness (mm/mils)              | 0.16 / 6.3     |             | ASTM D3767,EN 420   |
|   | BEFORE AGING   | AFTER AGING |                     |
| Ultimate Tensile Strength (MPa)         | ≥ 14           | ≥ 18        | ASTM D412 & D573    |
| Elongation at Break (%)                 | ≥ 700          | ≥ 600       | ASTM D412           |
| Force at break (N)                      | ≥ 3.6          | ≥ 3.6       |                     |

ORDERING INFORMATION

| Size         | S (6.5 - 7) | M (7.5 - 8) | L (8.5 - 9) | XL (9.5 - 10) |
|--------------|-------------|-------------|-------------|---------------|
| Product Code | 25101070    | 25101080    | 25101090    | 25101100      |

Performance Standards and Regulatory Compliance

EN ISO 374-1:2016  
Type B

EN ISO 374-5  
VIRUS





For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

**Asia Pacific Region**  
MY +603 8310 6688  
apac.medical@ansell.com  
CN: +86 21 38275000  
infochina@ansell.com  
JP: +813 5549 8151  
info.medical.jp@ansell.com

**North America Region**  
Ansell Healthcare Products LLC  
T: +1 800 800 0444  
F: +1 800 800 0445

**Latin America & Caribbean Region**  
BR +55 (11) 3356-3100  
latam.medical@ansell.com  
MX: +52 442 296 2050  
latam.medical@ansell.com  
CO: +57 1 288 3247  
latam.medical@ansell.com

**Australia**  
Ansell Limited  
T: +61 1800 337 041  
F: +61 1800 803 578

**Russia**  
Ansell PYC  
Ten. +7 495 258 13 16

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

