

Previously known as: TRELLECHEM® Splash 900

### Reusable, rear-entry full-body splash protective suit, providing liquid-tight protection.

- **Strengthened defenses:** AlphaTec® 66-330 Model 151-G09 reusable chemical protective suits offer rear-entry full-body splash protection
- **Improved comfort and safety:** This suit is composed of a strong, soft and flexible fabric, which grants optimal comfort and personal protection
- **Enhanced protection:** This full-body protection suit provides good protection against alkalis, acids and infective agents
- **Certified performance:** In addition, this hazmat splash suit has been tested against EN 14605:2005, Type 3 (liquid-tight) standards



## Industries

- Chemical
- Industrial
- Fire and Rescue

## Applications

- Chemical Handling
- Fire & Rescue
- First Responders
- Emergency Teams
- Hazmat Teams
- Industrial and Tank Cleaning
- Petrochemicals

## KEY FEATURES & BENEFITS

- **Rear-entry full-body splash protective suit:** Practical and reliable
- **Strong, flexible and anti-static:** Comfortable personal protection
- **Good chemical and biological barrier:** Robust, hazard protection suit

## Material Diagram



## Seam Diagram



## Performance Standards



## Product Information

Product Information	
Available Sizes	2XS, XS, S, M, L, XL, 2XL, 3XL
Color	Orange
Country Of Origin	Lithuania
Models Available	151-G09, 156-G09
Packaging Overview	Individually Packed
Product Material	Strong and flexible polyester fabric, coated with PVC on both sides.
Product Reference	66-330 Model 151-G09
Standards Overview	<ul style="list-style-type: none"><li>• EN 14605:2005 + A1:2009, type 3 (liquid-tight)</li><li>• EN 14126:2003 (infective agent protection)</li><li>• EN 1149-5:2008 (anti-static suit material)</li></ul>
Seam Type	Double welded
Shelf Life	7 years

## Suit components & accessories

Suit Components and Accessories	
<b>Design Features</b>	<p>• Anatomically designed face seal for optimum safety and comfort</p> <p>• Open double legs, i.e. inner leg with foot strap &amp; outer splash guard</p> <p>• Watertight PVC zipper</p> <p>• Knees and elbows are reinforced to provide extra abrasion resistance</p> <p>• Bayonet glove ring system for quick and simple glove exchange</p>
<b>Visor And Face Seal</b>	Anatomically designed rubber face seal.
<b>Gloves And Attachments</b>	AlphaTec® O8-354 gloves. The gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.
<b>Footwear And Attachments</b>	Open double legs, i.e. inner leg with foot strap & outer splash guard (Model 151). Boots are not included but available to order.
<b>Zipper</b>	Rear-entry watertight PVC zipper. The zipper is placed horizontally across the shoulders for ease of donning, and is protected by a splash guard/flap with hook-and-loop closure.
<b>Ventilation</b>	Fitted with an AlphaTec® Exhaust valve on the chest, to ventilate excess air inside the suit.
<b>Included With Each Delivery</b>	<ul style="list-style-type: none"> <li>• 2 pcs extra locking pins for the Bayonet glove ring system</li> <li>• 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system</li> <li>• 1 pce grease stick for lubrication of the zipper</li> </ul>

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
 Ansell Healthcare Europe NV  
 T: +32 (0) 2 528 74 00

**North America Region**  
 Ansell Healthcare Products LLC  
 T: +1 800 800 0444

**Australia**  
 Ansell Limited  
 T: +61 1800 337 041

**Asia Pacific Region**  
 Ansell Global Trading Center  
 T: +603 8310 6688

**Latin America & Caribbean Region**  
 Ansell Commercial Mexico S.A. de C.V.  
 T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

