

# NeoPro® EC NEC-288

Disposable Neoprene Exam Glove with Extended Cuff

# Neoprene chemical-resistant gloves, protecting users against cytotoxic/chemotherapy drugs

- Specialized protection: MICROFLEX NeoPro® EC NEC-288 neoprene disposable gloves provide chemical splash protection in high-risk environments, and are specifically tested against cytotoxic/chemotherapy drugs\*
- Strong grip: Their neoprene formulation and textured fingertips enhance grip performance in both wet and dry conditions
- Easy donning: Polymer-coated, MICROFLEX NeoPro® EC gloves are easy to don
- Certified performance: These gloves meet National Fire Protection Association 1999 Emergency Medical Glove Requirements, indicating they are approved for use by first responders in the US
- Extended protection: An extended cuff offers wearers additional forearm and wrist protection



\*see product packaging for details

# **Industries**

- Life Sciences
- Chemical
- Healthcare

# **Recommended For**

- Animal care feeding and cleanup
- Maintaining lab furniture and equipment
- Spill or leakage cleanup
- Transferring liquids and solids
- Assembly of parts
- Sample taking and processing
- Administering drugs
- Raw material sample collection
- Testing
- Maintenance
- Tested for use with chemotherapy drugs
- Enhanced grip in wet environments
- Extra protection over the wrist and arm
- Damp donning
- Protection from Type I latex allergy in HCW's or patients
- Higher-risk clinical applications
- Protection from Type I latex allergy in HCW's or patients



# **TECHNICAL DATA SHEET**

	Product Information
Material	Neoprene (Polychloroprene)
External Glove Surface	Textured Fingers
Audit Standards	EN ISO 13485:2012
Product Certification	ASTM D6977, EN ISO 21420:2020, FDA21 CFR 177-2600-US Food Contact Approved, NFPA 1999:2018, US QSR/FDA 510(k) Medical Examination Grade
Packaging Overview	50 gloves per dispenser 10 dispensers per case 500 gloves per case
Storage Instructions	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
Country Of Origin	Indonesia
Product Segmentation	High Risk
Antistatic	Yes
Silicone Free	No

# **PHYSICAL PROPERTIES**

	Typical	Testing Method	
Length (mm/inches)	290 /	ASTM D3767,EN 420	
Freedom from Holes (Inspection level I)	1.5 A	ASTM D5151,EN 455-1	
Palm Thickness (mm/mils)	0.16 / 6.3 0.21 / 8.3		ASTM D3767,EN 420
Finger Thickness (mm/mils)			ASTM D3767,EN 420
	<b>BEFORE AGING</b>	AFTER AGING	
Ultimate Tensile Strength (MPa)	24	20	ASTM D412 & D573
Elongation at Break (%)	≥ 500	≥ 500	ASTM D412

# **ORDERING INFORMATION**

Size	S (6.5 - 7)	M (7.5 - 8)	L (8.5 - 9)	XL (9.5 - 10)	XXL (10.5 - 11)
<b>Product Code</b>	NEC-288-S	NEC-288-M	NEC-288-L	NEC-288-XL	NEC-288-XXL

# For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Asia Pacific Region MY +603 8310 6688 apac.medical@ansell.com CN: +86 21 38275000 infochina@ansell.cor JP: +813 5549 8151

North America Region Ansell Healthcare Products LLC T: +1800 800 0444 F: +1800 800 0445

**Latin America & Caribbean Region** BR +55 (11) 3356-3100 latam.medical@ansell.com MX: +52 442 296 2050 latam.medical@ansell.com CO: +57 1 288 3247 latam.medical@ansell.com

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578 Russia

Ansell PYC Ten. +7 495 258 13 16

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

