

**Superior protection from low
hazard liquid spray and fine
particulates with bound seams for
improved overall protection.**

Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense


Applications

- Clean room cleaning and preparing
- Production line support & maintenance
- Maintenance of plant and machines
- Veterinary Services

KEY FEATURES & BENEFITS

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Optimized fit, improving wearer comfort and safety
- Low Linting

Material Diagram



Performance Standards

CE
0598

Seam Diagram



Product Information

Product Information	
Seam Type	Bound
Weight	63gsm
Standards Overview	CE CATEGORY I
Country Of Origin	China

Suit Components & Accessories

Components and Accessories	
Seam Type	Bound
Color	White

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia
Ansell Limited
T: +61 1800 337 041

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

