VIKING™

# HAZTECH

Lightweight, durable PU dry suit

## Robust, lightweight and durable PU dry diving suit ideal for warm water and climates .

- **Advanced defenses:** The VIKING™ Haztech dry diving suit features a high frequency welded seams that provide additional strength and safety in warm water and climates
- **Increased protection:** This protective diving suit was tested and approved for flex cracking after > 200 flexes down to -40°C
- **Enhanced safety:** In addition, this protective suit has been approved for HZ chemical and BIO micro-organism as it meets the standards for protection against chemicals and infective agents

### Industries

- Emergency Medical Services
- Commercial Diving

### Applications

- Underwater Inspection
- Special Forces Diving
- Underwater Search and Recovery
- Navy Diving
- Inspection Diving
- Flooding applications

## KEY FEATURES & BENEFITS

- **High frequency welded seams:** Durable dry diving suit
- **Tested for flex cracking:** > 200 flexes down to -40°C
- **HZ chemical and BIO approval:** Protects from chemicals, infective agents

### Seam Diagram



## Performance Standards

CE 0598 EN 14225-2:2017 HZ Chemical Resistance

## Product Information

| Product Information | |
|---|---|
| **Color** | Black, Red |
| **Product Material** | TPU (thermoplastic polyurethane), single coated onto a knitted nylon fabric. |
| **Product Reference** | HAZTECH |
| **Reinforcements** | Black welded reinforcements applied to shoulder area and elbows. Embossed welded knee pads. |
| **Seam Type** | Welded and Taped |
| **Available Sizes** | S, M, L, XL, 2XL, 3XL |
| **Standards Overview** | • EN 14225-2:2017<br>• HZ chemical approval<br>• BIO micro-organism approval<br>• Tested for flex cracking according to EN ISO 7854 |

## Suit Components & Accessories

| Suit Components and Accessories | |
|---|---|
| **Design Features** | Rear entry. |
| **Yoke Options** | A full range of helmet yokes is available, such as:;SL 27/37, Desco, AH3, Genesis, Gorski, Deepsea and Dräger. |
| **Neck Seal** | Fitted with a Surveyor latex neck seal as standard. Option: Bellows latex neck seal; VIKING™ Quick Neck system, which allows for quick changing of broken seals. |
| **Cuffs** | Latex PRO cuffs are fitted as standard. Options: Bellows latex cuffs; Conical cuffs. In order to make the suit completely waterproof, it is possible to fit a rubber cuff ring system, alternatively the VIKING™ Bayonet Ring System. Both systems make the fitment of latex gloves or mittens possible. |
| **Footwear And Attachments** | Rubber coated 5 mm neoprene boots. The boots feature a non-slip outsole and a heel fin retainer. Option: Nitrile safety boots. |
| **Zipper** | Red suits: Medium Duty (MD) magnetic PU zipper; 90 cm long; welded. Black suits: Medium Duty (MD) non-magnetic PU zipper; 90 cm long; welded. The zipper is placed across the shoulders. |
| **Included With Each Delivery** | Each suit comes supplied with suspenders, carry bag, user manual, repair kit and zip care materials. |


**For additional in formation visit us at www.ansell.com, or call us at**

**Europe, Middle East & Africa Region**
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

**North America Region**
Ansell Healthcare Products LLC
T: +1 800 800 0444

**Australia**
Ansell Limited
T: +61 1800 337 041

**Asia Pacific Region**
Ansell Global Trading Center
T: +603 8310 6688

**Latin America & Caribbean Region**
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133



Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.