

11-925

Ultra-light duty oil repellent, oil grip multi-purpose glove





Low Chemical Protection



Ultralight abrasion-resistant gloves with special oilrepellent capabilities

- Enhanced grip: Three quarter-dipped coating featuring Improved ANSELL GRIP™ Technology provide 20% higher grip* in wet and oily conditions minimizing required force for safer handling
- Specialized protection: Improved HyFlex[®] 11-925 industrial gloves' RIPEL™ Liquid Repellence surface barrier averts skin contact with oil or chemicals for increased oil protection and permeability
- Increased flexibility: HyFlex[®] 11-925 safety gloves' ergonomic hand shape and ultralight fine-gauge liner help reduce hand fatigue and augment dexterity
- Elevated comfort: The blend of Spandex $^{(\!R\!)}$ and Nylon $^{(\!R\!)}$ in these HyFlex $^{(\!R\!)}$ gloves' liner also grants them a "second skin" sensation of lightness and comfort
- Touchscreen compatible: These industrial gloves work with multiple touchscreen devices - no need to remove them when switching between tasks for workplace safety
- Enhanced defenses: HyFlex[®] 11-925 industrial gloves feature EN407 heat contact level 1 resistance allowing occasional handling of hot objects at temperatures up to 100°C/212°F (for 15 seconds)

Industries

- Automotive
- Machinery and Equipment
- Chemical
- Agriculture
- Oil and gas

Applications

- Assembly & inspection of components
- Assembly and disassembly of equipment
- Assembling and mounting components
- Inspection (picking, checking and marking)
- Mounting and dismantling
- Handling outgoing goods: cans, vessels, bulkpack and cartons
- Loading trucks & vehicles
- Product shipping, transport and delivery





11-925

Ultra-light duty oil repellent, oil grip multi-purpose glove

Key Features

- Improved ANSELL GRIP™ coating: up to 20% higher grip in wet and oily conditions*
- Three-quarter dipping: For defensive coating with ample grip
- Ultralight fine-gauge liner: Highly flexible, dexterous hand protection

*vs previous technology version

Technologies







Performance Standards & Regulatory Compliance



















Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
	Finishing: % Coated Coating Material: Nitrile Liner Material: Nylon, Spandex Cuff Style: Knitwrist	18	6, 7, 8, 9, 10, 11	205-250 mm/ 8.07-9.84 inches	Black	12 pairs in a bag; 12 bags in a carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. Blvd. Bernardo Quintana No. 7001-C, Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur. p. 76079 Queretaro, Qr.o. Mexico T: +52 442 248 1544 / 248 3133

North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 900 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Canada

Ansell Canada 105 Lauder Cowansville, QC J2K 2K8 Canada T: +1 800 363 8340 F: +1 800 267 3551

Australia

Ansell Limited Level 3,678 Victoria Street, Richmond, Vic, 3121 Australia T: +61 1800 337 041 F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

Ansell, [®] and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

