

Previously known as: MICROGARD® 2000 STANDARD - Model 111

### Superior, breathable microporous laminate suit, perfected for industrial applications.

- Specialized protection:** The AlphaTec® 2000 STANDARD Bound - Model 111 grants wearers moderate chemical protection\*, resisting liquid and particulate biological hazards (including radioactive particulates\*\*)
- Added defenses:** This protective body suit also meets EN 14126 and ASTM F1670/1671 standards for bloodborne pathogen protection and DIN 32781 requirements for pesticide resistance
- Advanced breathability:** The use of microporous polyethylene laminate nonwoven fabric makes it water vapor-permeable, reducing heat stress
- Assured antistatic capabilities:** In addition, this protective suit satisfies EN 1149-5 antistatic standards
- Reduced cross contamination risks:** Low-linting fabric lessens cross contamination risk in critical areas
- Limited allergy and surface defect risks:** Latex- and silicone-free by design, risks of Type IV latex allergies or contaminant transfer to metal when spray-painting are minimized
- Enhanced fit and features:** This chemical-protective suit's optimized fit and finger loops enhance comfort and user-friendliness, while a three-piece hood provides added protection and a two-way front zipper with resealable storm flap enhance practicality



\*CE Category III Type 5/6 protection

\*\*in accordance with EN 1073-2 standards

## Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense
- Agriculture
- Automotive Aftermarket
- Chemical
- Emergency Medical Services
- Machinery and Equipment


## Applications

- Energy
- Utilities
- Clean room cleaning and preparing
- Production line support & maintenance
- Maintenance of plant and machines
- Veterinary Services
- Cleaning of plant and machines

## KEY FEATURES & BENEFITS

- **Protective barrier:** Enhanced personal protection
- **Microporous laminate fabric:** Reduced risk of heat stress
- **EN 14126 and ASTM F1670/1671-certified:** Resists bloodborne pathogen

## Material Diagram



## Technology



## Seam Diagram



## Performance Standards

							EN ISO 13688:2013
0598							

## Product Information

Product Information	
<b>Available Sizes</b>	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
<b>Color</b>	White
<b>Country Of Origin</b>	Sri Lanka
<b>Models Available</b>	02, 103, 113, 122,
<b>Packaging Overview</b>	Individually Packed
<b>Product Material</b>	Microporous polyethylene Laminate non-woven
<b>Product Reference</b>	2000 STANDARD - Model 111
<b>Seam Type</b>	Bound
<b>Shelf Life</b>	5 years
<b>Style Number</b>	W20B111, G20B111

## Suit components & accessories

### Suit Components and Accessories

#### Design Features

3-piece hood, 2-way front zipper with resealable storm flap, finger loops. Elasticated hood, waist, wrists and ankles.

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**  
Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**  
Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**  
Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**  
Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:  
[www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

