

Superior, breathable microporous laminate suit designed for industrial applications.

- **Specialized protection:** The AlphaTec® 2000 STANDARD Bound - Model 111 grants wearers moderate chemical protection*, resisting liquid and particulate biological hazards (including radioactive particulates**)
- **Added defenses:** This protective body suit also meets EN 14126 and ASTM F1670/1671 standards for bloodborne pathogen protection and DIN 32781 requirements for pesticide resistance
- **Advanced breathability:** The use of microporous polyethylene laminate nonwoven fabric makes it water vapor-permeable, reducing heat stress
- **Certified antistatic capabilities:** In addition, this protective suit satisfies EN 1149-5 antistatic standards
- **Reduced cross contamination risks:** Low-linting fabric lessens cross contamination risk in critical areas
- **Limited allergy and surface defect risks:** Latex- and silicone-free by design, risks of Type IV latex allergies or contaminant transfer to metal when spray-painting are minimized
- **Enhanced fit and features:** This chemical-protective suit's optimized fit and finger loops enhance comfort and user-friendliness, while a three-piece hood provides added protection and a two-way front zipper with resealable storm flap enhance practicality

**CE Category III Type 5/6 protection **in accordance with EN 1073-2 standards*



Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense
- Agriculture
- Automotive Aftermarket
- Chemical
- Machinery and Equipment
- Energy
- Utilities
- Emergency Medical Services


Applications

- Clean room cleaning and preparing
- Production line support & maintenance
- Veterinary Services
- Cleaning of plant and machines
- Maintenance of plant and machines
- Body painting including surface inspection


KEY FEATURES & BENEFITS

- **Protective barrier:** Increased personal protection
- **Microporous laminate fabric:** Lowered risk of heat stress
- **EN 14126- and ASTM F1670/1671-certified:** Resists bloodborne pathogen

Material Diagram





Seam Diagram



Performance Standards

EN ISO 13688:2013



TYPE 5-B TYPE 6-B EN 1073-2 EN 1073-2 EN 1149-5 EN 1149-5

AATCC76



EN 14126

ASTM F1671



EN 14126 DIN 32781 DIN 32781

CA contempla proteção contra agrotóxicos

*Apenas os testes da ISO 16602:2007 se aplicam a obtenção do CA (Ministério da Economia).

Product Information

| Product Information | |
|---------------------|---|
| Available Sizes | S, M, L, XL, 2XL, 3XL, 4XL, 5XL |
| Color | White |
| Packaging Overview | Individually Packed |
| Product Material | Microporous polyethylene Laminate non-woven |
| Product Reference | 2000 STANDARD - Model 111 |
| Standards Overview | CE CATEGORY III (Type 5-B, Type 6-B, EN 1073-2, EN 14126, DIN 32781, EN 1149-5) |
| Seam Type | Bound |
| Shelf Life | 5 years |
| Style Number | W20B111 |

Suit components & accessories

| Suit Components and Accessories | |
|---------------------------------|--|
| Design Features | Coverall, 3-piece hood, 2-way front zipper with resealable storm flap, finger loops. Elasticated hood, waist, wrists and ankles. |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia
Ansell Limited
T: +61 1800 337 041

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

