

Lightweight, medium-duty yellow protective suit, delivering low-hazard chemical resistance.

- **Specialized protection:** Delivering light chemical protection*, the AlphaTec™ 2300 STANDARD Bound - Model 111's combination of a polyethylene barrier coating and bi-component nonwoven inner layer notably guards against inorganic liquid chemicals, including acids and bases
- **Increased practicality:** Practicality and usability are also enhanced by this protective body suit's robust lightweight design
- **Added security:** Bright yellow coloring heightens its visibility, avoiding accidents and improving workplace safety
- **Enhanced features:** In addition, it possesses a zip flap designed with a self-adhesive tape closure and a respirator-fit hood
- **Proven anti-static capabilities:** EN 1149-5-certified, this chemical protective suit is a safe, dependable option when handling electrical components

**CE Category III Type 5/6 protection*



Industries

- Life Sciences
- Automotive
- Agriculture
- Food Processing


Applications

- Handling structural and body components
- Equipment maintenance and repair
- Equipment repair & maintenance
- Fibre Glass/Resin Applications/Ceramic Fibres
- Assembly & inspection of components


KEY FEATURES & BENEFITS

- ◊ **Protective barrier:** Guards against inorganic liquid chemicals
- ◊ **Lightweight, sturdy design:** For durable everyday user-friendliness
- ◊ **Bright yellow color:** Better visibility, enhanced workplace safety

Material Diagram



Seam Diagram



Performance Standards



*Apenas os testes da ISO 16602:2007 se aplicam a obtenção do CA (Ministério da Economia).



AATCC76   ASTM F1671 EN ISO 13688:2013

Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	Yellow
Packaging Overview	Individually Packed
Product Material	Polyethylene on bicomponent Polypropylene/Polyethylene non-woven
Product Reference	2300 STANDARD - Model 111
Standards Overview	CE CATEGORY III (Type 5-B, Type 6-B, EN 1073-2, EN 14126, EN 1149-5)
Seam Type	Bound
Shelf Life	5 years
Style Number	Y23B111

Suit components & accessories

Suit Components and Accessories	
Design Features	Coverall, 3-piece hood, elasticated hood, waist, wrists and ankles. 2-way front zipper with resealable storm flap and finger loops.

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia
Ansell Limited
T: +61 1800 337 041

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

