

## 3000 Jacket - Model 201 WT

Durable, comfortable multi-layer chemical barrier

# Durable, lightweight and comfortable jacket, providing a multi-layer chemical barrier.

- Advanced defenses: AlphaTec® 3000 Jacket
  Ultrasonically Welded & Taped Model 201 is made
  of a protective multi-layer barrier fabric, which is
  highly effective against inorganic chemicals and
  biological hazards
- Heightened visibility: To improve worker safety, this protective garment is produced in a striking, bright yellow color
- Lightweight feel and enhanced durability: In addition, this durable AlphaTec® 3000 Jacket Ultrasonically Welded & Taped - Model 201 is one of the lightest and most comfortable protective overgarments on the market today





#### **Industries**

- Chemical
- Mining
- Food Processing
- Energy
- Life Sciences
- Automotive Aftermarket
- Utilities

**KEY FEATURES & BENEFITS** 

- Multi-layer barrier fabric: For excellent personal protection
- **Bright yellow color:** Improved workplace safety, reduced injury risks
- **Lightweight and durable:** For long-lasting chemical protective garments


#### **Applications**

- Unexpected leakages spills or other releases
- Loading and unloading trucks and vehicles
- Loading trucks & vehicles
- Product inspection
- Cleaning of plant and machines


#### **Technology**



#### **Material Diagram**



#### **Seam Diagram**





### **Performance Standards**











ASTM F1671 EN ISO 13688:2013



### **Product Information**

Product Information	
Available Sizes	S, M, L, XL, 2XL
Color	Yellow
Packaging Overview	Individually packaged
Product Material	Multi-layer non-woven barrier Laminate fabric
Product Reference	3000 Jacket - Model 201 WT
Standards Overview	CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, Type PB [6]-B, EN 14126)
Seam Type	Welded and Taped
Shelf Life	5 years
Style Number	Y30T201



#### **Suit components & accessories**

**Suit Components and Accessories** 

**Design Features** 

Jacket with 2-piece hood, single zip closure, elasticated hood, wrists and hem, welded & taped seams.

### For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444

Latin America & Caribbean Region

Australia Ansell Limited T: +61 1800 337 041

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

Ansell, @ and  $^{\text{M}}$  are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking @ 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

