

Previously known as: TRELLCHEM® Splash 600

## Basic and reusable splash protective coveralls, protecting against chemical sprays.

- **Everyday usability and convenience:** Available in two models, AlphaTec® 66-300 Model 111 chemical-resistant coveralls make ideal everyday workwear, as they are versatile, reusable and feature open legs with elastics
- **Optimized defenses and comfort:** As this anti-static suit is made of strong and flexible fabric, it provides comfort without sacrificing safety
- **Added protection:** In addition to protecting against chemical spray in low-risk environments, this red hazmat suit guards against alkalis, acids and infective agents
- **Certified performance:** This chemical protective suit meets EN 14605:2005, Type 4 (spray-tight) requirements



## Industries

- Fire and Rescue
- Industrial
- Chemical


## Applications

- Chemical Handling
- Emergency Teams
- Fire & Rescue
- First Responders
- Hazmat Teams
- Industrial and Tank Cleaning
- Petrochemicals


## KEY FEATURES & BENEFITS

- **Versatile and reusable protective suit:** Ideal everyday workwear
- **Strong, flexible and anti-static fabric:** Comfortable, safety garment
- **Biological and chemical resistance:** Durable and reusable hazmat suit


## Material Diagram



## Seam Diagram



## Performance Standards



## Product Information

| Product Information |  |
|---------------------|--|
| Available Sizes     | 2XS, XS, S, M, L, XL, 2XL, 3XL   |
| Color               | Red  |
| Models Available    | 111, 122   |
| Packaging Overview  | Individually Packed  |
| Product Material    | Polyamide fabric, coated with PVC on both sides  |
| Product Reference   | 66-300 Model 111   |
| Standards Overview  | <ul style="list-style-type: none"><li>• EN 14605:2005 + A1:2009 type 4 (spray-tight)</li><li>• EN 14126:2003 (infective agent protection)</li><li>• EN 1149-5:2008 (anti-static suit material)</li></ul> |
| Seam Type           | Double welded  |
| Shelf Life          | 7 years  |

## Suit components & accessories

| Suit Components and Accessories    |  |
|------------------------------------|--|
| <b>Design Features</b>             | <p>• Drawstring hood with chin flap for added protection</p> <p>• Open legs with elastic</p> <p>• Open sleeves with hook-and-loop closure, or fitted with AlphaTec® 08-354 gloves (Scorpio)</p> <p>• If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange</p> <p>• Nylon zipper, covered by a double splash guard/flap with press studs</p> |
| <b>Gloves And Attachments</b>      | Open sleeves with hook-and-loop closure, or fitted with AlphaTec® 08-354 gloves (Scorpio). If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.  |
| <b>Footwear And Attachments</b>    | Open legs with elastic   |
| <b>Zipper</b>                      | Nylon zipper. The zipper is protected by a double splash guard/flap with press studs.  |
| <b>Included With Each Delivery</b> | <ul style="list-style-type: none"> <li>• 2 pcs extra locking pins for the Bayonet glove ring system (if fitted)</li> <li>• 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system (if fitted)</li> </ul>  |

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**

Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**

Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**

Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

