

# AlphaTec® 87-195

## PRODUCT SUSTAINABILITY FACTSHEET



### Manufacturing

Made in a facility:

54%

Running on 54% renewable energy <sup>1</sup>


From biomass



20%

Recycling min. 20% of water to reduce freshwater usage <sup>2</sup>

Through reverse osmosis technology




>99%

Certified by Intertek for diverting >99% of waste from landfill <sup>3</sup>



With accredited Environmental and Energy Management Systems <sup>4</sup>

Certified to ISO 14001:2015 and ISO 50001:2018 by BSI



### Packaging

Recyclable <sup>5</sup>

For plastics, always check your local recyclable status of specified plastic materials as they may not be considered suitable for recycling in your country



min. 80%


Shipper case includes min. 80% recycled material <sup>6</sup>




-82%

Redesigned to contain 82% less plastic versus previous packaging <sup>7</sup>

On average, by removing pair-packaging



Shipper case sizes optimized for efficient shipping <sup>8</sup>



**REFERENCES:** <sup>1</sup>2024 Sustainability Report, ISO 14064-1:2018 external audit by Control Union; ref period: 7/2023 - 6/2024, <sup>2</sup>2024 Ansell, Sustainability Report, ref.period 7/2023-6/2024, <sup>3</sup>Intertek, Zero Waste to Landfill certification, <sup>4</sup>BSI ISO Certificate, <sup>5</sup>Ansell, 2023, Product and Packaging Specifications, <sup>6</sup>Ansell, 2023, Product and Packaging Specifications, <sup>7</sup>Ansell, 2023, Sustainable Packaging Program. Ansell Life Cycle Assessment, cradle-to-grave, 2020 (based on baseline cradle-to-grave model using company-specific foreground data foreground data w/ ecoinvent® v3.7 cut-off database background), ReCiPe 2016 Egalitarian LCIA Method). Independent peer review, 2021., <sup>8</sup>Ansell, 2023, Sustainable Packaging Program

**COPYRIGHT:** Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. © 2025 Ansell Limited. All Rights Reserved.

**WARNING:** No glove provides complete protection against cuts, abrasions, punctures or chemicals. Users should test the suitability of Ansell products for a particular purpose, for use within a particular environment or against particular chemicals. See <http://www.ansell.com/en/Legal/Disclaimer.aspx> for additional information.