

# HyFlex™

## 11-280

High cut protection sleeve with excellent breathability



Cut



Medium Duty

## Our best Cut Sleeves, now made green

- **Heightened defenses:** INTERCEPT™ Cut Resistance Technology's blend of synthetic and natural fibers ensures superior protection, especially when combined with HyFlex™ cut-resistant gloves
- **Elevated comfort:** HyFlex™ 11-280 protective arm sleeves also deliver superb comfort, with a seamless design and HPPE yarn that ensures a cool, breathable feel
- **Food handling compliance:** They adhere to FDA food handling regulations 21 CFR 177.1520 and 21 CFR 177.2600, for safe food handling and compliant workplace safety
- **Varied sizing options:** HyFlex™ 11-280 sleeves come in wide and narrow versions, with multiple length options
- **Certified harm-free:** They also benefit from Oeko-Tex™ certification, certifying them free of substances harmful to human health
- **Sustainable design:** HyFlex™ 11-280 sustainable sleeves are designed with 20% recycled content\* reducing our carbon footprint by 47g CO<sub>2</sub>eq/piece\*\*



\*% is the minimum recycled content in final product

\*\* vs standard nylon sleeve

### Industries

- Automotive
- Metal fabrication
- Automotive Aftermarket
- Food Processing
- Infrastructure Maintenance
- Chemical

### Applications

- Glass repair and replacement
- Handling metal sheets & panels

# HyFlex™

## 11-280

High cut protection sleeve with excellent breathability

### Key Features

- ◊ **EN ISO CUT D & ANSI/ISEA 105-2024 CUT A4-rated protection:** Advanced knitwork designed using INTERCEPT™ Cut Resistance Technology
- ◊ **Seamless design and various length options:** Ideal fit, daily comfort
- ◊ **HPPE yarn:** For protective sleeves that offer a cool, breathable feel
- ◊ **Sleeve made with 20% recycled content\*:** Carbon footprint reduction of 47g CO2eq/piece\*\*

\*% is the minimum recycled content in final product

\*\* vs standard nylon sleeve

### Technologies



### Performance Standards & Regulatory Compliance

ANSI/ISEA 105-2024



EN388: 2016



3X42D

EN 407



X1XXXX



15791CIT

### Specifications

| BRAND   STYLE  | DESCRIPTION   | Gauge | LENGTH   | PACKAGE           |
|----------------|---|-------|--|-------------------|
| HyFlex™ 11-280 | <b>Liner Material:</b> Ansell INTERCEPT™ Technology<br><b>Cuff Style:</b> Knitwrist without thumbslot | 15    | 12" (30 cm)/ 16" (40 cm)/ 18" (45 cm)/ 22" (55 cm) | 50 sleeves/carton |

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 900  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

#### Australia

Ansell Limited  
Level 3,678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jalan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306,  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro, Mexico  
T: +52 442 248 1544 / 248 3133

#### Canada

Ansell Canada  
105 Lauder  
Cowansville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

