

Previously known as: TRELLECHEM® Splash 900

Reusable, rear-entry full-body splash protective suit, providing liquid-tight protection.

- **Strengthened defenses:** AlphaTec™ 66-330 Model 151-G09 reusable chemical protective suits offer rear-entry full-body splash protection
- **Improved comfort and safety:** This suit is composed of a strong, soft and flexible fabric, which grants optimal comfort and personal protection
- **Enhanced protection:** This orange full-body protection suit provides good protection against alkalis, acids and infective agents
- **Certified performance:** In addition, this hazmat splash suit has been tested against EN 14605:2005, Type 3 (liquid-tight) standards



Industries

- Industrial
- Fire and Rescue


Applications

- Petrochemicals
- Industrial and Tank Cleaning
- Fire & Rescue
- First Responders
- Emergency Teams
- Hazmat Teams
- Chemical Handling


KEY FEATURES & BENEFITS

- ◊ **Rear-entry full-body splash protective suit:** Practical and reliable
- ◊ **Strong, flexible and anti-static:** Comfortable personal protection
- ◊ **Good chemical and biological barrier:** Robust, hazard protection suit

Material Diagram



Seam Diagram



Performance Standards



Product Information

Product Information	
Available Sizes	2XS, XS, S, M, L, XL, 2XL, 3XL
Color	Orange
Models Available	151-G09, 156-G09
Packaging Overview	Individually Packed
Product Material	Strong and flexible polyester fabric, coated with PVC on both sides.
Product Reference	66-330 Model 151-G09
Standards Overview	<ul style="list-style-type: none">• EN 14605:2005 + A1:2009, type 3 (liquid-tight)• EN 14126:2003 (infective agent protection)• EN 1149-5:2008 (anti-static suit material)
Seam Type	Double welded
Shelf Life	7 years

Suit components & accessories

Suit Components and Accessories	
Design Features	<p>• Anatomically designed face seal for optimum safety and comfort</p> <p>• Open double legs, i.e. inner leg with foot strap & outer splash guard</p> <p>• Watertight PVC zipper</p> <p>• Knees and elbows are reinforced to provide extra abrasion resistance</p> <p>• Bayonet glove ring system for quick and simple glove exchange</p>
Visor And Face Seal	Anatomically designed rubber face seal.
Gloves And Attachments	AlphaTec® O8-354 gloves. The gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.
Footwear And Attachments	Open double legs, i.e. inner leg with foot strap & outer splash guard (Model 151).;Boots are not included but available to order.
Zipper	Rear-entry watertight PVC zipper. The zipper is placed horizontally across the shoulders for ease of donning, and is protected by a splash guard/flap with hook-and-loop closure.
Ventilation	Fitted with an AlphaTec® Exhaust valve on the chest, to ventilate excess air inside the suit.
Included With Each Delivery	<ul style="list-style-type: none"> • 2 pcs extra locking pins for the Bayonet glove ring system; • 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system; • 1 pce grease stick for lubrication of the zipper

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
 Ansell Healthcare Europe NV
 T: +32 (0) 2 528 74 00

North America Region
 Ansell Healthcare Products LLC
 T: +1 800 800 0444

Australia
 Ansell Limited
 T: +61 1800 337 041

Asia Pacific Region
 Ansell Global Trading Center
 T: +603 8310 6688

Latin America & Caribbean Region
 Ansell Commercial Mexico S.A. de C.V.
 T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

