S-CPE Sterile overshoes

Sterile overshoes

BioClean CPE sterile disposable overshoes are the economical choice.

KEY FEATURES & BENEFITS

Lightweight
Disposable
Easy to don
Elastic opening enables a secure fit over shoe



Industries

- Controlled and Critical Environments
- Production and Manufacturing





S-CPE Sterile overshoes

TECHNICAL DATA SHEET

	Product Information
Manufacturing/QMS Audit Standards	Manufacturing QMS Audit Standards ISO 9001, PPE Regulation 2016 425 Module D
Packaging	One pair per sealed inner PE bag; 10 inner bags per sealed outer PE bag; 15 outer bags per lined carton (150 pairs)
Sterilization Method	Gamma Irradiation
Shelf Life	Three (3) years from date of manufacture.





S-CPE Sterile overshoes

PERFORMANCE STANDARDS AND REGULATORY COMPLIANCE

For additional information visit us at www.ansell.com, or call us at

Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Europe, Middle East & Africa Region North America Region

Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

Ansell Global Trading Center
T: +603 8310 6688
F: +603 8310 6699

CA T: +1-800-363-8340

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de CV

 Latin America & Caribbean Region
 Ansell Nitritex

 Ansell Commercial Mexico S.A. de C.V.
 T: +44 1638 663338

 T: +52 442 248 1544 / 248 3133
 F: +44 1638 668890

Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

UK

Ansell, $^{\circledR}$ and $^{\intercal}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{\circledR}$ 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

