

## BioClean™ Non Sterile Tie on Facemask MTA210-2

# Non-sterile, tie-on face mask with advanced filtration efficiency (single-packed)

- Specialized protection: This tie-on face mask offers high particle and bacterial filtration and is tested against ASTM F2101 standards for Bacterial Filtration Efficiency (BFE)
- Enhanced features and comfort: The BioClean™ Non Sterile Tie on Facemask MTA210-2 is equipped with a fully enclosed, malleable noseband, which enhances fit and comfort, while its ultrasonic seal leads to a stronger bond around the the tie-tapes and enables secure fastening
- Reduced contamination risks: This nonsterile face mask is processed in a NEBBcertified ISO Class 4 cleanroom environment, minimizing potential contamination risks

### **Key Features and Benefits**

- Contamination control: High-level Bacterial Filtration Efficiency (BFE)
- Cleanroom-compatible materials: Reduced contamination risks
- Ultrasonically sealed edges: Tie-tapes with a reliable, strong bond

#### **Industries**

- Production and Manufacturing
- Controlled and Critical Environments
- Laboratory and Research







## **BioClean™ Non Sterile** Tie on Facemask MTA210-2

#### **TECHNICAL DATA SHEET**

#### **PRODUCT INFORMATION**

Material	Polypropylene Polyethylene
Audit Standards	Manufacturing QMS Audit Standards ISO 9001
Standards	ASTM F2101, ISO 2859, ISO 9001:2015
Packaging Overview	One piece per sealed inner PE bag; 50 inner bags per sealed outer PE bag; 10 outer bags per lined carton (500 pieces).
Country Of Origin	China
Storage Instructions	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.
Shelf Life	Five (5) years from date of manufacture.

#### **PHYSICAL PROPERTIES**

Color	White
String Type	Ties
Overall Dimensions	WIDTH (± 5mm) 210mm LENGTH (± 5mm) 95mm
Inner Facing Layer	Non-woven polypropylene/polyethylene (hygroscopic)
Filtration Layer	Meltblown polypropylene
Outer Layer	Non-woven polypropylene polyethylene hydrophobic
Fastenings	Non-woven polypropylene ties
Noseband	Plastic coated steel

#### PERFORMANCE INFORMATION

Cleanroom Class	Class 10/ISO 4
Particle Filtration Efficiency	99.9% @0.1 micron
Bacterial Filtration Efficiency	>99.9% @0.3 micron
Viral Filtration Efficiency	99.8%@ 3.0 micron
Differential Pressure	6.9mm H₂O/cm⊠

#### ORDERING INFORMATION

	SIZE	Individual Packing
MTA210-2	REORDER NO.	MTA210-2

#### For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Asia Pacific Region

Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699

North America Region

Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

UK

Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

