

## 11-645

Trusted comfort with 2x more cut resistance\*





# Mechanical protection gloves granting superior cut resistance and optimal comfort

- Heightened defenses: HyFlex® 11-645 protective gloves leverage INTERCEPT™ Cut Resistance Technology to deliver 2x greater cut resistance\*
- Elevated comfort: These cut-resistant gloves provide the fit and feel of lighter protection levels while meeting ANSI/ISEA 105-2024 CUT A4 and EN ISO D safety standards
- Improved durability: Owing to their skin-friendly PU coating\*\*, these hand protection gloves afford superb durability for dry and slightly oily applications
- Added feature: In addition, these HyFlex® gloves allow wearer to use multiple touchscreen devices without having to remove their gloves
- Reduced contamination risk: As these industrial gloves are silicone-free, they prevent contaminant transfer to metal before painting
- Guaranteed skin-friendliness: HyFlex® 11-645 polyurethane gloves also possess Dermatest® and Oekotex certification

\*Versus similar gloves made of standard HPPE yarn \*\*Low DMF content <100ppm compared to industry standard <1000ppm

#### Industries

- Automotive
- Machinery and Equipment
- Metal fabrication

#### **Applications**

- Assembly of sharp parts
- Handling metal sheets & panels
- Maintenance
- Inspection (picking, checking and marking)







## 11-645

Trusted comfort with 2x more cut resistance\*

**Technologies** 

INTERCEPT

**Cut Resistance Technology** 

**Touchscreen Compatible** 

#### **Key Features**

- INTERCEPT™ Cut Resistance Technology: Twice the cut resistance\*
- Lighter fit and feel: Enhanced comfort for extended use
- PU coating\*\*: High durability for dry and slightly oily applications
- \*Versus similar gloves made of standard HPPE yarn
- \*\*Low DMF content <100ppm compared to industry standard <1000ppm

### **Performance Standards & Regulatory Compliance**

ANSI/ISEA 105-2024









4X43D





#### **Specifications**

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
	Finishing: Palm Coated Coating Material: Low DMF polyurethane Liner Material: Ansell INTERCEPT™ Technology Cuff Style: Knitwrist	13	5, 6, 7, 8, 9, 10, 11, 12	207-277 MM; 8.14-10.90 INCHES	Black	12 pairs/bag, 12 bags/carton

#### For additional information visit us at www.ansell.com, or call us at

#### Europe, Middle East & Africa Region

Europe, Middle East & Affice Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

### Latin America & Caribbean Region

Laun America & Carindean Region
Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II.
Suites 1304, 1305 y 1306.
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

#### North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 900 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Ansell Canada 105 Lauder Cowansville, QC J2K 2K8 Canada T: +1 800 363 8340 F: +1 800 267 3551

#### Australia

Ansell Limited Level 3,678 Victoria Street, Richmond, Vic, 3121 Australia T: +61 1800 337 041 F: +61 1800 803 578

#### Asia Pacific Region

Asia Pacific Kegion Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

Ansell, ® and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking ® 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

