

Chemical-resistant CSM gloves, offering lasting hand protection

Port size: 203mm/8"

Thickness: 0.4mm/16 mil

- **Specialized defenses:** The AlphaTec® CSM Isolator Glove 85-300 offers excellent chemical resistance, protecting wearers against concentrated acids and bases
- **Elevated comfort:** These CSM gloves are made from soft, flexible material, for everyday comfort and usability
- **Prolonged glove life:** The AlphaTec® CSM Isolator Glove 85-300 can also withstand prolonged exposure to oxygen, UV rays and ozone without rapidly aging, and they boast EN 388:2016 Level 3 abrasion resistance
- **Reduced contamination risks:** These PPE gloves are white in color, facilitating contamination detection



KEY FEATURES & BENEFITS

- ◊ **Robust CSM composition:** Resistant against concentrated acids/bases
- ◊ **Flexible material:** For comfortable, easy-to-use safety gloves
- ◊ **Durable design:** Withstands prolonged oxygen, UV ray and ozone exposure

TECHNICAL DATA SHEET

| | |
|------------------------|---|
| Product Reference | 85-300 |
| Material | Chlorosulfonated Polyethylene |
| Color | White |
| Shape | Ambidextrous |
| External Glove Surface | Smooth |
| Cuff Style | Beaded |
| Storage Instructions | Store in a dry and dark environment, temperature of 5°C to 22°C. Retain in original packaging when not in use. |
| Available Sizes | 11, 9.5 |
| Temperature Range | From -20°C to 120°C |
| Shelf Life | 3 years |
| Standards | CE 0493, EN 388:2016 +A1:2018, EN ISO 21420:2020, EN ISO 374-5:2016, EN ISO 374-1:2016 Type B, Category III, UKCA |

PHYSICAL PROPERTIES

| | Typical Values | Testing Method |
|------------------------|----------------|----------------|
| Typical Length (mm/in) | 800 / 32 | EN ISO 21420 |
| Port Size | 203mm/8" | |
| | | |
| | | |

PROTECTION AGAINST MECHANICAL RISKS, EN 388:2016+A1:2018

| Risk | Performance level |
|--------------------------|-------------------|
| Abrasion Resistance | Level 3 |
| Blade Cut Resistance | Level 1 |
| Tear Resistance | Level 0 |
| Puncture Resistance | Level 1 |
| ISO 13997 Cut Resistance | Level A |

ORDERING INFORMATION

| | PORT SIZE | 8"/203mm | 8"/203mm |
|--------|-------------|----------|----------|
| | SIZE | 9.5 | 11 |
| 85-300 | REORDER NO. | 85300095 | 85300110 |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688
F: +603 8310 6699

North America Region

Ansell Healthcare Products LLC
US T: +1 800 800 0444
US F: +1 800 800 0445
CA T: +1-800-363-8340

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia

Ansell Limited
T: +61 1800 337 041
F: +61 1800 803 578

UK

Ansell Nitritex
T: +44 1638 663338
F: +44 1638 668890

Performance Standards and Regulatory Compliance



Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.