

# HyFlex™

## 11-591

Ultra-light cut protection for 2x longer wear



Cut



Medium Duty

## Ultra-light ANSI/ISEA 105-2024 A9/ EN ISO F+ cut protection with FORTIX™ for 2x longer-lasting performance

- **Increased durability for extended use:** Improved FORTIX™ Technology delivers 2x higher abrasion resistance\* for longer-lasting performance in abrasive conditions
- **Ultra-light comfort:** 20% lighter design\*\* supports all-day wear while maintaining high protection levels
- **Advanced cut protection:** Next-gen INTERCEPT™ single HPPE yarn provides up to 12x greater cut resistance for high-performance hand protection\*\*\*
- **Contact heat protection:** EN 407 contact heat level 1 for safe handling of hot parts
- **Touchscreen compatible:** Enables use of touchscreen devices without removing gloves

\* Comparison is based on Ansell lab tests under standardized conditions in December 2025 versus similar competitive gloves. Results may vary by application.

\*\* Versus standard ANSI/ISEA 105-2024 CUT A9 and EN ISO F+rated gloves

\*\*\* Versus similar gloves made of standard HPPE yarn



### Industries

- Manufacturing

### Applications

- Stamping
- Primary assembly
- Handling of glass sheets, sharpedged objects
- Machining
- Heavy Maintenance

# HyFlex™

## 11-591

Ultra-light cut protection for 2x longer wear

### Key Features

- ◊ **Longer wear life:** FORTIX™ Technology for 2x longer use\*
- ◊ **Ultra-light design:** 20% lighter for greater dexterity\*\*
- ◊ **Comfort & convenience:** Touchscreen compatible, flexible all-day wear

\* Comparison is based on Ansell lab tests under standardized conditions in December 2025 versus similar competitive gloves. Results may vary by application.

\*\* Versus standard ANSI/ISEA 105-2024 CUT A9 and EN ISO F+ gloves.

### Technologies

 **FORTIX™**  
Abrasion Resistance Technology

 **INTERCEPT™**  
Cut Resistance Technology



**Touchscreen Compatible**



DMF free

### Performance Standards & Regulatory Compliance

ANSI/ISEA 105-2024



EN388: 2016



4X43F

EN 407



X1XXXX



1408033

### Specifications

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
HyFlex™ 11-591	<b>Finishing:</b> Palm dipped, Thumbcrotch reinforcement <b>Coating Material:</b> Nitrile <b>Liner Material:</b> INTERCEPT™ reinforced HPPE yarn <b>Cuff Style:</b> Knitwrist	13	6, 7, 8, 9, 10, 11, 12	215-280 mm / 8.46-11.02 inches	Black	• 12 pairs/paper band, 12 paper bands/carton

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 900  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

#### Australia

Ansell Limited  
Level 3,678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jalan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306.  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro. Mexico  
T: +52 442 248 1544 / 248 3133

#### Canada

Ansell Canada  
105 Lauder  
Cowansville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

