

**Electrical Protection** Class 0 - RIG011Y

Flexible and durable electrical safety gloves, protecting workers with fitted comfort

# Previously known as: E091





Electrical



Flexible and durable electrical safety gloves, protecting workers\* with fitted comfort

- Heightened durability and flexibility: Made from natural rubber latex, using an eco-conscious dipping process, ActivArmr<sup>®</sup> Electrical Protection Class 0 - RIG011Y electrical gloves are both flexible and durable
- Advanced ergonomics: These insulated gloves' non-splayed fingers and hand-at-rest shape lessen hand fatigue
- Elevated comfort: A flared cuff ensures ventilation and room for clothing
- Increased practicality: These electrical safety gloves' smooth finish make donning and doffing easy
- Specialized defenses: They are arc flash certified\*, withstand a touch voltage AC maximum of 1000 V (DC maximum 1500) and tolerate acid, ozone and very low temperatures\*\*
- Certified protection: They also meet relevant NFPA, **OSHA** and **CSA** standards \*APC 1 in combination with 96-002 leather protectors \*\*Category A, Z and C



## Industries

- Automotive
- Electrical
- Construction
- Mining
- Machinery and Equipment

## **Applications**

- Applications with risk of touch voltage
- Electrical Contractors
- Hybrid engine manufacturing and repair
- Maintenance Repairs and Operations in all industrial environments (MRO)
- Mass Transit Repair and Maintenance
- Power maintenance, repair & transmission
- Telecom repair near electrical wires





# **Electrical Protection Class O - RIGO11Y**

Flexible and durable electrical safety gloves, protecting workers with fitted comfort

Previously known as: E091

## **Key Features**

- Natural rubber latex formulation: Inherent durability and flexibility
- Ergonomic design: Lesser hand fatigue, greater comfort
- Generous flared cuff: Adequate space for both clothing and ventilation
   \*Arc flash certified as per IEC 614821-2:2014 and ATSM F2675:2021 standards

# **Performance Standards & Regulatory Compliance**



In-house testing EN388: 2016

3121A

## **Specifications**

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COATING COLOR	PACKAGE
	Coating Material: Natural Latex Rubber Cuff Style: Straight Cuff with rolled beaded edge		7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12	280mm/11inch	Yellow	<ul> <li>1 pair/bag, 10 pairs/carton</li> </ul>

#### For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. Blvd. Bernardo Quintan No. 7001-C, Q7001 Torre II. Suites 1304. (305 y 1306. Col. Centro Sur, c.p. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133 North America Region Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 900 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Canada Ansell Canada 105 Lauder Cowansville, QC J2K 2K8 Canada T: +1 800 363 8340 F: +1 800 267 3551 Australia Ansell Limited Level 3,678 Victoria Street, Richmond, Vic, 3121 Australia T: +61 1800 337 041 F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

Ansell, <sup>®</sup> and <sup>™</sup> are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

