

Electrical Protection Class 00 - RIG0014Y

Ergonomically designed natural rubber insulating gloves for all-day safety and comfort

Previously known as: E089





Electrical

Light Duty

Durable, form-fitting electrical safety gloves, protecting workers* for varied applications

- Heightened flexibility and durability: ActivArmr[®]
 Electrical Protection Class 00 RIG0014Y electrical
 safety gloves are composed of natural rubber latex,
 using an eco-conscious dipping process, combining
 flexibility and durability
- Advanced ergonomics: These insulated rubber gloves' hand-at-rest shape and non-splayed fingers cause lesser hand fatigue
- Elevated comfort: A generous flared cuff grants these low-voltage* electrical gloves added room for clothing and ventilation
- Specialized defenses: They are arc flash certified (APC 1 in combination with 96-002 leather gloves) and resist acid, ozone and very low temperatures**
- Increased practicality: These electrical protection gloves' smooth finish makes donning and doffing easy
- Certified protection: They also meet relevant CSA, NFPA and OSHA standards
 *Voltage AC maximum 500 V (DC maximum 750)
 **Category A, Z and C respectively



Industries

- Automotive
- Electrical
- Construction
- Mining
- Machinery and Equipment

Applications

- Applications with risk of touch voltage
- Electrical Contractors
- Hybrid engine manufacturing and repair
- Maintenance Repairs and Operations in all industrial environments (MRO)
- Mass Transit Repair and Maintenance
- Power maintenance, repair & transmission
- Telecom repair near electrical wires





Electrical Protection Class 00 - RIG0014Y

Ergonomically designed natural rubber insulating gloves for all-day safety and comfort

Previously known as: E089

Key Features

- Natural rubber latex formulation: Flexibility and durability combined
- Ergonomic design: For safety gloves that result in lesser hand fatigue
- Generous flared cuff: Increased room for clothing and ventilation *Arc flash certified as per IEC 614821-2:2014 and ASTM F2675:2021

Performance Standards & Regulatory Compliance







Specifications

| BRAND STYLE | DESCRIPTION | Gauge | SIZE | LENGTH | COATING COLOR | PACKAGE |
|---|--|-------|---|--------------|---------------|---|
| ActivArmr Electrical Protection Class 00 - RIG0014Y | Coating Material: Natural Latex Rubber Cuff Style: Straight Cuff with rolled beaded edge | | 7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12 | 360mm/14inch | Yellow | 1 pair/bag, 10 pairs/carton |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV Ansell Healthcare Europ Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. Blvd. Bernardo Quintana No. 7001-C, BIVO. Bernardo Quintana No. 70' Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur, c.p. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133

North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 900 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Canada

Ansell Canada 105 Lauder Cowansville, QC J2K 2K8 Canada T: +1 800 363 8340

Ansell Limited Ansell Limited Level 3,678 Victoria Street, Richmond, Vic, 3121 Australia T: +61 1800 337 041 F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center Ansell Global Trading Center (Malaysia) Sdn Bhd Prima 6, Prima Avenue Block 3512, Jalan Teknokrat 6 T: +603 8310 6688 F: +603 8310 6699

Ansell, $^{@}$ and m are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{@}$ 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

