

AlphaTec™

1500 PLUS - Lab Coat Bound Model 202

Breathable, anti-static SMS material

Previously known as: MICROCHEM® by AlphaTec® 1500 PLUS Lab Coat - Model 202

**Comfortable protection in
general industrial
environments..**



Industries

- Life Sciences
- Metal fabrication


Applications

- Unpacking of bulk goods
- Loading and unloading of process equipment
- Production line support & maintenance
- Assembly & inspection of components

KEY FEATURES & BENEFITS

- Air and water vapour permeable (breathable)
- Silicone Free
- Optimised body fit helps improve wearer comfort and safety

Material Diagram



Seam Diagram



Performance Standards

EN ISO 13688:2013



Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	Light Blue
Country Of Origin	China
Product Material	SMS fabric with anti-static treatment
Product Reference	1500 PLUS - Lab Coat Bound Model 202
Standards Overview	CE CATEGORY III (Type PB [6])
Seam Type	Bound
Style Number	B15B202

Suit components & accessories

Suit Components and Accessories

Design Features

Medium length labcoat with collar, studded front fastening, no pockets.

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

