

1500 PLUS - Lab Coat Model 208

Breathable, anti-static SMS material

Previously known as: MICROCHEM[®] by AlphaTec[®] 1500 PLUS Lab Coat - Model 208

Comfortable protection in general industrial environments..





Industries

- Life Sciences
- Metal fabrication

Applications

- Unpacking of bulk
- goodsLoading and unloading of proces equipment
- Production line support & maintenance
- Assembly & inspection of components

KEY FEATURES & BENEFITS

- Air and water vapour permeable (breathable)
- Silicone Free
- Optimised body fit helps improve wearer comfort and safety





Performance Standards







Product Information

Product Information	
Available Sizes	M, L, XL, 2XL
Color	White
Country Of Origin	China
Product Material	SMS fabric with anti-static treatment
Product Reference	1500 PLUS - Lab Coat Model 208
Standards Overview	CE CATEGORY III (Type PB [6])
Seam Type	Bound
Shelf Life	5 years



Suit components & accessories

Suit Components and Accessories	
Designi euro	Short length lab coat with collar, elasticated cuffs, studded front fastening, left breast and right thigh pockets.

For additional in formation visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00

Asia Pacific Region Ansell Global Trading Center T: +603 8310 6688 North America Region Ansell Healthcare Products LLC T: +1 800 800 0444 Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133 **Australia** Ansell Limited T: +61 1800 337 041

Ansell, $^{\textcircled{B}}$ and $^{\textcircled{M}}$ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{\textcircled{M}}$ 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

