

## 2000 Oversleeves - Model 600

Superior breathable microporous laminate technology

Previously known as: MICROCHEM® by AlphaTec® 2000 Oversleeves - Model 600

**Superior protection from low hazard liquid spray and fine particulates with bound seams for improved overall protection..**

AlphaTec® 2000 range is designed to allow water vapour (perspiration) to escape from the suit yet will withstand saturation of liquid chemicals and filter 100% of particulates down to 0.01 microns in size.



## Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense


## Applications

- Clean room cleaning and preparing
- Production line support & maintenance
- Maintenance of plant and machines
- Veterinary Services
- Cleaning of plant and machines
- Body painting including surface inspection

## KEY FEATURES & BENEFITS

- Proven protective barrier to low concentration liquid chemicals, liquid & particulate biological hazards
- Comfortable to wear featuring moisture vapor permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimized fit, improving wearer comfort and safety
- Low Linting

## Material Diagram



## Seam Diagram



## Performance Standards



EN ISO 13688:2013

0598

EN 14126

## Product Information

| Product Information       |   |
|---------------------------|---|
| <b>Available Sizes</b>    | 21" (51cm), 24" (60cm)                      |
| <b>Color</b>              | White                                       |
| <b>Country Of Origin</b>  | Sri Lanka                                   |
| <b>Packaging Overview</b> | 50 pairs every compressed bag               |
| <b>Product Material</b>   | Microporous polyethylene Laminate non-woven |
| <b>Product Reference</b>  | 2000 Oversleeves - Model 600                |
| <b>Standards Overview</b> | CE CATEGORY III (Type PB (6)-B, EN 14126)   |
| <b>Seam Type</b>          | Bound                                       |
| <b>Shelf Life</b>         | 5 years                                     |
| <b>Style Number</b>       | W20B600                                     |

## Suit components & accessories

### Suit Components and Accessories

#### Design Features

Elasticated at both ends and bound seams.  
Regular fit, available in two sizes:  
00-Lenght:51cm  
05-Lenght:60cm

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**  
Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**  
Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**  
Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**  
Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:  
[www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

