

NFPA 2112 certified coverall is breathable, re-usable and resistant to chemical splash, flash fire and hot liquids..

- **Specialized protection:** The AlphaTec™ Breathable FR coverall 66-657 features chemical splash fabric, which Provides splash protection against chemicals
- **Improved defenses:** Owing to its flame-resistant material, this chemical protective suit resists flash fires and hot liquids. It is designed to prevent sparks that could ignite flammable materials
- **Enhanced comfort:** In addition, these reusable chemical-resistant coveralls elevate comfort, protecting workers from heat stress and increasing productivity
- **Increased features:** These chemical-resistant coveralls' sealed seams and double front storm flaps grant leaktight protection from chemical sprays, while their flame-resistant, heavy-duty zipper and hook-and-loop fastenings at the legs and cuffs enhance safety levels




Applications

- Utilities
- Water plants
- Sanitation
- Plant disinfection and sanitization
- Repair and maintenance
- Maintenance
- Machining
- Oil Platforms
- Mining
- General maintenance
- Food Processing
- Energy
- Metal Plating
- Chemical Handling
- Pulp and Paper Production
- Potential Flash Fire

KEY FEATURES & BENEFITS

- ◊ **Chemical splash fabric:** Provides splash protection against chemicals
- ◊ **Flame-resistant fabric:** Resists flash fires and hot liquids. It is designed to prevent sparks that could ignite flammable materials
- ◊ **Breathable fabric:** For optimized comfort and lowered heat stress risk

Seam Diagram



Performance Standards

ASTM F1671



Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL, 7XL
Color	Blue
Country Of Origin	Canada
Packaging Overview	Individually packed
Product Material	White Nomex® inner with breathable membrane and Blue Nomex® outer
Standards Overview	• NFPA 2112 • Tested to ASTM F955-2015 - Standard Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances • ASTM F1671 - Resistance to bloodborne pathogens • EN 1149-5 - Electrostatic properties
Seam Type	Stitched and Taped
Shelf Life	5 years
Style Number	66657

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

