

## Chemical-resistant CSM gloves granting durable and comfortable hand protection

Port size: 10"

Thickness: 0.6mm/24 mil

- **Advanced defenses:** The AlphaTec™ CSM Isolator Gloves 85-307 Size 11/XL is designed for high resistance against concentrated acids and bases
- **Elevated comfort:** Owing to their soft and flexible material, these chemical-resistant gloves grant ease of use
- **Improved durability:** In addition to resisting ageing from exposure to oxygen, UV rays and ozone, these hand protection gloves withstand temperatures between -20°C and 120°C
- **Reduced contamination risks:** The AlphaTec™ CSM Isolator Gloves 85-307 Size 11/XL comes in white, which ensures the easy detection of contamination
- **Added safety:** Each glove undergoes a controlled washing process to remove talcum particles, minimizing contamination risks and safeguarding product integrity in critical environments



### KEY FEATURES & BENEFITS

- ◊ **Sturdy CSM composition:** Protects from concentrated acids and bases
- ◊ **Soft and flexible material:** Comfortable safety gloves
- ◊ **Durable design:** Resists ageing from oxygen, UV ray and ozone exposure

### TECHNICAL DATA SHEET

<b>Product Reference</b>	85-307
<b>Material</b>	Chlorosulfonated Polyethylene
<b>Color</b>	White
<b>Shape</b>	Ambidextrous
<b>External Glove Surface</b>	Smooth
<b>Cuff Style</b>	Beaded
<b>Storage Instructions</b>	Store in a dry and dark environment, temperature of 5°C to 22°C. Retain in original packaging when not in use.
<b>Available Sizes</b>	11
<b>Temperature Range</b>	From -20°C to 120°C
<b>Shelf Life</b>	3 years
<b>Tested For Use With Chemotherapy Drugs</b>	No
<b>Standards</b>	CE 0493, EN 388:2016 +A1:2018, EN ISO 21420:2020, EN 420:2003 + A1:2009, Category III
<b>Freedom from Holes (Inspection level I)</b>	1.5 AQL

### PHYSICAL PROPERTIES

	Typical Values	Testing Method
Typical Length (mm/in)	850 / 33	EN ISO 21420
Port Size	254mm/10"	

### PROTECTION AGAINST MECHANICAL RISKS, EN 388:2016+A1:2018

Risk	Performance level
Abrasion Resistance	Level 3
Blade Cut Resistance	Level 1
Tear Resistance	Level 0
Puncture Resistance	Level 1

### ORDERING INFORMATION

	PORT SIZE	10"/254mm
	SIZE	11
85-307	REORDER NO.	85307110

#### For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

##### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

##### Asia Pacific Region

Ansell Global Trading Center  
T: +603 8310 6688  
F: +603 8310 6699

##### North America Region

Ansell Healthcare Products LLC  
US T: +1 800 800 0444  
US F: +1 800 800 0445  
CA T: +1-800-363-8340

##### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

##### Australia

Ansell Limited  
T: +61 1800 337 041  
F: +61 1800 803 578

##### UK

Ansell Nitritex  
T: +44 1638 663338  
F: +44 1638 668890

#### Performance Standards and Regulatory Compliance



Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.