


## Neoprene chemical-resistant gloves, protecting users against cytotoxic/chemotherapy drugs

- **Specialized protection:** MICROFLEX NeoPro™ EC NEC-288 neoprene disposable gloves provide chemical splash protection in high-risk environments, and are specifically tested against cytotoxic/chemotherapy drugs\*
- **Strong grip:** Their neoprene formulation and textured fingertips enhance grip performance in both wet and dry conditions
- **Easy donning:** Polymer-coated, MICROFLEX NeoPro™ EC gloves are easy to don
- **Certified performance:** These gloves meet National Fire Protection Association 1950 Emergency Medical Glove Requirements, indicating they are approved for use by first responders in the US
- **Extended protection:** An extended cuff offers wearers additional forearm and wrist protection



\*see product packaging for details

### Industries

- Life Sciences
- Healthcare
- Fire and Rescue

### Recommended For

- Spill or leakage cleanup
- Transferring liquids and solids
- Sample taking and processing
- Raw material sample collection
- Testing
- Tested for use with chemotherapy drugs
- Protection from Type I latex allergy in HCW's or patients
- Maintaining lab furniture and equipment
- Higher-risk clinical applications
- Animal care feeding and cleanup
- Assembly of parts
- Administering drugs
- Maintenance
- Enhanced grip in wet environments
- Extra protection over the wrist and arm
- Damp donning

# TECHNICAL DATA SHEET

Product Information	
<b>Material</b>	Neoprene
<b>External Glove Surface</b>	Textured Fingers
<b>Audit Standards</b>	EN ISO 13485:2012
<b>Product Certification</b>	ASTM D6977, EN ISO 21420:2020, NFPA1950:2025, US QSR/FDA 510(k) Medical Examination Grade
<b>Packaging Overview</b>	50 gloves per dispenser 10 dispensers per case 500 gloves per case
<b>Storage Instructions</b>	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
<b>Country Of Origin</b>	Indonesia
<b>Product Segmentation</b>	High Risk
<b>Antistatic</b>	Yes
<b>Silicone Free</b>	No

## PHYSICAL PROPERTIES

	Typical Values		Testing Method
Length (mm/inches)	290 / 11.4		ASTM D3767,EN 420
Freedom from Holes (Inspection level I)	1.5 AQL		ASTM D5151,EN 455-1
Palm Thickness (mm/mils)	0.16 / 6.3		ASTM D3767,EN 420
Finger Thickness (mm/mils)	0.21 / 8.3		ASTM D3767,EN 420
	<b>BEFORE AGING</b>	<b>AFTER AGING</b>	
Elongation at Break (%)	≥ 500	≥ 500	ASTM D412

## ORDERING INFORMATION

Size	S (6.5 - 7)	M (7.5 - 8)	L (8.5 - 9)	XL (9.5 - 10)	XXL (10.5 - 11)
Product Code	NEC-288-S	NEC-288-M	NEC-288-L	NEC-288-XL	NEC-288-XXL

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV

T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### Asia Pacific Region

MY: +603 8310 6688  
apac.medical@ansell.com  
CN: +86 21 38275000  
infochina@ansell.com  
JP: +813 5549 8151  
info.medical.jp@ansell.com

#### North America Region

Ansell Healthcare Products LLC

T: +1 800 800 0444  
F: +1 800 800 0445

#### Latin America & Caribbean Region

BR: +55 (11) 3356-3100  
latam.medical@ansell.com  
MX: +52 442 296 2050  
latam.medical@ansell.com  
CO: +57 1 288 3247  
latam.medical@ansell.com

#### Australia

Ansell Limited

T: +61 1800 337 041  
F: +61 1800 803 578

#### Russia

Ansell PYC  
Ten. +7 495 258 13 16

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

