

## Gloves designed to provide reliable protection and tactility

- **Heightened tactility:** MICROFLEX™ UltraSense™ US-220 exam gloves feature a thin, yet durable nitrile construction which provides reliable protection and tactility
- **Unique color:** The unique royal blue color also provides greater contrast and visibility than standard light blue nitrile gloves
- **Adhesive resistance:** These gloves are designed to resist sticking to tape and adhesives on the job
- **Specialized protection:** These gloves also offer specific protection against chemotherapy drugs\*



\*see product packaging for details

### Industries

- Food Processing
- Life Sciences
- Healthcare
- Dental
- Fire and Rescue

### Recommended For

- All food processing, applications that have food contact
- Sample taking and processing
- Protection from Type I latex allergy in HCW's or patients
- Equipment repair and maintenance
- Standard patient examinations

# TECHNICAL DATA SHEET

Product Information	
<b>Material</b>	Nitrile
<b>External Glove Surface</b>	Textured Fingers
<b>Audit Standards</b>	EN ISO 13485:2012
<b>Product Certification</b>	ASTM D6319, EN ISO 21420:2020, FDA21 CFR 177-2600-US Food Contact Approved, US QSR/FDA 510(k) Medical Examination Grade
<b>Packaging Overview</b>	100 gloves per dispenser 10 dispensers per case 1000 gloves per case
<b>Storage Instructions</b>	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
<b>Country Of Origin</b>	Malaysia
<b>Product Segmentation</b>	Standard Thin
<b>Antistatic</b>	Not Tested
<b>Silicone Free</b>	No

## PHYSICAL PROPERTIES

	Typical Values		Testing Method
Length (mm/inches)	240 / 9.45		ASTM D3767,EN 420
Freedom from Holes (Inspection level I)	1.5 AQL		ASTM D5151,EN 455-1
Palm Thickness (mm/mils)	0.08 / 3.1		ASTM D3767,EN 420
Finger Thickness (mm/mils)	0.13 / 5.1		ASTM D3767,EN 420
	<b>BEFORE AGING</b>	<b>AFTER AGING</b>	
Elongation at Break (%)	≥ 500	≥ 400	ASTM D412
Force at break (N)	7	7	EN 455-2

## ORDERING INFORMATION

Size	XS (5.5 - 6)	S (6.5 - 7)	M (7.5 - 8)	L (8.5 - 9)	XL (9.5 - 10)
Product Code	US-220-XS	US-220-S	US-220-M	US-220-L	US-220-XL

**For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at**

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV

T: +32 (0) 2 528 74 00

F: +32 (0) 2 528 74 01

**Asia Pacific Region**

MY: +603 8310 6688

apac.medical@ansell.com

CN: +86 21 38275000

infochina@ansell.com

JP: +813 5549 8151

info.medical.jp@ansell.com

**North America Region**

Ansell Healthcare Products LLC

T: +1 800 800 0444

F: +1 800 800 0445

**Latin America & Caribbean Region**

BR: +55 (11) 3356-3100

latam.medical@ansell.com

MX: +52 442 296 2050

latam.medical@ansell.com

CO: +57 1 288 3247

latam.medical@ansell.com

**Australia**

Ansell Limited

T: +61 1800 337 041

F: +61 1800 803 578

**Russia**

Ansell PYC

Ten. +7 495 258 13 16

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

