



PRO

Medium-duty flexible dry suit

Comfortable, medium-duty and flexible-use dry rubber diving suit with vulcanized seams test.

- **Genuine versatility:** The VIKING™ PRO is a dry diving suit designed for flexible uses and is ideal for recreational diving, military operations, law enforcement as well as fire rescue teams
- **Advanced defenses:** Owing to its vulcanized seams, this rubber diving suit is suitable for diving in any environment
- **Increased durability:** To ensure that this protective suit is consistent in performance, it is designed to be easy to clean when contaminated as well as to repair while in the field



Industries

- Law Enforcement
- Fire and Rescue
- Shipping
- Defense
- Recreational Diving
- Emergency Medical Services

Applications

- Underwater Search and Recovery
- Navy Diving
- Special Forces Diving
- Inspection Diving
- Underwater Inspection


KEY FEATURES & BENEFITS

- **Multipurpose:** Great for military, law enforcement and fire rescue
- **Vulcanized seam:** Designed for diving under all conditions
- **Polyester fabric and NR/EPDM rubber blend:** Easy to repair and clean

Material Diagram



Seam Diagram



Performance Standards



EN 14225-2:2017

Product Information

| Product Information | |
|---------------------|--|
| Color | Black |
| Country Of Origin | Lithuania |
| Product Material | Knitted polyester fabric coated on the outside with an NR/EPDM rubber blend, 1150 g/m ² |
| Product Reference | PRO |
| Reinforcements | Rubber reinforcements from the foot up over the knee and the seat, across shoulders and down over elbows and in the crotch. Reinforcements are vulcanised onto the suit. |
| Seam Type | Stitched and Taped |
| Available Sizes | S, M, L, XL, 2XL, 3XL |
| Standards Overview | <ul style="list-style-type: none">• EN 14225-2:2017• BIO micro-organism approval |

Suit Components & Accessories

| Suit Components and Accessories | |
|-----------------------------------|--|
| Design Features | Vulcanised dry diving suit with back-entry. Fitted with footwear, neck seal, cuffs and integrated suspenders. Designed for flexibility and comfort in a wide range of applications. Vulcanised seams allow for peace of mind when diving under all situations. |
| Yoke Options | Various models available to fit various helmet brands and designs. |
| Neck Seal | • Standard: Surveyor latex neck seal, glued-on • Options: Neoprene neck seal, various models; VIKING™ Quick Neck system, for mounting a neck seal and/or a hood |
| Cuffs | • Standard: PRO cuffs, glued-on • Options: Other Latex cuff models or Neoprene cuffs, Rubber cuff ring or Bayonet ring system, both of which allow for cuffs and/or gloves to be mounted |
| Footwear And Attachments | • Standard: Integrated rubber soles, vulcanised to the suit. The sole features a non-slip surface for grip, and the heel has a fin strap retainer. • Options: Latex socks, Neoprene boots or Nitrile rubber safety boots - all glued-on |
| Zipper | Heavy-duty, non-magnetic, 90 cm long. The zipper is gas and watertight, and is placed on the back across the shoulders. |
| Optional Features And Accessories | • Relief zipper, • Pockets, different designs, • Reflective tape on sleeves and/or legs, • Extension and/or shortening of legs and/or sleeves |
| Included With Each Delivery | Each suit comes supplied with: • Suspenders • Patch repair kit, including zip care fluid • Inflation hose, 75 cm long with CEJN fitting • Carry bag • Instructions for Use (IFU) |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia
Ansell Limited
T: +61 1800 337 041

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

