

## PROTECH II

Flexible dry suit for a wide range of applications

### Comfortable and flexible dry diving suit ideal for a wide range of applications.

- **Genuine versatility:** The VIKING™ PROTECH II is a truly multipurpose rubber diving suit, which is suitable for inspection diving, military operations, law enforcement and fire rescue teams
- **Reduced contamination risks:** This protective suit boasts consistent performance, with vulcanized external seams which makes it easy to clean when contaminated as well as to repair in the field
- **Elevated comfort:** The VIKING™ PROTECH II model also features stitched and taped internal seams, for added user comfort
- **Assured flexibility:** Its natural and synthetic rubber blend (NR/RPDM) as well as stretch polyamide/elastane lining, make it highly flexible
- **Enhanced features:** In addition, this diving suit comes with an optional VIKING™ Quick Neck system, enabling the swift changing of broken seals



# Ansell

Page 1 of 4

## Industries

- Commercial Diving


## Applications

- Underwater Search and Recovery
- Maintenance inspection
- Military Diving
- Inspection Diving
- Disaster Recovery

## KEY FEATURES & BENEFITS

- ◊ **Multipurpose:** Suitable for a wide range of applications
- ◊ **Vulcanized external seams:** Easy to repair and clean
- ◊ **Stitched and taped internal seams:** Enhanced wearer comfort

## Seam Diagram





**Performance Standards**



0598  
EN 14225-2:2017  
HZ Chemical Resistance

**Product Information**

**Product Information**

**Color** Black

**Product Material** Blend of natural and synthetic rubbers (NR/EPDM), on a stretch polyamide/elastane lining.

**Product Reference** PROTECH II

**Reinforcements** Additional layers of anti-slip textured rubber are applied to areas at risk of wear. The shoulders, zipper and waistband are reinforced. The trouser rear reinforcement extends around the thigh and across to the front of the legs, and down to the boots.

**Seam Type** Stitched and Taped

**Available Sizes** S, M, L, XL, 2XL, 3XL

- Standards Overview**
- EN 14225-2:2017
  - HZ chemical approval
  - BIO micro-organism approval



## Suit Components & Accessories

### Suit Components and Accessories

<b>Design Features</b>	Rear entry.
<b>Neck Seal</b>	Fitted with a Surveyor latex neck seal as standard. Option: VIKING™ Quick Neck system, which allows for quick changing of broken seals.
<b>Cuffs</b>	Latex PRO cuffs are the standard fitment. Options: A rubber cuff ring system or the VIKING™ Bayonet Ring System. Both systems make the fitment of rubber gloves possible.
<b>Footwear And Attachments</b>	Rubber coated 5 mm neoprene boots. The boots feature a non-slip outsole and a heel fin retainer. Alternative options are available.
<b>Zipper</b>	Heavy Duty (HD) non-magnetic, 90 cm long. The zipper is placed across the shoulders.
<b>Included With Each Delivery</b>	Each suit comes supplied with suspenders, carry bag, user manual, repair kit and zip care materials.

**For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at**

#### Europe, Middle East & Africa Region

- Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

#### North America Region

- Ansell Healthcare Products LLC  
T: +1 800 800 0444

#### Australia

- Ansell Limited  
T: +61 1800 337 041

#### Asia Pacific Region

- Ansell Global Trading Center  
T: +603 8310 6688

#### Latin America & Caribbean Region

- Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

# Ansell

