

66-300 Model 122

Basic re-usable splash protective coverall for protection against chemical spray

Previously known as: TRELLCHEM® Splash 600

Basic and reusable, splash safety coveralls, protecting against chemical sprays.

- **Everyday usability and convenience:** The AlphaTec® 66-300 Model 122 chemical protective suit is ideal for everyday tasks, as it is versatile, reusable and comes in three models that include attached boots
- **Optimized defenses and comfort:** Designed with strong, flexible and anti-static material, this full-body protection suit affords both comfort and safety
- **Added protection:** Besides shielding against chemical sprays in low-risk environments, this red hazmat PPE protects against chemicals and biohazards such as alkalis, acids and infective agents
- **Certified performance:** In addition, these reusable chemical-resistant coveralls comply with EN 14605:2005, Type 4 (spray-tight) requirements



Industries

- Fire and Rescue
- Industrial
- Chemical


Applications

- Chemical Handling
- Fire & Rescue
- First Responders
- Hazmat Teams
- Industrial and Tank Cleaning
- Petrochemicals
- Emergency Teams

KEY FEATURES & BENEFITS

- **Versatile and reusable protective suit:** Enhanced practicality
- **Strong, flexible and anti-static fabric:** For added comfort and safety
- **Biological and chemical resistance:** Superb hazard protection suit

Material Diagram



Seam Diagram



Performance Standards



Product Information

Product Information	
Available Sizes	2XS, XS, S, M, L, XL, 2XL, 3XL
Color	Red
Country Of Origin	Lithuania
Models Available	111, 122
Packaging Overview	Individually Packed
Product Material	Polyamide fabric, coated with PVC on both sides
Product Reference	66-300 Model 122
Standards Overview	<ul style="list-style-type: none">• EN 14605:2005 + A1:2009 type 4 (spray-tight)• EN 14126:2003 (infective agent protection)• EN 1149-5:2008 (anti-static suit material)
Seam Type	Double welded
Shelf Life	7 years

Suit components & accessories

Suit Components and Accessories	
Design Features	<ul style="list-style-type: none">• Drawstring hood with chin flap for added protection• Attached boots• Open sleeves with hook-and-loop closure, or fitted with AlphaTec® 08-354 gloves (Scorpio)• If fitted, gloves are attached with a Bayonet ring system, which offers quick and simple glove exchange• Nylon zipper, or watertight PVC zipper• Zipper is covered by a double splash guard/flap with press studs
Gloves And Attachments	Open sleeves with hook-and-loop closure, or fitted with AlphaTec® 08-354 gloves (Scorpio). If fitted, gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.
Footwear And Attachments	Attached PVC safety boots.
Zipper	Nylon zipper, or watertight PVC zipper. The zipper is protected by a double splash guard/flap with press studs.
Included With Each Delivery	<ul style="list-style-type: none">• 2 pcs extra locking pins for the Bayonet glove ring system (if fitted)• 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system (if fitted)• 1 pce grease stick for lubrication of the zipper (only for suits fitted with watertight zipper)

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia
Ansell Limited
T: +61 1800 337 041

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.