

BioClean[™] Non-sterile DB Pouch-style Face mask BDBN

Non-sterile, pouch-style protective mask granting advanced protection and superior comfort

- Reduced contamination risk: The BioClean[™] BDBN Non-sterile DB Pouchstyle Face Mask features high bacterial and particle filtration efficiency, providing superior product protection
- Increased comfort: This cleanroom face mask has a large breathing chamber that provides added comfort, especially for prolonged wear
- Added protection: In addition, the BioClean[™] BDBN Non-sterile DB Pouchstyle Face Mask has ultrasonically sealed edges, which reduce the risk of contamination within controlled and critical environments
- Advanced features: Designed with a fully enclosed and malleable nose-band, this high-quality protective face mask provides a secure yet comfortable fit



Key Features and Benefits

- High bacterial and particle filtration efficiency: Optimal protection
- Large breathing chamber: Breathable comfort for extended use
- Ultrasonically sealed edges: Reduced risk of cleanroom contamination

Industries

- Controlled and Critical Environments
- Production and Manufacturing
- Laboratory and Research

Recommended For

- Animal care feeding and cleanup
- Adjusting parts and systems
- Food processing and handling
- Aseptic filling and labelling



WWW.ANSELL.COM



BioClean[™] Non-sterile DB Pouch-style Face mask BDBN

TECHNICAL DATA SHEET

PRODUCT INFORMATION

Material	Polyester / Polyurethane
Audit Standards	Manufacturing QMS Audit Standards ISO 9001
Standards	ISO 2859, ISO 9001:2015
Packaging Overview	50 pieces per sealed inner PE bag; one inner bag per sealed outer PE bag; six outer bags per lined carton (300 pieces)
Country Of Origin	China
Storage Instructions	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.
Shelf Life	Five (5) years from date of manufacture

PHYSICAL PROPERTIES

Color	White
String Type	Headloop
Overall Dimensions	WIDTH (± 5mm) 301mm HEIGHT (± 5mm) 100mm
Inner Facing Layer	Non-woven spunbonded polyester (hygroscopic)
Filtration Layer	Meltblown polypropylene
Outer Layer	Non-woven spunbonded polyester (hydrophobic)
Fastenings	Tubular knitted polyurethane Spandex yarn headloops
Noseband	Plastic coated steel





PERFORMANCE INFORMATION

Cleanroom Class	Class 10/ISO 4
Particle Filtration Efficiency	99.5% @0.1 micron
Bacterial Filtration Efficiency	99.8% @0.3 micron
Viral Filtration Efficiency	99.4% @3.0 micron
Differential Pressure	5.3mm H ₂ 0/cm ²

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

F: +32 (0) 2 528 74 01 Asia Pacific Region Ansell Global Trading Center

T: +603 8310 6688 F: +603 8310 6699 North America Region Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

Latin America & Caribbean Region Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

UK Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890

Ansell, $^{(R)}$ and m are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking $^{(C)}$ 2024 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

